

**6'-2500 DWT6 Double-Wall Tank
2689 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	2	6 1/8	112	12 1/8	298	18 1/8	530	24 1/8	793
1/4	3	6 1/4	115	12 1/4	302	18 1/4	535	24 1/4	799
3/8	4	6 3/8	119	12 3/8	307	18 3/8	541	24 3/8	804
1/2	5	6 1/2	122	12 1/2	311	18 1/2	546	24 1/2	810
5/8	6	6 5/8	125	12 5/8	316	18 5/8	551	24 5/8	816
3/4	7	6 3/4	129	12 3/4	320	18 3/4	556	24 3/4	822
7/8	9	6 7/8	132	12 7/8	325	18 7/8	562	24 7/8	827
1	10	7	135	13	329	19	567	25	833
1 1/8	12	7 1/8	139	13 1/8	334	19 1/8	572	25 1/8	839
1 1/4	13	7 1/4	142	13 1/4	339	19 1/4	577	25 1/4	845
1 3/8	15	7 3/8	146	13 3/8	343	19 3/8	583	25 3/8	850
1 1/2	17	7 1/2	149	13 1/2	348	19 1/2	588	25 1/2	856
1 5/8	18	7 5/8	153	13 5/8	352	19 5/8	593	25 5/8	862
1 3/4	20	7 3/4	157	13 3/4	357	19 3/4	599	25 3/4	868
1 7/8	22	7 7/8	160	13 7/8	362	19 7/8	604	25 7/8	874
2	24	8	164	14	366	20	609	26	879
2 1/8	26	8 1/8	168	14 1/8	371	20 1/8	615	26 1/8	885
2 1/4	28	8 1/4	171	14 1/4	376	20 1/4	620	26 1/4	891
2 3/8	30	8 3/8	175	14 3/8	381	20 3/8	626	26 3/8	897
2 1/2	32	8 1/2	179	14 1/2	385	20 1/2	631	26 1/2	903
2 5/8	35	8 5/8	183	14 5/8	390	20 5/8	637	26 5/8	909
2 3/4	37	8 3/4	186	14 3/4	395	20 3/4	642	26 3/4	915
2 7/8	39	8 7/8	190	14 7/8	400	20 7/8	647	26 7/8	920
3	41	9	194	15	405	21	653	27	926
3 1/8	44	9 1/8	198	15 1/8	409	21 1/8	658	27 1/8	932
3 1/4	46	9 1/4	202	15 1/4	414	21 1/4	664	27 1/4	938
3 3/8	49	9 3/8	206	15 3/8	419	21 3/8	669	27 3/8	944
3 1/2	51	9 1/2	210	15 1/2	424	21 1/2	675	27 1/2	950
3 5/8	54	9 5/8	214	15 5/8	429	21 5/8	680	27 5/8	956
3 3/4	56	9 3/4	218	15 3/4	434	21 3/4	686	27 3/4	962
3 7/8	59	9 7/8	222	15 7/8	439	21 7/8	691	27 7/8	968
4	61	10	226	16	444	22	697	28	973
4 1/8	64	10 1/8	230	16 1/8	449	22 1/8	703	28 1/8	979
4 1/4	67	10 1/4	234	16 1/4	454	22 1/4	708	28 1/4	985
4 3/8	70	10 3/8	238	16 3/8	459	22 3/8	714	28 3/8	991
4 1/2	72	10 1/2	242	16 1/2	464	22 1/2	719	28 1/2	997
4 5/8	75	10 5/8	246	16 5/8	469	22 5/8	725	28 5/8	1003
4 3/4	78	10 3/4	251	16 3/4	474	22 3/4	731	28 3/4	1009
4 7/8	81	10 7/8	255	16 7/8	479	22 7/8	736	28 7/8	1015
5	84	11	259	17	484	23	742	29	1021
5 1/8	87	11 1/8	263	17 1/8	489	23 1/8	747	29 1/8	1027
5 1/4	90	11 1/4	268	17 1/4	494	23 1/4	753	29 1/4	1033
5 3/8	93	11 3/8	272	17 3/8	499	23 3/8	759	29 3/8	1039
5 1/2	96	11 1/2	276	17 1/2	504	23 1/2	764	29 1/2	1045
5 5/8	99	11 5/8	281	17 5/8	509	23 5/8	770	29 5/8	1051
5 3/4	102	11 3/4	285	17 3/4	515	23 3/4	776	29 3/4	1057
5 7/8	106	11 7/8	289	17 7/8	520	23 7/8	781	29 7/8	1063
6	109	12	294	18	525	24	787	30	1069

**6'-2500 DWT6 Double-Wall Tank
2689 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
30 1/8	1075	36 1/8	1366	42 1/8	1656	48 1/8	1936	54 1/8	2195
30 1/4	1081	36 1/4	1372	42 1/4	1662	48 1/4	1942	54 1/4	2200
30 3/8	1087	36 3/8	1378	42 3/8	1668	48 3/8	1947	54 3/8	2205
30 1/2	1093	36 1/2	1384	42 1/2	1674	48 1/2	1953	54 1/2	2210
30 5/8	1099	36 5/8	1390	42 5/8	1680	48 5/8	1958	54 5/8	2215
30 3/4	1105	36 3/4	1396	42 3/4	1686	48 3/4	1964	54 3/4	2220
30 7/8	1111	36 7/8	1402	42 7/8	1692	48 7/8	1970	54 7/8	2225
31	1117	37	1408	43	1698	49	1975	55	2230
31 1/8	1123	37 1/8	1415	43 1/8	1704	49 1/8	1981	55 1/8	2235
31 1/4	1129	37 1/4	1421	43 1/4	1710	49 1/4	1986	55 1/4	2240
31 3/8	1135	37 3/8	1427	43 3/8	1716	49 3/8	1992	55 3/8	2245
31 1/2	1141	37 1/2	1433	43 1/2	1722	49 1/2	1998	55 1/2	2250
31 5/8	1147	37 5/8	1439	43 5/8	1727	49 5/8	2003	55 5/8	2255
31 3/4	1153	37 3/4	1445	43 3/4	1733	49 3/4	2009	55 3/4	2260
31 7/8	1159	37 7/8	1451	43 7/8	1739	49 7/8	2014	55 7/8	2265
32	1165	38	1457	44	1745	50	2020	56	2270
32 1/8	1171	38 1/8	1463	44 1/8	1751	50 1/8	2025	56 1/8	2275
32 1/4	1177	38 1/4	1469	44 1/4	1757	50 1/4	2031	56 1/4	2280
32 3/8	1183	38 3/8	1475	44 3/8	1763	50 3/8	2036	56 3/8	2284
32 1/2	1190	38 1/2	1481	44 1/2	1769	50 1/2	2042	56 1/2	2289
32 5/8	1196	38 5/8	1487	44 5/8	1775	50 5/8	2047	56 5/8	2294
32 3/4	1202	38 3/4	1493	44 3/4	1780	50 3/4	2053	56 3/4	2299
32 7/8	1208	38 7/8	1500	44 7/8	1786	50 7/8	2058	56 7/8	2304
33	1214	39	1506	45	1792	51	2063	57	2308
33 1/8	1220	39 1/8	1512	45 1/8	1798	51 1/8	2069	57 1/8	2313
33 1/4	1226	39 1/4	1518	45 1/4	1804	51 1/4	2074	57 1/4	2318
33 3/8	1232	39 3/8	1524	45 3/8	1810	51 3/8	2080	57 3/8	2323
33 1/2	1238	39 1/2	1530	45 1/2	1815	51 1/2	2085	57 1/2	2327
33 5/8	1244	39 5/8	1536	45 5/8	1821	51 5/8	2090	57 5/8	2332
33 3/4	1250	39 3/4	1542	45 3/4	1827	51 3/4	2096	57 3/4	2337
33 7/8	1256	39 7/8	1548	45 7/8	1833	51 7/8	2101	57 7/8	2341
34	1262	40	1554	46	1839	52	2106	58	2346
34 1/8	1268	40 1/8	1560	46 1/8	1844	52 1/8	2112	58 1/8	2350
34 1/4	1275	40 1/4	1566	46 1/4	1850	52 1/4	2117	58 1/4	2355
34 3/8	1281	40 3/8	1572	46 3/8	1856	52 3/8	2122	58 3/8	2360
34 1/2	1287	40 1/2	1578	46 1/2	1862	52 1/2	2128	58 1/2	2364
34 5/8	1293	40 5/8	1584	46 5/8	1868	52 5/8	2133	58 5/8	2369
34 3/4	1299	40 3/4	1590	46 3/4	1873	52 3/4	2138	58 3/4	2373
34 7/8	1305	40 7/8	1596	46 7/8	1879	52 7/8	2143	58 7/8	2378
35	1311	41	1602	47	1885	53	2149	59	2382
35 1/8	1317	41 1/8	1608	47 1/8	1890	53 1/8	2154	59 1/8	2387
35 1/4	1323	41 1/4	1614	47 1/4	1896	53 1/4	2159	59 1/4	2391
35 3/8	1329	41 3/8	1620	47 3/8	1902	53 3/8	2164	59 3/8	2395
35 1/2	1335	41 1/2	1626	47 1/2	1908	53 1/2	2169	59 1/2	2400
35 5/8	1341	41 5/8	1632	47 5/8	1913	53 5/8	2175	59 5/8	2404
35 3/4	1348	41 3/4	1638	47 3/4	1919	53 3/4	2180	59 3/4	2409
35 7/8	1354	41 7/8	1644	47 7/8	1925	53 7/8	2185	59 7/8	2413
36	1360	42	1650	48	1930	54	2190	60	2417

6'-2500 DWT6 Double-Wall Tank 2689 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS
60 1/8	2421	66 1/8	2599
60 1/4	2426	66 1/4	2602
60 3/8	2430	66 3/8	2605
60 1/2	2434	66 1/2	2608
60 5/8	2438	66 5/8	2611
60 3/4	2443	66 3/4	2614
60 7/8	2447	66 7/8	2617
61	2451	67	2619
61 1/8	2455	67 1/8	2622
61 1/4	2459	67 1/4	2625
61 3/8	2463	67 3/8	2628
61 1/2	2467	67 1/2	2630
61 5/8	2471	67 5/8	2633
61 3/4	2475	67 3/4	2635
61 7/8	2479	67 7/8	2638
62	2483	68	2640
62 1/8	2487	68 1/8	2643
62 1/4	2491	68 1/4	2645
62 3/8	2495	68 3/8	2648
62 1/2	2499	68 1/2	2650
62 5/8	2503	68 5/8	2652
62 3/4	2506	68 3/4	2655
62 7/8	2510	68 7/8	2657
63	2514	69	2659
63 1/8	2518	69 1/8	2661
63 1/4	2521	69 1/4	2663
63 3/8	2525	69 3/8	2665
63 1/2	2529	69 1/2	2667
63 5/8	2532	69 5/8	2669
63 3/4	2536	69 3/4	2671
63 7/8	2540	69 7/8	2672
64	2543	70	2674
64 1/8	2547	70 1/8	2676
64 1/4	2550	70 1/4	2677
64 3/8	2554	70 3/8	2679
64 1/2	2557	70 1/2	2680
64 5/8	2560	70 5/8	2682
64 3/4	2564	70 3/4	2683
64 7/8	2567	70 7/8	2684
65	2571	71	2685
65 1/8	2574	71 1/8	2686
65 1/4	2577	71 1/4	2687
65 3/8	2580	71 3/8	2688
65 1/2	2584	71 1/2	2688
65 5/8	2587	71 5/8	2689
65 3/4	2590		
65 7/8	2593		
66	2596		



CONTAINMENT
SOLUTIONS®

HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870
DAYCO/NATIONAL
DAYTON, OH
TEL: 1-800-283-2926
FAX: 1-800-688-4854

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

Containment Solutions, Inc.
5150 Jefferson Chemical Road
Conroe, TX 77301
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.