

6'-5000 DWT6 Double-Wall Tank 5015 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	4	6 1/8	215	12 1/8	566	18 1/8	1001	24 1/8	1489
1/4	6	6 1/4	221	12 1/4	575	18 1/4	1010	24 1/4	1499
3/8	8	6 3/8	227	12 3/8	583	18 3/8	1020	24 3/8	1510
1/2	10	6 1/2	233	12 1/2	592	18 1/2	1030	24 1/2	1521
5/8	12	6 5/8	240	12 5/8	600	18 5/8	1039	24 5/8	1531
3/4	15	6 3/4	246	12 3/4	608	18 3/4	1049	24 3/4	1542
7/8	17	6 7/8	253	12 7/8	617	18 7/8	1059	24 7/8	1552
1	20	7	259	13	625	19	1069	25	1563
1 1/8	23	7 1/8	266	13 1/8	634	19 1/8	1079	25 1/8	1574
1 1/4	26	7 1/4	273	13 1/4	643	19 1/4	1089	25 1/4	1585
1 3/8	29	7 3/8	279	13 3/8	651	19 3/8	1099	25 3/8	1595
1 1/2	32	7 1/2	286	13 1/2	660	19 1/2	1108	25 1/2	1606
1 5/8	36	7 5/8	293	13 5/8	669	19 5/8	1118	25 5/8	1617
1 3/4	39	7 3/4	300	13 3/4	677	19 3/4	1128	25 3/4	1627
1 7/8	43	7 7/8	306	13 7/8	686	19 7/8	1138	25 7/8	1638
2	47	8	313	14	695	20	1148	26	1649
2 1/8	50	8 1/8	320	14 1/8	704	20 1/8	1158	26 1/8	1660
2 1/4	54	8 1/4	327	14 1/4	712	20 1/4	1168	26 1/4	1671
2 3/8	58	8 3/8	335	14 3/8	721	20 3/8	1178	26 3/8	1681
2 1/2	62	8 1/2	342	14 1/2	730	20 1/2	1189	26 1/2	1692
2 5/8	67	8 5/8	349	14 5/8	739	20 5/8	1199	26 5/8	1703
2 3/4	71	8 3/4	356	14 3/4	748	20 3/4	1209	26 3/4	1714
2 7/8	75	8 7/8	363	14 7/8	757	20 7/8	1219	26 7/8	1725
3	80	9	371	15	766	21	1229	27	1736
3 1/8	84	9 1/8	378	15 1/8	775	21 1/8	1239	27 1/8	1746
3 1/4	89	9 1/4	385	15 1/4	784	21 1/4	1249	27 1/4	1757
3 3/8	94	9 3/8	393	15 3/8	793	21 3/8	1260	27 3/8	1768
3 1/2	98	9 1/2	400	15 1/2	803	21 1/2	1270	27 1/2	1779
3 5/8	103	9 5/8	408	15 5/8	812	21 5/8	1280	27 5/8	1790
3 3/4	108	9 3/4	415	15 3/4	821	21 3/4	1290	27 3/4	1801
3 7/8	113	9 7/8	423	15 7/8	830	21 7/8	1301	27 7/8	1812
4	118	10	431	16	839	22	1311	28	1823
4 1/8	123	10 1/8	438	16 1/8	849	22 1/8	1321	28 1/8	1834
4 1/4	129	10 1/4	446	16 1/4	858	22 1/4	1332	28 1/4	1845
4 3/8	134	10 3/8	454	16 3/8	867	22 3/8	1342	28 3/8	1856
4 1/2	139	10 1/2	462	16 1/2	877	22 1/2	1352	28 1/2	1867
4 5/8	145	10 5/8	469	16 5/8	886	22 5/8	1363	28 5/8	1878
4 3/4	150	10 3/4	477	16 3/4	895	22 3/4	1373	28 3/4	1889
4 7/8	156	10 7/8	485	16 7/8	905	22 7/8	1384	28 7/8	1900
5	161	11	493	17	914	23	1394	29	1911
5 1/8	167	11 1/8	501	17 1/8	924	23 1/8	1405	29 1/8	1922
5 1/4	173	11 1/4	509	17 1/4	933	23 1/4	1415	29 1/4	1933
5 3/8	179	11 3/8	517	17 3/8	943	23 3/8	1425	29 3/8	1944
5 1/2	184	11 1/2	525	17 1/2	952	23 1/2	1436	29 1/2	1955
5 5/8	190	11 5/8	533	17 5/8	962	23 5/8	1446	29 5/8	1966
5 3/4	196	11 3/4	542	17 3/4	972	23 3/4	1457	29 3/4	1977
5 7/8	202	11 7/8	550	17 7/8	981	23 7/8	1468	29 7/8	1988
6	209	12	558	18	991	24	1478	30	1999

**6'-5000 DWT6 Double-Wall Tank
5015 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
30 1/8	2010	36 1/8	2547	42 1/8	3083	48 1/8	3600	54 1/8	4082
30 1/4	2021	36 1/4	2558	42 1/4	3094	48 1/4	3611	54 1/4	4092
30 3/8	2032	36 3/8	2569	42 3/8	3105	48 3/8	3621	54 3/8	4101
30 1/2	2043	36 1/2	2581	42 1/2	3116	48 1/2	3632	54 1/2	4111
30 5/8	2055	36 5/8	2592	42 5/8	3127	48 5/8	3642	54 5/8	4120
30 3/4	2066	36 3/4	2603	42 3/4	3138	48 3/4	3653	54 3/4	4129
30 7/8	2077	36 7/8	2614	42 7/8	3149	48 7/8	3663	54 7/8	4139
31	2088	37	2626	43	3160	49	3673	55	4148
31 1/8	2099	37 1/8	2637	43 1/8	3171	49 1/8	3684	55 1/8	4157
31 1/4	2110	37 1/4	2648	43 1/4	3182	49 1/4	3694	55 1/4	4167
31 3/8	2121	37 3/8	2659	43 3/8	3193	49 3/8	3704	55 3/8	4176
31 1/2	2132	37 1/2	2671	43 1/2	3204	49 1/2	3715	55 1/2	4185
31 5/8	2144	37 5/8	2682	43 5/8	3215	49 5/8	3725	55 5/8	4195
31 3/4	2155	37 3/4	2693	43 3/4	3225	49 3/4	3735	55 3/4	4204
31 7/8	2166	37 7/8	2704	43 7/8	3236	49 7/8	3746	55 7/8	4213
32	2177	38	2715	44	3247	50	3756	56	4222
32 1/8	2188	38 1/8	2727	44 1/8	3258	50 1/8	3766	56 1/8	4231
32 1/4	2199	38 1/4	2738	44 1/4	3269	50 1/4	3776	56 1/4	4240
32 3/8	2211	38 3/8	2749	44 3/8	3280	50 3/8	3786	56 3/8	4249
32 1/2	2222	38 1/2	2760	44 1/2	3291	50 1/2	3797	56 1/2	4258
32 5/8	2233	38 5/8	2771	44 5/8	3302	50 5/8	3807	56 5/8	4267
32 3/4	2244	38 3/4	2783	44 3/4	3312	50 3/4	3817	56 3/4	4276
32 7/8	2255	38 7/8	2794	44 7/8	3323	50 7/8	3827	56 7/8	4285
33	2267	39	2805	45	3334	51	3837	57	4294
33 1/8	2278	39 1/8	2816	45 1/8	3345	51 1/8	3847	57 1/8	4303
33 1/4	2289	39 1/4	2827	45 1/4	3356	51 1/4	3857	57 1/4	4312
33 3/8	2300	39 3/8	2838	45 3/8	3367	51 3/8	3867	57 3/8	4321
33 1/2	2311	39 1/2	2850	45 1/2	3377	51 1/2	3877	57 1/2	4329
33 5/8	2323	39 5/8	2861	45 5/8	3388	51 5/8	3887	57 5/8	4338
33 3/4	2334	39 3/4	2872	45 3/4	3399	51 3/4	3897	57 3/4	4347
33 7/8	2345	39 7/8	2883	45 7/8	3410	51 7/8	3907	57 7/8	4356
34	2356	40	2894	46	3420	52	3917	58	4364
34 1/8	2367	40 1/8	2905	46 1/8	3431	52 1/8	3927	58 1/8	4373
34 1/4	2379	40 1/4	2916	46 1/4	3442	52 1/4	3937	58 1/4	4381
34 3/8	2390	40 3/8	2928	46 3/8	3452	52 3/8	3947	58 3/8	4390
34 1/2	2401	40 1/2	2939	46 1/2	3463	52 1/2	3956	58 1/2	4399
34 5/8	2412	40 5/8	2950	46 5/8	3474	52 5/8	3966	58 5/8	4407
34 3/4	2424	40 3/4	2961	46 3/4	3484	52 3/4	3976	58 3/4	4416
34 7/8	2435	40 7/8	2972	46 7/8	3495	52 7/8	3986	58 7/8	4424
35	2446	41	2983	47	3506	53	3995	59	4432
35 1/8	2457	41 1/8	2994	47 1/8	3516	53 1/8	4005	59 1/8	4441
35 1/4	2468	41 1/4	3005	47 1/4	3527	53 1/4	4015	59 1/4	4449
35 3/8	2480	41 3/8	3016	47 3/8	3537	53 3/8	4025	59 3/8	4457
35 1/2	2491	41 1/2	3027	47 1/2	3548	53 1/2	4034	59 1/2	4466
35 5/8	2502	41 5/8	3039	47 5/8	3558	53 5/8	4044	59 5/8	4474
35 3/4	2513	41 3/4	3050	47 3/4	3569	53 3/4	4053	59 3/4	4482
35 7/8	2525	41 7/8	3061	47 7/8	3579	53 7/8	4063	59 7/8	4490
36	2536	42	3072	48	3590	54	4073	60	4498

6'-5000 DWT6 Double-Wall Tank 5015 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS
60 1/8	4506	66 1/8	4843
60 1/4	4514	66 1/4	4848
60 3/8	4522	66 3/8	4854
60 1/2	4530	66 1/2	4860
60 5/8	4538	66 5/8	4865
60 3/4	4546	66 3/4	4871
60 7/8	4554	66 7/8	4876
61	4562	67	4882
61 1/8	4569	67 1/8	4887
61 1/4	4577	67 1/4	4892
61 3/8	4585	67 3/8	4897
61 1/2	4593	67 1/2	4902
61 5/8	4600	67 5/8	4907
61 3/4	4608	67 3/4	4912
61 7/8	4615	67 7/8	4917
62	4623	68	4922
62 1/8	4630	68 1/8	4927
62 1/4	4638	68 1/4	4931
62 3/8	4645	68 3/8	4936
62 1/2	4652	68 1/2	4940
62 5/8	4659	68 5/8	4944
62 3/4	4667	68 3/4	4949
62 7/8	4674	68 7/8	4953
63	4681	69	4957
63 1/8	4688	69 1/8	4961
63 1/4	4695	69 1/4	4965
63 3/8	4702	69 3/8	4969
63 1/2	4709	69 1/2	4973
63 5/8	4716	69 5/8	4976
63 3/4	4723	69 3/4	4980
63 7/8	4729	69 7/8	4983
64	4736	70	4986
64 1/8	4743	70 1/8	4990
64 1/4	4750	70 1/4	4993
64 3/8	4756	70 3/8	4996
64 1/2	4763	70 1/2	4998
64 5/8	4769	70 5/8	5001
64 3/4	4776	70 3/4	5003
64 7/8	4782	70 7/8	5006
65	4788	71	5008
65 1/8	4795	71 1/8	5010
65 1/4	4801	71 1/4	5012
65 3/8	4807	71 3/8	5013
65 1/2	4813	71 1/2	5014
65 5/8	4819	71 5/8	5015
65 3/4	4825		
65 7/8	4831		
66	4837		



**CONTAINMENT
SOLUTIONS®**

HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870
 DAYCO/NATIONAL
 DAYTON, OH
 TEL: 1-800-283-2926
 FAX: 1-800-688-4854

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

Containment Solutions, Inc.
 5150 Jefferson Chemical Road
 Conroe, TX 77301
 Tel: 936-756-7731
 Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.