

6'-5000 SWT D6 Single-Wall Tank 5108 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	4	6 1/8	219	12 1/8	577	18 1/8	1019	24 1/8	1517
1/4	6	6 1/4	225	12 1/4	586	18 1/4	1029	24 1/4	1527
3/8	8	6 3/8	232	12 3/8	594	18 3/8	1039	24 3/8	1538
1/2	10	6 1/2	238	12 1/2	603	18 1/2	1049	24 1/2	1549
5/8	12	6 5/8	244	12 5/8	611	18 5/8	1059	24 5/8	1560
3/4	15	6 3/4	251	12 3/4	620	18 3/4	1069	24 3/4	1571
7/8	17	6 7/8	258	12 7/8	629	18 7/8	1079	24 7/8	1582
1	20	7	264	13	637	19	1089	25	1592
1 1/8	23	7 1/8	271	13 1/8	646	19 1/8	1099	25 1/8	1603
1 1/4	26	7 1/4	278	13 1/4	655	19 1/4	1109	25 1/4	1614
1 3/8	30	7 3/8	285	13 3/8	664	19 3/8	1119	25 3/8	1625
1 1/2	33	7 1/2	291	13 1/2	672	19 1/2	1129	25 1/2	1636
1 5/8	36	7 5/8	298	13 5/8	681	19 5/8	1139	25 5/8	1647
1 3/4	40	7 3/4	305	13 3/4	690	19 3/4	1150	25 3/4	1658
1 7/8	44	7 7/8	312	13 7/8	699	19 7/8	1160	25 7/8	1669
2	48	8	319	14	708	20	1170	26	1680
2 1/8	51	8 1/8	327	14 1/8	717	20 1/8	1180	26 1/8	1691
2 1/4	55	8 1/4	334	14 1/4	726	20 1/4	1190	26 1/4	1702
2 3/8	59	8 3/8	341	14 3/8	735	20 3/8	1201	26 3/8	1713
2 1/2	64	8 1/2	348	14 1/2	744	20 1/2	1211	26 1/2	1724
2 5/8	68	8 5/8	355	14 5/8	753	20 5/8	1221	26 5/8	1735
2 3/4	72	8 3/4	363	14 3/4	762	20 3/4	1232	26 3/4	1746
2 7/8	77	8 7/8	370	14 7/8	771	20 7/8	1242	26 7/8	1757
3	81	9	378	15	781	21	1252	27	1768
3 1/8	86	9 1/8	385	15 1/8	790	21 1/8	1263	27 1/8	1779
3 1/4	91	9 1/4	393	15 1/4	799	21 1/4	1273	27 1/4	1790
3 3/8	95	9 3/8	400	15 3/8	808	21 3/8	1283	27 3/8	1801
3 1/2	100	9 1/2	408	15 1/2	818	21 1/2	1294	27 1/2	1812
3 5/8	105	9 5/8	416	15 5/8	827	21 5/8	1304	27 5/8	1823
3 3/4	110	9 3/4	423	15 3/4	836	21 3/4	1315	27 3/4	1835
3 7/8	115	9 7/8	431	15 7/8	846	21 7/8	1325	27 7/8	1846
4	121	10	439	16	855	22	1336	28	1857
4 1/8	126	10 1/8	447	16 1/8	865	22 1/8	1346	28 1/8	1868
4 1/4	131	10 1/4	454	16 1/4	874	22 1/4	1357	28 1/4	1879
4 3/8	137	10 3/8	462	16 3/8	884	22 3/8	1367	28 3/8	1890
4 1/2	142	10 1/2	470	16 1/2	893	22 1/2	1378	28 1/2	1902
4 5/8	148	10 5/8	478	16 5/8	903	22 5/8	1388	28 5/8	1913
4 3/4	153	10 3/4	486	16 3/4	912	22 3/4	1399	28 3/4	1924
4 7/8	159	10 7/8	494	16 7/8	922	22 7/8	1410	28 7/8	1935
5	164	11	503	17	932	23	1420	29	1946
5 1/8	170	11 1/8	511	17 1/8	941	23 1/8	1431	29 1/8	1958
5 1/4	176	11 1/4	519	17 1/4	951	23 1/4	1442	29 1/4	1969
5 3/8	182	11 3/8	527	17 3/8	961	23 3/8	1452	29 3/8	1980
5 1/2	188	11 1/2	535	17 1/2	970	23 1/2	1463	29 1/2	1991
5 5/8	194	11 5/8	544	17 5/8	980	23 5/8	1474	29 5/8	2003
5 3/4	200	11 3/4	552	17 3/4	990	23 3/4	1484	29 3/4	2014
5 7/8	206	11 7/8	560	17 7/8	1000	23 7/8	1495	29 7/8	2025
6	213	12	569	18	1010	24	1506	30	2036

6'-5000 SWT D6 Single-Wall Tank 5108 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
30 1/8	2048	36 1/8	2594	42 1/8	3140	48 1/8	3667	54 1/8	4158
30 1/4	2059	36 1/4	2606	42 1/4	3151	48 1/4	3678	54 1/4	4167
30 3/8	2070	36 3/8	2617	42 3/8	3162	48 3/8	3688	54 3/8	4177
30 1/2	2082	36 1/2	2629	42 1/2	3174	48 1/2	3699	54 1/2	4187
30 5/8	2093	36 5/8	2640	42 5/8	3185	48 5/8	3710	54 5/8	4196
30 3/4	2104	36 3/4	2652	42 3/4	3196	48 3/4	3720	54 3/4	4206
30 7/8	2115	36 7/8	2663	42 7/8	3207	48 7/8	3731	54 7/8	4215
31	2127	37	2674	43	3218	49	3741	55	4225
31 1/8	2138	37 1/8	2686	43 1/8	3230	49 1/8	3752	55 1/8	4235
31 1/4	2149	37 1/4	2697	43 1/4	3241	49 1/4	3763	55 1/4	4244
31 3/8	2161	37 3/8	2709	43 3/8	3252	49 3/8	3773	55 3/8	4253
31 1/2	2172	37 1/2	2720	43 1/2	3263	49 1/2	3784	55 1/2	4263
31 5/8	2184	37 5/8	2732	43 5/8	3274	49 5/8	3794	55 5/8	4272
31 3/4	2195	37 3/4	2743	43 3/4	3285	49 3/4	3804	55 3/4	4282
31 7/8	2206	37 7/8	2754	43 7/8	3296	49 7/8	3815	55 7/8	4291
32	2218	38	2766	44	3307	50	3825	56	4300
32 1/8	2229	38 1/8	2777	44 1/8	3319	50 1/8	3836	56 1/8	4310
32 1/4	2240	38 1/4	2789	44 1/4	3330	50 1/4	3846	56 1/4	4319
32 3/8	2252	38 3/8	2800	44 3/8	3341	50 3/8	3857	56 3/8	4328
32 1/2	2263	38 1/2	2811	44 1/2	3352	50 1/2	3867	56 1/2	4337
32 5/8	2275	38 5/8	2823	44 5/8	3363	50 5/8	3877	56 5/8	4346
32 3/4	2286	38 3/4	2834	44 3/4	3374	50 3/4	3887	56 3/4	4356
32 7/8	2297	38 7/8	2846	44 7/8	3385	50 7/8	3898	56 7/8	4365
33	2309	39	2857	45	3396	51	3908	57	4374
33 1/8	2320	39 1/8	2868	45 1/8	3407	51 1/8	3918	57 1/8	4383
33 1/4	2332	39 1/4	2880	45 1/4	3418	51 1/4	3929	57 1/4	4392
33 3/8	2343	39 3/8	2891	45 3/8	3429	51 3/8	3939	57 3/8	4401
33 1/2	2354	39 1/2	2902	45 1/2	3440	51 1/2	3949	57 1/2	4410
33 5/8	2366	39 5/8	2914	45 5/8	3451	51 5/8	3959	57 5/8	4419
33 3/4	2377	39 3/4	2925	45 3/4	3462	51 3/4	3969	57 3/4	4427
33 7/8	2389	39 7/8	2937	45 7/8	3473	51 7/8	3979	57 7/8	4436
34	2400	40	2948	46	3484	52	3989	58	4445
34 1/8	2411	40 1/8	2959	46 1/8	3495	52 1/8	4000	58 1/8	4454
34 1/4	2423	40 1/4	2971	46 1/4	3505	52 1/4	4010	58 1/4	4463
34 3/8	2434	40 3/8	2982	46 3/8	3516	52 3/8	4020	58 3/8	4471
34 1/2	2446	40 1/2	2993	46 1/2	3527	52 1/2	4030	58 1/2	4480
34 5/8	2457	40 5/8	3005	46 5/8	3538	52 5/8	4040	58 5/8	4489
34 3/4	2469	40 3/4	3016	46 3/4	3549	52 3/4	4050	58 3/4	4497
34 7/8	2480	40 7/8	3027	46 7/8	3560	52 7/8	4060	58 7/8	4506
35	2491	41	3038	47	3571	53	4070	59	4515
35 1/8	2503	41 1/8	3050	47 1/8	3581	53 1/8	4079	59 1/8	4523
35 1/4	2514	41 1/4	3061	47 1/4	3592	53 1/4	4089	59 1/4	4532
35 3/8	2526	41 3/8	3072	47 3/8	3603	53 3/8	4099	59 3/8	4540
35 1/2	2537	41 1/2	3084	47 1/2	3614	53 1/2	4109	59 1/2	4548
35 5/8	2549	41 5/8	3095	47 5/8	3624	53 5/8	4119	59 5/8	4557
35 3/4	2560	41 3/4	3106	47 3/4	3635	53 3/4	4129	59 3/4	4565
35 7/8	2572	41 7/8	3117	47 7/8	3646	53 7/8	4138	59 7/8	4573
36	2583	42	3129	48	3656	54	4148	60	4582

6'-5000 SWT D6 Single-Wall Tank 5108 Gals



CONTAINMENT
SOLUTIONS®

DIPSTICK	GALLONS	DIPSTICK	GALLONS
60 1/8	4590	66 1/8	4933
60 1/4	4598	66 1/4	4938
60 3/8	4606	66 3/8	4944
60 1/2	4614	66 1/2	4950
60 5/8	4622	66 5/8	4956
60 3/4	4630	66 3/4	4961
60 7/8	4638	66 7/8	4967
61	4646	67	4972
61 1/8	4654	67 1/8	4978
61 1/4	4662	67 1/4	4983
61 3/8	4670	67 3/8	4988
61 1/2	4678	67 1/2	4993
61 5/8	4685	67 5/8	4998
61 3/4	4693	67 3/4	5003
61 7/8	4701	67 7/8	5008
62	4708	68	5013
62 1/8	4716	68 1/8	5018
62 1/4	4724	68 1/4	5023
62 3/8	4731	68 3/8	5027
62 1/2	4738	68 1/2	5032
62 5/8	4746	68 5/8	5036
62 3/4	4753	68 3/4	5041
62 7/8	4761	68 7/8	5045
63	4768	69	5049
63 1/8	4775	69 1/8	5053
63 1/4	4782	69 1/4	5057
63 3/8	4789	69 3/8	5061
63 1/2	4796	69 1/2	5065
63 5/8	4803	69 5/8	5069
63 3/4	4810	69 3/4	5072
63 7/8	4817	69 7/8	5076
64	4824	70	5079
64 1/8	4831	70 1/8	5082
64 1/4	4838	70 1/4	5085
64 3/8	4844	70 3/8	5088
64 1/2	4851	70 1/2	5091
64 5/8	4858	70 5/8	5094
64 3/4	4864	70 3/4	5096
64 7/8	4871	70 7/8	5099
65	4877	71	5101
65 1/8	4884	71 1/8	5103
65 1/4	4890	71 1/4	5105
65 3/8	4896	71 3/8	5106
65 1/2	4902	71 1/2	5108
65 5/8	4909	71 5/8	5108
65 3/4	4915		
65 7/8	4921		
66	4927		

HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870
DAYCO/NATIONAL
DAYTON, OH
TEL: 1-800-283-2926
FAX: 1-800-688-4854

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

Containment Solutions, Inc.
5150 Jefferson Chemical Road
Conroe, TX 77301
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.