

**6'-6000 DWT6 Double-Wall Tank  
6179 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	5	6 1/8	266	12 1/8	701	18 1/8	1236	24 1/8	1837
1/4	7	6 1/4	274	12 1/4	711	18 1/4	1248	24 1/4	1850
3/8	9	6 3/8	281	12 3/8	721	18 3/8	1260	24 3/8	1863
1/2	12	6 1/2	289	12 1/2	732	18 1/2	1272	24 1/2	1876
5/8	15	6 5/8	297	12 5/8	742	18 5/8	1284	24 5/8	1889
3/4	18	6 3/4	305	12 3/4	752	18 3/4	1296	24 3/4	1902
7/8	21	6 7/8	313	12 7/8	763	18 7/8	1308	24 7/8	1915
1	25	7	321	13	773	19	1320	25	1928
1 1/8	28	7 1/8	329	13 1/8	784	19 1/8	1332	25 1/8	1941
1 1/4	32	7 1/4	338	13 1/4	795	19 1/4	1344	25 1/4	1955
1 3/8	36	7 3/8	346	13 3/8	805	19 3/8	1357	25 3/8	1968
1 1/2	40	7 1/2	354	13 1/2	816	19 1/2	1369	25 1/2	1981
1 5/8	44	7 5/8	363	13 5/8	827	19 5/8	1381	25 5/8	1994
1 3/4	49	7 3/4	371	13 3/4	837	19 3/4	1393	25 3/4	2007
1 7/8	53	7 7/8	380	13 7/8	848	19 7/8	1406	25 7/8	2021
2	58	8	388	14	859	20	1418	26	2034
2 1/8	63	8 1/8	397	14 1/8	870	20 1/8	1430	26 1/8	2047
2 1/4	67	8 1/4	405	14 1/4	881	20 1/4	1443	26 1/4	2060
2 3/8	72	8 3/8	414	14 3/8	892	20 3/8	1455	26 3/8	2074
2 1/2	78	8 1/2	423	14 1/2	903	20 1/2	1467	26 1/2	2087
2 5/8	83	8 5/8	432	14 5/8	914	20 5/8	1480	26 5/8	2100
2 3/4	88	8 3/4	441	14 3/4	925	20 3/4	1492	26 3/4	2114
2 7/8	93	8 7/8	450	14 7/8	936	20 7/8	1505	26 7/8	2127
3	99	9	459	15	947	21	1517	27	2140
3 1/8	105	9 1/8	468	15 1/8	958	21 1/8	1530	27 1/8	2154
3 1/4	110	9 1/4	477	15 1/4	969	21 1/4	1542	27 1/4	2167
3 3/8	116	9 3/8	486	15 3/8	981	21 3/8	1555	27 3/8	2180
3 1/2	122	9 1/2	495	15 1/2	992	21 1/2	1567	27 1/2	2194
3 5/8	128	9 5/8	505	15 5/8	1003	21 5/8	1580	27 5/8	2207
3 3/4	134	9 3/4	514	15 3/4	1015	21 3/4	1593	27 3/4	2221
3 7/8	140	9 7/8	523	15 7/8	1026	21 7/8	1605	27 7/8	2234
4	147	10	533	16	1037	22	1618	28	2248
4 1/8	153	10 1/8	542	16 1/8	1049	22 1/8	1631	28 1/8	2261
4 1/4	160	10 1/4	552	16 1/4	1060	22 1/4	1644	28 1/4	2275
4 3/8	166	10 3/8	562	16 3/8	1072	22 3/8	1656	28 3/8	2288
4 1/2	173	10 1/2	571	16 1/2	1083	22 1/2	1669	28 1/2	2302
4 5/8	179	10 5/8	581	16 5/8	1095	22 5/8	1682	28 5/8	2315
4 3/4	186	10 3/4	591	16 3/4	1106	22 3/4	1695	28 3/4	2329
4 7/8	193	10 7/8	600	16 7/8	1118	22 7/8	1707	28 7/8	2342
5	200	11	610	17	1130	23	1720	29	2356
5 1/8	207	11 1/8	620	17 1/8	1141	23 1/8	1733	29 1/8	2369
5 1/4	214	11 1/4	630	17 1/4	1153	23 1/4	1746	29 1/4	2383
5 3/8	221	11 3/8	640	17 3/8	1165	23 3/8	1759	29 3/8	2396
5 1/2	229	11 1/2	650	17 1/2	1177	23 1/2	1772	29 1/2	2410
5 5/8	236	11 5/8	660	17 5/8	1188	23 5/8	1785	29 5/8	2423
5 3/4	243	11 3/4	670	17 3/4	1200	23 3/4	1798	29 3/4	2437
5 7/8	251	11 7/8	680	17 7/8	1212	23 7/8	1811	29 7/8	2451
6	258	12	690	18	1224	24	1824	30	2464

**6'-6000 DWT6 Double-Wall Tank  
6179 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
30 1/8	2478	36 1/8	3138	42 1/8	3796	48 1/8	4433	54 1/8	5026
30 1/4	2492	36 1/4	3152	42 1/4	3810	48 1/4	4446	54 1/4	5038
30 3/8	2505	36 3/8	3165	42 3/8	3823	48 3/8	4459	54 3/8	5049
30 1/2	2519	36 1/2	3179	42 1/2	3837	48 1/2	4471	54 1/2	5061
30 5/8	2532	36 5/8	3193	42 5/8	3850	48 5/8	4484	54 5/8	5073
30 3/4	2546	36 3/4	3207	42 3/4	3864	48 3/4	4497	54 3/4	5084
30 7/8	2560	36 7/8	3221	42 7/8	3877	48 7/8	4510	54 7/8	5096
31	2573	37	3234	43	3891	49	4523	55	5107
31 1/8	2587	37 1/8	3248	43 1/8	3904	49 1/8	4535	55 1/8	5119
31 1/4	2601	37 1/4	3262	43 1/4	3918	49 1/4	4548	55 1/4	5130
31 3/8	2614	37 3/8	3276	43 3/8	3931	49 3/8	4561	55 3/8	5142
31 1/2	2628	37 1/2	3290	43 1/2	3945	49 1/2	4574	55 1/2	5153
31 5/8	2642	37 5/8	3303	43 5/8	3958	49 5/8	4586	55 5/8	5164
31 3/4	2656	37 3/4	3317	43 3/4	3972	49 3/4	4599	55 3/4	5176
31 7/8	2669	37 7/8	3331	43 7/8	3985	49 7/8	4611	55 7/8	5187
32	2683	38	3345	44	3998	50	4624	56	5198
32 1/8	2697	38 1/8	3358	44 1/8	4012	50 1/8	4637	56 1/8	5210
32 1/4	2711	38 1/4	3372	44 1/4	4025	50 1/4	4649	56 1/4	5221
32 3/8	2724	38 3/8	3386	44 3/8	4039	50 3/8	4662	56 3/8	5232
32 1/2	2738	38 1/2	3400	44 1/2	4052	50 1/2	4674	56 1/2	5243
32 5/8	2752	38 5/8	3413	44 5/8	4065	50 5/8	4687	56 5/8	5254
32 3/4	2765	38 3/4	3427	44 3/4	4079	50 3/4	4699	56 3/4	5265
32 7/8	2779	38 7/8	3441	44 7/8	4092	50 7/8	4712	56 7/8	5276
33	2793	39	3455	45	4105	51	4724	57	5287
33 1/8	2807	39 1/8	3468	45 1/8	4119	51 1/8	4736	57 1/8	5298
33 1/4	2821	39 1/4	3482	45 1/4	4132	51 1/4	4749	57 1/4	5309
33 3/8	2834	39 3/8	3496	45 3/8	4145	51 3/8	4761	57 3/8	5320
33 1/2	2848	39 1/2	3510	45 1/2	4158	51 1/2	4773	57 1/2	5331
33 5/8	2862	39 5/8	3523	45 5/8	4172	51 5/8	4786	57 5/8	5342
33 3/4	2876	39 3/4	3537	45 3/4	4185	51 3/4	4798	57 3/4	5352
33 7/8	2889	39 7/8	3551	45 7/8	4198	51 7/8	4810	57 7/8	5363
34	2903	40	3564	46	4211	52	4822	58	5374
34 1/8	2917	40 1/8	3578	46 1/8	4224	52 1/8	4835	58 1/8	5384
34 1/4	2931	40 1/4	3592	46 1/4	4238	52 1/4	4847	58 1/4	5395
34 3/8	2945	40 3/8	3605	46 3/8	4251	52 3/8	4859	58 3/8	5405
34 1/2	2958	40 1/2	3619	46 1/2	4264	52 1/2	4871	58 1/2	5416
34 5/8	2972	40 5/8	3633	46 5/8	4277	52 5/8	4883	58 5/8	5426
34 3/4	2986	40 3/4	3646	46 3/4	4290	52 3/4	4895	58 3/4	5437
34 7/8	3000	40 7/8	3660	46 7/8	4303	52 7/8	4907	58 7/8	5447
35	3014	41	3674	47	4316	53	4919	59	5458
35 1/8	3027	41 1/8	3687	47 1/8	4329	53 1/8	4931	59 1/8	5468
35 1/4	3041	41 1/4	3701	47 1/4	4342	53 1/4	4943	59 1/4	5478
35 3/8	3055	41 3/8	3715	47 3/8	4355	53 3/8	4955	59 3/8	5488
35 1/2	3069	41 1/2	3728	47 1/2	4368	53 1/2	4967	59 1/2	5499
35 5/8	3083	41 5/8	3742	47 5/8	4381	53 5/8	4979	59 5/8	5509
35 3/4	3096	41 3/4	3755	47 3/4	4394	53 3/4	4991	59 3/4	5519
35 7/8	3110	41 7/8	3769	47 7/8	4407	53 7/8	5002	59 7/8	5529
36	3124	42	3783	48	4420	54	5014	60	5539

## 6'-6000 DWT6 Double-Wall Tank 6179 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS
60 1/8	5549	66 1/8	5965
60 1/4	5559	66 1/4	5972
60 3/8	5569	66 3/8	5979
60 1/2	5579	66 1/2	5986
60 5/8	5588	66 5/8	5993
60 3/4	5598	66 3/4	5999
60 7/8	5608	66 7/8	6006
61	5617	67	6013
61 1/8	5627	67 1/8	6019
61 1/4	5637	67 1/4	6026
61 3/8	5646	67 3/8	6032
61 1/2	5655	67 1/2	6038
61 5/8	5665	67 5/8	6045
61 3/4	5674	67 3/4	6051
61 7/8	5683	67 7/8	6057
62	5693	68	6063
62 1/8	5702	68 1/8	6069
62 1/4	5711	68 1/4	6074
62 3/8	5720	68 3/8	6080
62 1/2	5729	68 1/2	6085
62 5/8	5738	68 5/8	6091
62 3/4	5747	68 3/4	6096
62 7/8	5756	68 7/8	6101
63	5765	69	6106
63 1/8	5773	69 1/8	6111
63 1/4	5782	69 1/4	6116
63 3/8	5791	69 3/8	6121
63 1/2	5799	69 1/2	6126
63 5/8	5808	69 5/8	6130
63 3/4	5816	69 3/4	6135
63 7/8	5825	69 7/8	6139
64	5833	70	6143
64 1/8	5841	70 1/8	6147
64 1/4	5850	70 1/4	6151
64 3/8	5858	70 3/8	6154
64 1/2	5866	70 1/2	6158
64 5/8	5874	70 5/8	6161
64 3/4	5882	70 3/4	6164
64 7/8	5890	70 7/8	6167
65	5897	71	6170
65 1/8	5905	71 1/8	6172
65 1/4	5913	71 1/4	6174
65 3/8	5920	71 3/8	6176
65 1/2	5928	71 1/2	6178
65 5/8	5936	71 5/8	6179
65 3/4	5943		
65 7/8	5950		
66	5958		



**CONTAINMENT  
SOLUTIONS®**

**HOW TO PROPERLY GAUGE YOUR TANK:**

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

**Water Paste Detection**

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870  
 DAYCO/NATIONAL  
 DAYTON, OH  
 TEL: 1-800-283-2926  
 FAX: 1-800-688-4854

**Caution**

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

**Containment Solutions, Inc.**  
 5150 Jefferson Chemical Road  
 Conroe, TX 77301  
 Tel: 936-756-7731  
 Fax: 936-756-7766

**Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.**