

6'-6000 SWT D6 Single-Wall Tank 6038 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	5	6 1/8	260	12 1/8	684	18 1/8	1207	24 1/8	1795
1/4	7	6 1/4	267	12 1/4	694	18 1/4	1219	24 1/4	1807
3/8	9	6 3/8	275	12 3/8	705	18 3/8	1231	24 3/8	1820
1/2	12	6 1/2	283	12 1/2	715	18 1/2	1243	24 1/2	1833
5/8	15	6 5/8	290	12 5/8	725	18 5/8	1254	24 5/8	1846
3/4	18	6 3/4	298	12 3/4	735	18 3/4	1266	24 3/4	1859
7/8	21	6 7/8	306	12 7/8	745	18 7/8	1278	24 7/8	1871
1	24	7	314	13	756	19	1290	25	1884
1 1/8	28	7 1/8	322	13 1/8	766	19 1/8	1302	25 1/8	1897
1 1/4	31	7 1/4	330	13 1/4	776	19 1/4	1313	25 1/4	1910
1 3/8	35	7 3/8	338	13 3/8	787	19 3/8	1325	25 3/8	1923
1 1/2	39	7 1/2	346	13 1/2	797	19 1/2	1337	25 1/2	1936
1 5/8	43	7 5/8	354	13 5/8	808	19 5/8	1349	25 5/8	1949
1 3/4	48	7 3/4	362	13 3/4	818	19 3/4	1361	25 3/4	1961
1 7/8	52	7 7/8	371	13 7/8	829	19 7/8	1373	25 7/8	1974
2	57	8	379	14	839	20	1385	26	1987
2 1/8	61	8 1/8	388	14 1/8	850	20 1/8	1397	26 1/8	2000
2 1/4	66	8 1/4	396	14 1/4	860	20 1/4	1409	26 1/4	2013
2 3/8	71	8 3/8	405	14 3/8	871	20 3/8	1422	26 3/8	2026
2 1/2	76	8 1/2	413	14 1/2	882	20 1/2	1434	26 1/2	2039
2 5/8	81	8 5/8	422	14 5/8	893	20 5/8	1446	26 5/8	2052
2 3/4	86	8 3/4	431	14 3/4	903	20 3/4	1458	26 3/4	2065
2 7/8	91	8 7/8	439	14 7/8	914	20 7/8	1470	26 7/8	2078
3	97	9	448	15	925	21	1482	27	2091
3 1/8	102	9 1/8	457	15 1/8	936	21 1/8	1495	27 1/8	2104
3 1/4	108	9 1/4	466	15 1/4	947	21 1/4	1507	27 1/4	2118
3 3/8	113	9 3/8	475	15 3/8	958	21 3/8	1519	27 3/8	2131
3 1/2	119	9 1/2	484	15 1/2	969	21 1/2	1532	27 1/2	2144
3 5/8	125	9 5/8	493	15 5/8	980	21 5/8	1544	27 5/8	2157
3 3/4	131	9 3/4	502	15 3/4	991	21 3/4	1556	27 3/4	2170
3 7/8	137	9 7/8	511	15 7/8	1,002	21 7/8	1569	27 7/8	2183
4	143	10	521	16	1,013	22	1581	28	2196
4 1/8	150	10 1/8	530	16 1/8	1,025	22 1/8	1593	28 1/8	2209
4 1/4	156	10 1/4	539	16 1/4	1,036	22 1/4	1606	28 1/4	2223
4 3/8	162	10 3/8	548	16 3/8	1,047	22 3/8	1618	28 3/8	2236
4 1/2	169	10 1/2	558	16 1/2	1,058	22 1/2	1631	28 1/2	2249
4 5/8	175	10 5/8	567	16 5/8	1,070	22 5/8	1643	28 5/8	2262
4 3/4	182	10 3/4	577	16 3/4	1,081	22 3/4	1656	28 3/4	2275
4 7/8	189	10 7/8	586	16 7/8	1092	22 7/8	1668	28 7/8	2289
5	195	11	596	17	1104	23	1681	29	2302
5 1/8	202	11 1/8	606	17 1/8	1115	23 1/8	1693	29 1/8	2315
5 1/4	209	11 1/4	615	17 1/4	1126	23 1/4	1706	29 1/4	2328
5 3/8	216	11 3/8	625	17 3/8	1138	23 3/8	1719	29 3/8	2342
5 1/2	223	11 1/2	635	17 1/2	1149	23 1/2	1731	29 1/2	2355
5 5/8	230	11 5/8	645	17 5/8	1161	23 5/8	1744	29 5/8	2368
5 3/4	238	11 3/4	655	17 3/4	1173	23 3/4	1757	29 3/4	2381
5 7/8	245	11 7/8	665	17 7/8	1184	23 7/8	1769	29 7/8	2395
6	252	12	674	18	1196	24	1782	30	2408

6'-6000 SWT D6 Single-Wall Tank 6038 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
30 1/8	2421	36 1/8	3066	42 1/8	3710	48 1/8	4332	54 1/8	4912
30 1/4	2435	36 1/4	3080	42 1/4	3723	48 1/4	4345	54 1/4	4923
30 3/8	2448	36 3/8	3093	42 3/8	3737	48 3/8	4358	54 3/8	4935
30 1/2	2461	36 1/2	3107	42 1/2	3750	48 1/2	4370	54 1/2	4946
30 5/8	2475	36 5/8	3120	42 5/8	3763	48 5/8	4383	54 5/8	4958
30 3/4	2488	36 3/4	3134	42 3/4	3776	48 3/4	4395	54 3/4	4969
30 7/8	2501	36 7/8	3147	42 7/8	3789	48 7/8	4408	54 7/8	4980
31	2515	37	3161	43	3803	49	4420	55	4991
31 1/8	2528	37 1/8	3174	43 1/8	3816	49 1/8	4433	55 1/8	5003
31 1/4	2542	37 1/4	3188	43 1/4	3829	49 1/4	4445	55 1/4	5014
31 3/8	2555	37 3/8	3201	43 3/8	3842	49 3/8	4457	55 3/8	5025
31 1/2	2568	37 1/2	3215	43 1/2	3855	49 1/2	4470	55 1/2	5036
31 5/8	2582	37 5/8	3228	43 5/8	3868	49 5/8	4482	55 5/8	5047
31 3/4	2595	37 3/4	3242	43 3/4	3882	49 3/4	4495	55 3/4	5058
31 7/8	2609	37 7/8	3255	43 7/8	3895	49 7/8	4507	55 7/8	5069
32	2622	38	3269	44	3908	50	4519	56	5080
32 1/8	2635	38 1/8	3282	44 1/8	3921	50 1/8	4531	56 1/8	5091
32 1/4	2649	38 1/4	3296	44 1/4	3934	50 1/4	4544	56 1/4	5102
32 3/8	2662	38 3/8	3309	44 3/8	3947	50 3/8	4556	56 3/8	5113
32 1/2	2676	38 1/2	3322	44 1/2	3960	50 1/2	4568	56 1/2	5124
32 5/8	2689	38 5/8	3336	44 5/8	3973	50 5/8	4580	56 5/8	5135
32 3/4	2703	38 3/4	3349	44 3/4	3986	50 3/4	4593	56 3/4	5146
32 7/8	2716	38 7/8	3363	44 7/8	3999	50 7/8	4605	56 7/8	5157
33	2729	39	3376	45	4012	51	4617	57	5167
33 1/8	2743	39 1/8	3390	45 1/8	4025	51 1/8	4629	57 1/8	5178
33 1/4	2756	39 1/4	3403	45 1/4	4038	51 1/4	4641	57 1/4	5189
33 3/8	2770	39 3/8	3416	45 3/8	4051	51 3/8	4653	57 3/8	5199
33 1/2	2783	39 1/2	3430	45 1/2	4064	51 1/2	4665	57 1/2	5210
33 5/8	2797	39 5/8	3443	45 5/8	4077	51 5/8	4677	57 5/8	5220
33 3/4	2810	39 3/4	3457	45 3/4	4090	51 3/4	4689	57 3/4	5231
33 7/8	2824	39 7/8	3470	45 7/8	4103	51 7/8	4701	57 7/8	5241
34	2837	40	3484	46	4116	52	4713	58	5252
34 1/8	2851	40 1/8	3497	46 1/8	4129	52 1/8	4725	58 1/8	5262
34 1/4	2864	40 1/4	3510	46 1/4	4141	52 1/4	4737	58 1/4	5273
34 3/8	2878	40 3/8	3524	46 3/8	4154	52 3/8	4749	58 3/8	5283
34 1/2	2891	40 1/2	3537	46 1/2	4167	52 1/2	4761	58 1/2	5293
34 5/8	2905	40 5/8	3550	46 5/8	4180	52 5/8	4772	58 5/8	5303
34 3/4	2918	40 3/4	3564	46 3/4	4193	52 3/4	4784	58 3/4	5314
34 7/8	2932	40 7/8	3577	46 7/8	4206	52 7/8	4796	58 7/8	5324
35	2945	41	3590	47	4218	53	4808	59	5334
35 1/8	2959	41 1/8	3604	47 1/8	4231	53 1/8	4819	59 1/8	5344
35 1/4	2972	41 1/4	3617	47 1/4	4244	53 1/4	4831	59 1/4	5354
35 3/8	2985	41 3/8	3630	47 3/8	4256	53 3/8	4843	59 3/8	5364
35 1/2	2999	41 1/2	3644	47 1/2	4269	53 1/2	4854	59 1/2	5374
35 5/8	3012	41 5/8	3657	47 5/8	4282	53 5/8	4866	59 5/8	5384
35 3/4	3026	41 3/4	3670	47 3/4	4295	53 3/4	4877	59 3/4	5394
35 7/8	3039	41 7/8	3684	47 7/8	4307	53 7/8	4889	59 7/8	5404
36	3053	42	3697	48	4320	54	4900	60	5413

6'-6000 SWT D6 Single-Wall Tank 6038 Gals



CONTAINMENT
SOLUTIONS®

DIPSTICK	GALLONS	DIPSTICK	GALLONS
60 1/8	5423	66 1/8	5829
60 1/4	5433	66 1/4	5836
60 3/8	5442	66 3/8	5843
60 1/2	5452	66 1/2	5850
60 5/8	5462	66 5/8	5857
60 3/4	5471	66 3/4	5863
60 7/8	5481	66 7/8	5870
61	5490	67	5876
61 1/8	5499	67 1/8	5883
61 1/4	5509	67 1/4	5889
61 3/8	5518	67 3/8	5895
61 1/2	5527	67 1/2	5901
61 5/8	5536	67 5/8	5907
61 3/4	5545	67 3/4	5913
61 7/8	5555	67 7/8	5919
62	5564	68	5925
62 1/8	5573	68 1/8	5931
62 1/4	5581	68 1/4	5936
62 3/8	5590	68 3/8	5942
62 1/2	5599	68 1/2	5947
62 5/8	5608	68 5/8	5952
62 3/4	5617	68 3/4	5958
62 7/8	5625	68 7/8	5963
63	5634	69	5968
63 1/8	5642	69 1/8	5973
63 1/4	5651	69 1/4	5977
63 3/8	5659	69 3/8	5982
63 1/2	5668	69 1/2	5986
63 5/8	5676	69 5/8	5991
63 3/4	5684	69 3/4	5995
63 7/8	5692	69 7/8	5999
64	5701	70	6003
64 1/8	5709	70 1/8	6007
64 1/4	5717	70 1/4	6011
64 3/8	5725	70 3/8	6014
64 1/2	5733	70 1/2	6018
64 5/8	5740	70 5/8	6021
64 3/4	5748	70 3/4	6024
64 7/8	5756	70 7/8	6027
65	5764	71	6029
65 1/8	5771	71 1/8	6032
65 1/4	5779	71 1/4	6034
65 3/8	5786	71 3/8	6036
65 1/2	5793	71 1/2	6037
65 5/8	5801	71 5/8	6038
65 3/4	5808		
65 7/8	5815		
66	5822		

HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870
DAYCO/NATIONAL
DAYTON, OH
TEL: 1-800-283-2926
FAX: 1-800-688-4854

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

Containment Solutions, Inc.

5150 Jefferson Chemical Road
Conroe, TX 77301
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.