

6'-8000 SWT D6 Single-Wall Tank 8135 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	6	6 1/8	352	12 1/8	926	18 1/8	1631	24 1/8	2422
1/4	9	6 1/4	363	12 1/4	940	18 1/4	1647	24 1/4	2439
3/8	13	6 3/8	373	12 3/8	953	18 3/8	1663	24 3/8	2456
1/2	16	6 1/2	383	12 1/2	967	18 1/2	1679	24 1/2	2473
5/8	20	6 5/8	394	12 5/8	981	18 5/8	1695	24 5/8	2490
3/4	24	6 3/4	404	12 3/4	995	18 3/4	1710	24 3/4	2508
7/8	28	6 7/8	415	12 7/8	1008	18 7/8	1726	24 7/8	2525
1	33	7	425	13	1022	19	1742	25	2542
1 1/8	38	7 1/8	436	13 1/8	1036	19 1/8	1758	25 1/8	2559
1 1/4	43	7 1/4	447	13 1/4	1050	19 1/4	1774	25 1/4	2577
1 3/8	48	7 3/8	458	13 3/8	1064	19 3/8	1790	25 3/8	2594
1 1/2	53	7 1/2	469	13 1/2	1078	19 1/2	1806	25 1/2	2611
1 5/8	59	7 5/8	480	13 5/8	1092	19 5/8	1822	25 5/8	2629
1 3/4	65	7 3/4	491	13 3/4	1107	19 3/4	1839	25 3/4	2646
1 7/8	71	7 7/8	503	13 7/8	1121	19 7/8	1855	25 7/8	2663
2	77	8	514	14	1135	20	1871	26	2681
2 1/8	83	8 1/8	525	14 1/8	1149	20 1/8	1887	26 1/8	2698
2 1/4	90	8 1/4	537	14 1/4	1164	20 1/4	1903	26 1/4	2716
2 3/8	96	8 3/8	548	14 3/8	1,178	20 3/8	1920	26 3/8	2733
2 1/2	103	8 1/2	560	14 1/2	1,193	20 1/2	1936	26 1/2	2751
2 5/8	110	8 5/8	572	14 5/8	1,207	20 5/8	1952	26 5/8	2768
2 3/4	117	8 3/4	583	14 3/4	1,222	20 3/4	1969	26 3/4	2786
2 7/8	124	8 7/8	595	14 7/8	1,236	20 7/8	1985	26 7/8	2803
3	131	9	607	15	1251	21	2002	27	2821
3 1/8	139	9 1/8	619	15 1/8	1,266	21 1/8	2018	27 1/8	2838
3 1/4	146	9 1/4	631	15 1/4	1,281	21 1/4	2035	27 1/4	2856
3 3/8	154	9 3/8	643	15 3/8	1,295	21 3/8	2051	27 3/8	2874
3 1/2	162	9 1/2	656	15 1/2	1,310	21 1/2	2068	27 1/2	2891
3 5/8	170	9 5/8	668	15 5/8	1,325	21 5/8	2084	27 5/8	2909
3 3/4	178	9 3/4	680	15 3/4	1,340	21 3/4	2101	27 3/4	2926
3 7/8	186	9 7/8	693	15 7/8	1,355	21 7/8	2118	27 7/8	2944
4	195	10	705	16	1,370	22	2134	28	2962
4 1/8	203	10 1/8	718	16 1/8	1,385	22 1/8	2151	28 1/8	2980
4 1/4	212	10 1/4	730	16 1/4	1,400	22 1/4	2168	28 1/4	2997
4 3/8	220	10 3/8	743	16 3/8	1,415	22 3/8	2185	28 3/8	3015
4 1/2	229	10 1/2	755	16 1/2	1,430	22 1/2	2201	28 1/2	3033
4 5/8	238	10 5/8	768	16 5/8	1,446	22 5/8	2218	28 5/8	3050
4 3/4	247	10 3/4	781	16 3/4	1,461	22 3/4	2235	28 3/4	3068
4 7/8	256	10 7/8	794	16 7/8	1476	22 7/8	2252	28 7/8	3086
5	265	11	807	17	1492	23	2269	29	3104
5 1/8	274	11 1/8	820	17 1/8	1507	23 1/8	2286	29 1/8	3122
5 1/4	284	11 1/4	833	17 1/4	1522	23 1/4	2303	29 1/4	3139
5 3/8	293	11 3/8	846	17 3/8	1538	23 3/8	2320	29 3/8	3157
5 1/2	303	11 1/2	859	17 1/2	1553	23 1/2	2337	29 1/2	3175
5 5/8	313	11 5/8	873	17 5/8	1569	23 5/8	2354	29 5/8	3193
5 3/4	322	11 3/4	886	17 3/4	1584	23 3/4	2371	29 3/4	3211
5 7/8	332	11 7/8	899	17 7/8	1600	23 7/8	2388	29 7/8	3229
6	342	12	913	18	1616	24	2405	30	3246

6'-8000 SWT D6 Single-Wall Tank 8135 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
30 1/8	3264	36 1/8	4131	42 1/8	4996	48 1/8	5833	54 1/8	6613
30 1/4	3282	36 1/4	4149	42 1/4	5014	48 1/4	5850	54 1/4	6628
30 3/8	3300	36 3/8	4167	42 3/8	5031	48 3/8	5866	54 3/8	6644
30 1/2	3318	36 1/2	4185	42 1/2	5049	48 1/2	5883	54 1/2	6659
30 5/8	3336	36 5/8	4204	42 5/8	5067	48 5/8	5900	54 5/8	6674
30 3/4	3354	36 3/4	4222	42 3/4	5085	48 3/4	5917	54 3/4	6689
30 7/8	3372	36 7/8	4240	42 7/8	5103	48 7/8	5934	54 7/8	6705
31	3390	37	4258	43	5120	49	5951	55	6720
31 1/8	3408	37 1/8	4276	43 1/8	5138	49 1/8	5967	55 1/8	6735
31 1/4	3426	37 1/4	4294	43 1/4	5156	49 1/4	5984	55 1/4	6750
31 3/8	3444	37 3/8	4312	43 3/8	5173	49 3/8	6001	55 3/8	6765
31 1/2	3462	37 1/2	4330	43 1/2	5191	49 1/2	6017	55 1/2	6780
31 5/8	3480	37 5/8	4348	43 5/8	5209	49 5/8	6034	55 5/8	6795
31 3/4	3498	37 3/4	4367	43 3/4	5226	49 3/4	6051	55 3/4	6810
31 7/8	3516	37 7/8	4385	43 7/8	5244	49 7/8	6067	55 7/8	6825
32	3534	38	4403	44	5262	50	6084	56	6840
32 1/8	3552	38 1/8	4421	44 1/8	5279	50 1/8	6100	56 1/8	6855
32 1/4	3570	38 1/4	4439	44 1/4	5297	50 1/4	6117	56 1/4	6869
32 3/8	3588	38 3/8	4457	44 3/8	5314	50 3/8	6133	56 3/8	6884
32 1/2	3606	38 1/2	4475	44 1/2	5332	50 1/2	6150	56 1/2	6899
32 5/8	3624	38 5/8	4493	44 5/8	5349	50 5/8	6166	56 5/8	6913
32 3/4	3642	38 3/4	4511	44 3/4	5367	50 3/4	6183	56 3/4	6928
32 7/8	3660	38 7/8	4529	44 7/8	5384	50 7/8	6199	56 7/8	6942
33	3678	39	4547	45	5402	51	6215	57	6957
33 1/8	3696	39 1/8	4565	45 1/8	5419	51 1/8	6232	57 1/8	6971
33 1/4	3714	39 1/4	4583	45 1/4	5437	51 1/4	6248	57 1/4	6986
33 3/8	3732	39 3/8	4601	45 3/8	5454	51 3/8	6264	57 3/8	7000
33 1/2	3751	39 1/2	4619	45 1/2	5472	51 1/2	6280	57 1/2	7014
33 5/8	3769	39 5/8	4637	45 5/8	5489	51 5/8	6297	57 5/8	7029
33 3/4	3787	39 3/4	4655	45 3/4	5506	51 3/4	6313	57 3/4	7043
33 7/8	3805	39 7/8	4673	45 7/8	5524	51 7/8	6329	57 7/8	7057
34	3823	40	4691	46	5541	52	6345	58	7071
34 1/8	3841	40 1/8	4709	46 1/8	5558	52 1/8	6361	58 1/8	7085
34 1/4	3859	40 1/4	4727	46 1/4	5576	52 1/4	6377	58 1/4	7099
34 3/8	3877	40 3/8	4745	46 3/8	5593	52 3/8	6393	58 3/8	7113
34 1/2	3895	40 1/2	4763	46 1/2	5610	52 1/2	6409	58 1/2	7127
34 5/8	3914	40 5/8	4781	46 5/8	5628	52 5/8	6425	58 5/8	7141
34 3/4	3932	40 3/4	4799	46 3/4	5645	52 3/4	6441	58 3/4	7154
34 7/8	3950	40 7/8	4817	46 7/8	5662	52 7/8	6456	58 7/8	7168
35	3968	41	4835	47	5679	53	6472	59	7182
35 1/8	3986	41 1/8	4853	47 1/8	5696	53 1/8	6488	59 1/8	7195
35 1/4	4004	41 1/4	4871	47 1/4	5713	53 1/4	6504	59 1/4	7209
35 3/8	4022	41 3/8	4889	47 3/8	5730	53 3/8	6519	59 3/8	7222
35 1/2	4040	41 1/2	4907	47 1/2	5748	53 1/2	6535	59 1/2	7236
35 5/8	4059	41 5/8	4924	47 5/8	5765	53 5/8	6551	59 5/8	7249
35 3/4	4077	41 3/4	4942	47 3/4	5782	53 3/4	6566	59 3/4	7262
35 7/8	4095	41 7/8	4960	47 7/8	5799	53 7/8	6582	59 7/8	7276
36	4113	42	4978	48	5816	54	6597	60	7289

6'-8000 SWT D6 Single-Wall Tank 8135 Gals



CONTAINMENT
SOLUTIONS®

DIPSTICK	GALLONS	DIPSTICK	GALLONS
60 1/8	7302	66 1/8	7851
60 1/4	7315	66 1/4	7861
60 3/8	7328	66 3/8	7870
60 1/2	7341	66 1/2	7879
60 5/8	7354	66 5/8	7888
60 3/4	7367	66 3/4	7897
60 7/8	7380	66 7/8	7906
61	7392	67	7915
61 1/8	7405	67 1/8	7924
61 1/4	7418	67 1/4	7932
61 3/8	7430	67 3/8	7941
61 1/2	7443	67 1/2	7949
61 5/8	7455	67 5/8	7957
61 3/4	7467	67 3/4	7965
61 7/8	7480	67 7/8	7973
62	7492	68	7981
62 1/8	7504	68 1/8	7989
62 1/4	7516	68 1/4	7996
62 3/8	7528	68 3/8	8004
62 1/2	7540	68 1/2	8011
62 5/8	7552	68 5/8	8018
62 3/4	7564	68 3/4	8025
62 7/8	7575	68 7/8	8032
63	7587	69	8039
63 1/8	7598	69 1/8	8046
63 1/4	7610	69 1/4	8052
63 3/8	7621	69 3/8	8058
63 1/2	7633	69 1/2	8064
63 5/8	7644	69 5/8	8070
63 3/4	7655	69 3/4	8076
63 7/8	7666	69 7/8	8082
64	7677	70	8087
64 1/8	7688	70 1/8	8092
64 1/4	7699	70 1/4	8097
64 3/8	7710	70 3/8	8102
64 1/2	7720	70 1/2	8107
64 5/8	7731	70 5/8	8111
64 3/4	7742	70 3/4	8115
64 7/8	7752	70 7/8	8119
65	7762	71	8123
65 1/8	7773	71 1/8	8126
65 1/4	7783	71 1/4	8129
65 3/8	7793	71 3/8	8131
65 1/2	7803	71 1/2	8133
65 5/8	7813	71 5/8	8135
65 3/4	7823		
65 7/8	7832		
66	7842		

HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870
DAYCO/NATIONAL
DAYTON, OH
TEL: 1-800-283-2926
FAX: 1-800-688-4854

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

Containment Solutions, Inc.
5150 Jefferson Chemical Road
Conroe, TX 77301
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.