

**6'-8000 Double-Wall Compartment Tank Extension
8040 (liters)**

Liquid Depth (cm)	Volume (liters)	Liquid Depth (cm)	Volume (liters)	Liquid Depth (cm)	Volume (liters)	Liquid Depth (cm)	Volume (liters)
0.5	8	25.5	711	50.5	1846	75.5	3174
1.0	13	26.0	730	51.0	1871	76.0	3201
1.5	19	26.5	750	51.5	1896	76.5	3229
2.0	26	27.0	770	52.0	1921	77.0	3256
2.5	33	27.5	790	52.5	1947	77.5	3284
3.0	41	28.0	811	53.0	1972	78.0	3312
3.5	49	28.5	831	53.5	1998	78.5	3339
4.0	57	29.0	852	54.0	2023	79.0	3367
4.5	67	29.5	872	54.5	2049	79.5	3395
5.0	76	30.0	893	55.0	2075	80.0	3423
5.5	86	30.5	914	55.5	2101	80.5	3451
6.0	97	31.0	935	56.0	2126	81.0	3478
6.5	107	31.5	957	56.5	2152	81.5	3506
7.0	118	32.0	978	57.0	2178	82.0	3534
7.5	130	32.5	999	57.5	2204	82.5	3562
8.0	142	33.0	1021	58.0	2230	83.0	3590
8.5	154	33.5	1043	58.5	2257	83.5	3618
9.0	166	34.0	1065	59.0	2283	84.0	3645
9.5	179	34.5	1087	59.5	2309	84.5	3673
10.0	192	35.0	1109	60.0	2335	85.0	3701
10.5	205	35.5	1131	60.5	2362	85.5	3729
11.0	219	36.0	1154	61.0	2388	86.0	3757
11.5	233	36.5	1176	61.5	2415	86.5	3785
12.0	247	37.0	1199	62.0	2441	87.0	3813
12.5	261	37.5	1221	62.5	2468	87.5	3841
13.0	276	38.0	1244	63.0	2494	88.0	3869
13.5	291	38.5	1267	63.5	2521	88.5	3897
14.0	306	39.0	1290	64.0	2548	89.0	3925
14.5	321	39.5	1313	64.5	2575	89.5	3953
15.0	337	40.0	1336	65.0	2601	90.0	3981
15.5	353	40.5	1360	65.5	2628	90.5	4009
16.0	369	41.0	1383	66.0	2655	91.0	4037
16.5	385	41.5	1407	66.5	2682	91.5	4065
17.0	402	42.0	1430	67.0	2709	92.0	4093
17.5	418	42.5	1454	67.5	2736	92.5	4121
18.0	435	43.0	1478	68.0	2763	93.0	4149
18.5	452	43.5	1502	68.5	2790	93.5	4177
19.0	470	44.0	1526	69.0	2817	94.0	4205
19.5	487	44.5	1550	69.5	2845	94.5	4232
20.0	505	45.0	1574	70.0	2872	95.0	4260
20.5	523	45.5	1598	70.5	2899	95.5	4288
21.0	541	46.0	1623	71.0	2926	96.0	4316
21.5	559	46.5	1647	71.5	2954	96.5	4344
22.0	577	47.0	1672	72.0	2981	97.0	4372
22.5	596	47.5	1696	72.5	3009	97.5	4400
23.0	614	48.0	1721	73.0	3036	98.0	4428
23.5	633	48.5	1746	73.5	3063	98.5	4456
24.0	652	49.0	1771	74.0	3091	99.0	4484
24.5	672	49.5	1796	74.5	3118	99.5	4511
25.0	691	50.0	1821	75.0	3146	100.0	4539

**6'-8000 Double-Wall Compartment Tank Extension
8040 (liters)**

Liquid Depth (cm)	Volume (liters)	Liquid Depth (cm)	Volume (liters)	Liquid Depth (cm)	Volume (liters)	Liquid Depth (cm)	Volume (liters)
100.5	4567	125.5	5919	150.5	7109	175.5	7946
101.0	4595	126.0	5945	151.0	7130	176.0	7956
101.5	4623	126.5	5970	151.5	7151	176.5	7966
102.0	4650	127.0	5996	152.0	7172	177.0	7976
102.5	4678	127.5	6022	152.5	7193	177.5	7985
103.0	4706	128.0	6047	153.0	7213	178.0	7993
103.5	4734	128.5	6073	153.5	7234	178.5	8001
104.0	4761	129.0	6098	154.0	7254	179.0	8009
104.5	4789	129.5	6124	154.5	7274	179.5	8016
105.0	4817	130.0	6149	155.0	7294	180.0	8023
105.5	4844	130.5	6174	155.5	7314	180.5	8028
106.0	4872	131.0	6199	156.0	7333	181.0	8033
106.5	4899	131.5	6224	156.5	7353	181.5	8037
107.0	4927	132.0	6249	157.0	7372	182.0	8040
107.5	4954	132.5	6274	157.5	7392		
108.0	4982	133.0	6299	158.0	7411		
108.5	5009	133.5	6324	158.5	7429		
109.0	5037	134.0	6349	159.0	7448		
109.5	5064	134.5	6373	159.5	7467		
110.0	5092	135.0	6398	160.0	7485		
110.5	5119	135.5	6422	160.5	7503		
111.0	5146	136.0	6446	161.0	7521		
111.5	5173	136.5	6471	161.5	7539		
112.0	5201	137.0	6495	162.0	7557		
112.5	5228	137.5	6519	162.5	7574		
113.0	5255	138.0	6543	163.0	7591		
113.5	5282	138.5	6567	163.5	7608		
114.0	5309	139.0	6591	164.0	7625		
114.5	5336	139.5	6614	164.5	7642		
115.0	5363	140.0	6638	165.0	7658		
115.5	5390	140.5	6662	165.5	7675		
116.0	5417	141.0	6685	166.0	7691		
116.5	5444	141.5	6708	166.5	7706		
117.0	5471	142.0	6731	167.0	7722		
117.5	5498	142.5	6755	167.5	7737		
118.0	5524	143.0	6778	168.0	7752		
118.5	5551	143.5	6801	168.5	7767		
119.0	5578	144.0	6823	169.0	7782		
119.5	5604	144.5	6846	169.5	7796		
120.0	5631	145.0	6869	170.0	7810		
120.5	5657	145.5	6891	170.5	7824		
121.0	5684	146.0	6913	171.0	7838		
121.5	5710	146.5	6936	171.5	7851		
122.0	5736	147.0	6958	172.0	7864		
122.5	5762	147.5	6980	172.5	7876		
123.0	5789	148.0	7002	173.0	7889		
123.5	5815	148.5	7023	173.5	7901		
124.0	5841	149.0	7045	174.0	7913		
124.5	5867	149.5	7066	174.5	7924		
125.0	5893	150.0	7088	175.0	7935		

6'-8000 Double-Wall Compartment Tank Extension 8040 (liters)



CONTAINMENT
S O L U T I O N S[®]

HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection:

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. See vendor below or suitable equal.

Gasoil Water Finding Paste
Federal Process Corp.
800-846-7325
www.gasoila.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

Containment Solutions, Inc.
5150 Jefferson Chemical Road
Conroe, TX 77301
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 8mm [5/16"] deflector plate.