

8'-10000 SWT G6 Single-Wall Tank 9696 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	5	6 1/8	278	12 1/8	743	18 1/8	1330	24 1/8	2008
1/4	7	6 1/4	286	12 1/4	754	18 1/4	1343	24 1/4	2023
3/8	10	6 3/8	294	12 3/8	765	18 3/8	1357	24 3/8	2037
1/2	12	6 1/2	303	12 1/2	776	18 1/2	1370	24 1/2	2052
5/8	15	6 5/8	311	12 5/8	787	18 5/8	1383	24 5/8	2067
3/4	19	6 3/4	319	12 3/4	799	18 3/4	1397	24 3/4	2082
7/8	22	6 7/8	328	12 7/8	810	18 7/8	1410	24 7/8	2097
1	26	7	336	13	821	19	1424	25	2112
1 1/8	29	7 1/8	345	13 1/8	833	19 1/8	1437	25 1/8	2128
1 1/4	33	7 1/4	354	13 1/4	844	19 1/4	1451	25 1/4	2143
1 3/8	37	7 3/8	362	13 3/8	856	19 3/8	1465	25 3/8	2158
1 1/2	42	7 1/2	371	13 1/2	868	19 1/2	1478	25 1/2	2173
1 5/8	46	7 5/8	380	13 5/8	879	19 5/8	1492	25 5/8	2188
1 3/4	50	7 3/4	389	13 3/4	891	19 3/4	1506	25 3/4	2203
1 7/8	55	7 7/8	398	13 7/8	903	19 7/8	1519	25 7/8	2219
2	60	8	407	14	915	20	1533	26	2234
2 1/8	65	8 1/8	416	14 1/8	927	20 1/8	1547	26 1/8	2249
2 1/4	70	8 1/4	426	14 1/4	938	20 1/4	1561	26 1/4	2265
2 3/8	75	8 3/8	435	14 3/8	950	20 3/8	1575	26 3/8	2280
2 1/2	80	8 1/2	444	14 1/2	962	20 1/2	1589	26 1/2	2295
2 5/8	86	8 5/8	454	14 5/8	974	20 5/8	1603	26 5/8	2311
2 3/4	91	8 3/4	463	14 3/4	987	20 3/4	1617	26 3/4	2326
2 7/8	97	8 7/8	473	14 7/8	999	20 7/8	1631	26 7/8	2342
3	103	9	483	15	1011	21	1645	27	2357
3 1/8	109	9 1/8	492	15 1/8	1023	21 1/8	1659	27 1/8	2373
3 1/4	115	9 1/4	502	15 1/4	1035	21 1/4	1673	27 1/4	2388
3 3/8	121	9 3/8	512	15 3/8	1048	21 3/8	1687	27 3/8	2404
3 1/2	127	9 1/2	522	15 1/2	1060	21 1/2	1702	27 1/2	2419
3 5/8	133	9 5/8	532	15 5/8	1073	21 5/8	1716	27 5/8	2435
3 3/4	140	9 3/4	542	15 3/4	1085	21 3/4	1730	27 3/4	2450
3 7/8	146	9 7/8	552	15 7/8	1098	21 7/8	1745	27 7/8	2466
4	153	10	562	16	1110	22	1759	28	2482
4 1/8	159	10 1/8	572	16 1/8	1123	22 1/8	1773	28 1/8	2497
4 1/4	166	10 1/4	582	16 1/4	1135	22 1/4	1788	28 1/4	2513
4 3/8	173	10 3/8	593	16 3/8	1148	22 3/8	1802	28 3/8	2529
4 1/2	180	10 1/2	603	16 1/2	1161	22 1/2	1817	28 1/2	2545
4 5/8	187	10 5/8	613	16 5/8	1174	22 5/8	1831	28 5/8	2560
4 3/4	194	10 3/4	624	16 3/4	1186	22 3/4	1846	28 3/4	2576
4 7/8	201	10 7/8	634	16 7/8	1199	22 7/8	1860	28 7/8	2592
5	209	11	645	17	1212	23	1875	29	2608
5 1/8	216	11 1/8	655	17 1/8	1225	23 1/8	1889	29 1/8	2624
5 1/4	223	11 1/4	666	17 1/4	1238	23 1/4	1904	29 1/4	2640
5 3/8	231	11 3/8	677	17 3/8	1251	23 3/8	1919	29 3/8	2655
5 1/2	239	11 1/2	688	17 1/2	1264	23 1/2	1934	29 1/2	2671
5 5/8	246	11 5/8	699	17 5/8	1277	23 5/8	1948	29 5/8	2687
5 3/4	254	11 3/4	709	17 3/4	1290	23 3/4	1963	29 3/4	2703
5 7/8	262	11 7/8	720	17 7/8	1303	23 7/8	1978	29 7/8	2719
6	270	12	731	18	1317	24	1993	30	2735

**8'-10000 SWT G6 Single-Wall Tank
9696 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
30 1/8	2751	36 1/8	3541	42 1/8	4357	48 1/8	5184	54 1/8	6004
30 1/4	2767	36 1/4	3557	42 1/4	4375	48 1/4	5201	54 1/4	6021
30 3/8	2783	36 3/8	3574	42 3/8	4392	48 3/8	5218	54 3/8	6038
30 1/2	2800	36 1/2	3591	42 1/2	4409	48 1/2	5236	54 1/2	6055
30 5/8	2816	36 5/8	3608	42 5/8	4426	48 5/8	5253	54 5/8	6071
30 3/4	2832	36 3/4	3625	42 3/4	4443	48 3/4	5270	54 3/4	6088
30 7/8	2848	36 7/8	3642	42 7/8	4460	48 7/8	5287	54 7/8	6105
31	2864	37	3658	43	4478	49	5304	55	6122
31 1/8	2880	37 1/8	3675	43 1/8	4495	49 1/8	5322	55 1/8	6139
31 1/4	2896	37 1/4	3692	43 1/4	4512	49 1/4	5339	55 1/4	6156
31 3/8	2913	37 3/8	3709	43 3/8	4529	49 3/8	5356	55 3/8	6172
31 1/2	2929	37 1/2	3726	43 1/2	4547	49 1/2	5373	55 1/2	6189
31 5/8	2945	37 5/8	3743	43 5/8	4564	49 5/8	5390	55 5/8	6206
31 3/4	2961	37 3/4	3760	43 3/4	4581	49 3/4	5408	55 3/4	6223
31 7/8	2978	37 7/8	3777	43 7/8	4598	49 7/8	5425	55 7/8	6239
32	2994	38	3794	44	4615	50	5442	56	6256
32 1/8	3010	38 1/8	3811	44 1/8	4633	50 1/8	5459	56 1/8	6273
32 1/4	3027	38 1/4	3828	44 1/4	4650	50 1/4	5476	56 1/4	6289
32 3/8	3043	38 3/8	3845	44 3/8	4667	50 3/8	5493	56 3/8	6306
32 1/2	3059	38 1/2	3862	44 1/2	4684	50 1/2	5510	56 1/2	6323
32 5/8	3076	38 5/8	3879	44 5/8	4702	50 5/8	5527	56 5/8	6339
32 3/4	3092	38 3/4	3896	44 3/4	4719	50 3/4	5545	56 3/4	6356
32 7/8	3109	38 7/8	3913	44 7/8	4736	50 7/8	5562	56 7/8	6373
33	3125	39	3930	45	4753	51	5579	57	6389
33 1/8	3141	39 1/8	3947	45 1/8	4771	51 1/8	5596	57 1/8	6406
33 1/4	3158	39 1/4	3964	45 1/4	4788	51 1/4	5613	57 1/4	6423
33 3/8	3174	39 3/8	3981	45 3/8	4805	51 3/8	5630	57 3/8	6439
33 1/2	3191	39 1/2	3998	45 1/2	4822	51 1/2	5647	57 1/2	6456
33 5/8	3207	39 5/8	4015	45 5/8	4839	51 5/8	5664	57 5/8	6472
33 3/4	3224	39 3/4	4032	45 3/4	4857	51 3/4	5681	57 3/4	6489
33 7/8	3240	39 7/8	4049	45 7/8	4874	51 7/8	5698	57 7/8	6505
34	3257	40	4066	46	4891	52	5715	58	6522
34 1/8	3274	40 1/8	4083	46 1/8	4908	52 1/8	5732	58 1/8	6538
34 1/4	3290	40 1/4	4100	46 1/4	4926	52 1/4	5749	58 1/4	6555
34 3/8	3307	40 3/8	4117	46 3/8	4943	52 3/8	5767	58 3/8	6571
34 1/2	3323	40 1/2	4134	46 1/2	4960	52 1/2	5784	58 1/2	6588
34 5/8	3340	40 5/8	4152	46 5/8	4977	52 5/8	5801	58 5/8	6604
34 3/4	3357	40 3/4	4169	46 3/4	4995	52 3/4	5818	58 3/4	6620
34 7/8	3373	40 7/8	4186	46 7/8	5012	52 7/8	5835	58 7/8	6637
35	3390	41	4203	47	5029	53	5852	59	6653
35 1/8	3407	41 1/8	4220	47 1/8	5046	53 1/8	5868	59 1/8	6670
35 1/4	3423	41 1/4	4237	47 1/4	5064	53 1/4	5885	59 1/4	6686
35 3/8	3440	41 3/8	4254	47 3/8	5081	53 3/8	5902	59 3/8	6702
35 1/2	3457	41 1/2	4271	47 1/2	5098	53 1/2	5919	59 1/2	6718
35 5/8	3474	41 5/8	4289	47 5/8	5115	53 5/8	5936	59 5/8	6735
35 3/4	3490	41 3/4	4306	47 3/4	5132	53 3/4	5953	59 3/4	6751
35 7/8	3507	41 7/8	4323	47 7/8	5150	53 7/8	5970	59 7/8	6767
36	3524	42	4340	48	5167	54	5987	60	6784

**8'-10000 SWT G6 Single-Wall Tank
9696 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
60 1/8	6800	66 1/8	7553	72 1/8	8245	78 1/8	8852	84 1/8	9342
60 1/4	6816	66 1/4	7569	72 1/4	8259	78 1/4	8863	84 1/4	9351
60 3/8	6832	66 3/8	7584	72 3/8	8272	78 3/8	8875	84 3/8	9360
60 1/2	6848	66 1/2	7599	72 1/2	8286	78 1/2	8886	84 1/2	9368
60 5/8	6864	66 5/8	7614	72 5/8	8299	78 5/8	8898	84 5/8	9377
60 3/4	6881	66 3/4	7629	72 3/4	8313	78 3/4	8909	84 3/4	9385
60 7/8	6897	66 7/8	7644	72 7/8	8326	78 7/8	8920	84 7/8	9394
61	6913	67	7659	73	8340	79	8931	85	9402
61 1/8	6929	67 1/8	7674	73 1/8	8353	79 1/8	8943	85 1/8	9410
61 1/4	6945	67 1/4	7689	73 1/4	8366	79 1/4	8954	85 1/4	9418
61 3/8	6961	67 3/8	7703	73 3/8	8379	79 3/8	8965	85 3/8	9426
61 1/2	6977	67 1/2	7718	73 1/2	8393	79 1/2	8976	85 1/2	9434
61 5/8	6993	67 5/8	7733	73 5/8	8406	79 5/8	8987	85 5/8	9442
61 3/4	7009	67 3/4	7748	73 3/4	8419	79 3/4	8998	85 3/4	9450
61 7/8	7025	67 7/8	7763	73 7/8	8432	79 7/8	9008	85 7/8	9458
62	7041	68	7777	74	8445	80	9019	86	9465
62 1/8	7057	68 1/8	7792	74 1/8	8458	80 1/8	9030	86 1/8	9473
62 1/4	7072	68 1/4	7807	74 1/4	8471	80 1/4	9041	86 1/4	9480
62 3/8	7088	68 3/8	7821	74 3/8	8484	80 3/8	9051	86 3/8	9488
62 1/2	7104	68 1/2	7836	74 1/2	8497	80 1/2	9062	86 1/2	9495
62 5/8	7120	68 5/8	7850	74 5/8	8510	80 5/8	9072	86 5/8	9502
62 3/4	7136	68 3/4	7865	74 3/4	8523	80 3/4	9083	86 3/4	9509
62 7/8	7152	68 7/8	7880	74 7/8	8535	80 7/8	9093	86 7/8	9516
63	7167	69	7894	75	8548	81	9104	87	9523
63 1/8	7183	69 1/8	7908	75 1/8	8561	81 1/8	9114	87 1/8	9530
63 1/4	7199	69 1/4	7923	75 1/4	8573	81 1/4	9124	87 1/4	9537
63 3/8	7214	69 3/8	7937	75 3/8	8586	81 3/8	9134	87 3/8	9544
63 1/2	7230	69 1/2	7952	75 1/2	8599	81 1/2	9144	87 1/2	9550
63 5/8	7246	69 5/8	7966	75 5/8	8611	81 5/8	9155	87 5/8	9557
63 3/4	7261	69 3/4	7980	75 3/4	8624	81 3/4	9165	87 3/4	9563
63 7/8	7277	69 7/8	7994	75 7/8	8636	81 7/8	9174	87 7/8	9569
64	7293	70	8009	76	8648	82	9184	88	9575
64 1/8	7308	70 1/8	8023	76 1/8	8661	82 1/8	9194	88 1/8	9582
64 1/4	7324	70 1/4	8037	76 1/4	8673	82 1/4	9204	88 1/4	9588
64 3/8	7339	70 3/8	8051	76 3/8	8685	82 3/8	9214	88 3/8	9593
64 1/2	7355	70 1/2	8065	76 1/2	8697	82 1/2	9223	88 1/2	9599
64 5/8	7370	70 5/8	8079	76 5/8	8710	82 5/8	9233	88 5/8	9605
64 3/4	7385	70 3/4	8093	76 3/4	8722	82 3/4	9242	88 3/4	9610
64 7/8	7401	70 7/8	8107	76 7/8	8734	82 7/8	9252	88 7/8	9616
65	7416	71	8121	77	8746	83	9261	89	9621
65 1/8	7432	71 1/8	8135	77 1/8	8758	83 1/8	9270	89 1/8	9626
65 1/4	7447	71 1/4	8149	77 1/4	8770	83 1/4	9280	89 1/4	9631
65 3/8	7462	71 3/8	8163	77 3/8	8781	83 3/8	9289	89 3/8	9636
65 1/2	7477	71 1/2	8177	77 1/2	8793	83 1/2	9298	89 1/2	9641
65 5/8	7493	71 5/8	8190	77 5/8	8805	83 5/8	9307	89 5/8	9646
65 3/4	7508	71 3/4	8204	77 3/4	8817	83 3/4	9316	89 3/4	9650
65 7/8	7523	71 7/8	8218	77 7/8	8828	83 7/8	9325	89 7/8	9655
66	7538	72	8232	78	8840	84	9334	90	9659

8'-10000 SWT G6 Single-Wall Tank

9696 Gals

DIPSTICK	GALLONS
90 1/8	9663
90 1/4	9667
90 3/8	9671
90 1/2	9674
90 5/8	9677
90 3/4	9681
90 7/8	9684
91	9686
91 1/8	9689
91 1/4	9691
91 3/8	9693
91 1/2	9695
91 5/8	9696



CONTAINMENT SOLUTIONS®

HOW TO PROPERLY GAUGE YOUR TANK:
 Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:
 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection
 To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:
 WATER FINDER #7686-1870
 DAYCO/NATIONAL
 DAYTON, OH
 TEL: 1-800-283-2926
 FAX: 1-800-688-4854

Caution
 Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled.
Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

Containment Solutions, Inc.
5150 Jefferson Chemical Road
Conroe, TX 77301
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.