

8'-6000 Double-Wall Compartment Tank Extension - Previous to 3/1/2015 6018 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	3	6 1/8	185	12 1/8	487	18 1/8	859	24 1/8	1281
1/4	5	6 1/4	190	12 1/4	494	18 1/4	868	24 1/4	1291
3/8	7	6 3/8	196	12 3/8	501	18 3/8	876	24 3/8	1300
1/2	8	6 1/2	201	12 1/2	508	18 1/2	884	24 1/2	1309
5/8	11	6 5/8	207	12 5/8	515	18 5/8	893	24 5/8	1318
3/4	13	6 3/4	212	12 3/4	523	18 3/4	901	24 3/4	1327
7/8	15	6 7/8	218	12 7/8	530	18 7/8	910	24 7/8	1337
1	17	7	223	13	537	19	918	25	1346
1 1/8	20	7 1/8	229	13 1/8	545	19 1/8	927	25 1/8	1355
1 1/4	23	7 1/4	235	13 1/4	552	19 1/4	935	25 1/4	1365
1 3/8	25	7 3/8	241	13 3/8	559	19 3/8	944	25 3/8	1374
1 1/2	28	7 1/2	246	13 1/2	567	19 1/2	952	25 1/2	1383
1 5/8	31	7 5/8	252	13 5/8	574	19 5/8	961	25 5/8	1393
1 3/4	34	7 3/4	258	13 3/4	582	19 3/4	969	25 3/4	1402
1 7/8	37	7 7/8	264	13 7/8	589	19 7/8	978	25 7/8	1411
2	40	8	270	14	597	20	987	26	1421
2 1/8	44	8 1/8	276	14 1/8	604	20 1/8	995	26 1/8	1430
2 1/4	47	8 1/4	282	14 1/4	612	20 1/4	1004	26 1/4	1440
2 3/8	51	8 3/8	288	14 3/8	620	20 3/8	1013	26 3/8	1449
2 1/2	54	8 1/2	294	14 1/2	627	20 1/2	1021	26 1/2	1459
2 5/8	58	8 5/8	300	14 5/8	635	20 5/8	1030	26 5/8	1468
2 3/4	61	8 3/4	306	14 3/4	643	20 3/4	1039	26 3/4	1478
2 7/8	65	8 7/8	313	14 7/8	650	20 7/8	1048	26 7/8	1487
3	69	9	319	15	658	21	1056	27	1497
3 1/8	73	9 1/8	325	15 1/8	666	21 1/8	1065	27 1/8	1506
3 1/4	77	9 1/4	331	15 1/4	674	21 1/4	1074	27 1/4	1516
3 3/8	81	9 3/8	338	15 3/8	681	21 3/8	1083	27 3/8	1525
3 1/2	85	9 1/2	344	15 1/2	689	21 1/2	1092	27 1/2	1535
3 5/8	89	9 5/8	351	15 5/8	697	21 5/8	1101	27 5/8	1544
3 3/4	94	9 3/4	357	15 3/4	705	21 3/4	1109	27 3/4	1554
3 7/8	98	9 7/8	364	15 7/8	713	21 7/8	1118	27 7/8	1563
4	102	10	370	16	721	22	1127	28	1573
4 1/8	107	10 1/8	377	16 1/8	729	22 1/8	1136	28 1/8	1583
4 1/4	111	10 1/4	383	16 1/4	737	22 1/4	1145	28 1/4	1592
4 3/8	116	10 3/8	390	16 3/8	745	22 3/8	1154	28 3/8	1602
4 1/2	120	10 1/2	397	16 1/2	753	22 1/2	1163	28 1/2	1612
4 5/8	125	10 5/8	404	16 5/8	761	22 5/8	1172	28 5/8	1621
4 3/4	130	10 3/4	410	16 3/4	769	22 3/4	1181	28 3/4	1631
4 7/8	134	10 7/8	417	16 7/8	777	22 7/8	1190	28 7/8	1641
5	139	11	424	17	785	23	1199	29	1650
5 1/8	144	11 1/8	431	17 1/8	793	23 1/8	1208	29 1/8	1660
5 1/4	149	11 1/4	438	17 1/4	802	23 1/4	1217	29 1/4	1670
5 3/8	154	11 3/8	445	17 3/8	810	23 3/8	1226	29 3/8	1680
5 1/2	159	11 1/2	452	17 1/2	818	23 1/2	1236	29 1/2	1689
5 5/8	164	11 5/8	459	17 5/8	826	23 5/8	1245	29 5/8	1699
5 3/4	169	11 3/4	466	17 3/4	834	23 3/4	1254	29 3/4	1709
5 7/8	175	11 7/8	473	17 7/8	843	23 7/8	1263	29 7/8	1719
6	180	12	480	18	851	24	1272	30	1728

8'-6000 Double-Wall Compartment Tank Extension - Previous to 3/1/2015 6018 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
30 1/8	1738	36 1/8	2218	42 1/8	2713	48 1/8	3212	54 1/8	3708
30 1/4	1748	36 1/4	2229	42 1/4	2723	48 1/4	3222	54 1/4	3718
30 3/8	1758	36 3/8	2239	42 3/8	2733	48 3/8	3233	54 3/8	3728
30 1/2	1768	36 1/2	2249	42 1/2	2744	48 1/2	3243	54 1/2	3739
30 5/8	1777	36 5/8	2259	42 5/8	2754	48 5/8	3254	54 5/8	3749
30 3/4	1787	36 3/4	2269	42 3/4	2765	48 3/4	3264	54 3/4	3759
30 7/8	1797	36 7/8	2280	42 7/8	2775	48 7/8	3274	54 7/8	3769
31	1807	37	2290	43	2785	49	3285	55	3779
31 1/8	1817	37 1/8	2300	43 1/8	2796	49 1/8	3295	55 1/8	3790
31 1/4	1827	37 1/4	2310	43 1/4	2806	49 1/4	3306	55 1/4	3800
31 3/8	1837	37 3/8	2321	43 3/8	2817	49 3/8	3316	55 3/8	3810
31 1/2	1846	37 1/2	2331	43 1/2	2827	49 1/2	3326	55 1/2	3820
31 5/8	1856	37 5/8	2341	43 5/8	2837	49 5/8	3337	55 5/8	3830
31 3/4	1866	37 3/4	2351	43 3/4	2848	49 3/4	3347	55 3/4	3841
31 7/8	1876	37 7/8	2362	43 7/8	2858	49 7/8	3357	55 7/8	3851
32	1886	38	2372	44	2869	50	3368	56	3861
32 1/8	1896	38 1/8	2382	44 1/8	2879	50 1/8	3378	56 1/8	3871
32 1/4	1906	38 1/4	2392	44 1/4	2889	50 1/4	3389	56 1/4	3881
32 3/8	1916	38 3/8	2403	44 3/8	2900	50 3/8	3399	56 3/8	3891
32 1/2	1926	38 1/2	2413	44 1/2	2910	50 1/2	3409	56 1/2	3901
32 5/8	1936	38 5/8	2423	44 5/8	2921	50 5/8	3420	56 5/8	3911
32 3/4	1946	38 3/4	2434	44 3/4	2931	50 3/4	3430	56 3/4	3922
32 7/8	1956	38 7/8	2444	44 7/8	2941	50 7/8	3440	56 7/8	3932
33	1966	39	2454	45	2952	51	3451	57	3942
33 1/8	1976	39 1/8	2464	45 1/8	2962	51 1/8	3461	57 1/8	3952
33 1/4	1986	39 1/4	2475	45 1/4	2973	51 1/4	3471	57 1/4	3962
33 3/8	1996	39 3/8	2485	45 3/8	2983	51 3/8	3482	57 3/8	3972
33 1/2	2006	39 1/2	2495	45 1/2	2994	51 1/2	3492	57 1/2	3982
33 5/8	2016	39 5/8	2506	45 5/8	3004	51 5/8	3502	57 5/8	3992
33 3/4	2026	39 3/4	2516	45 3/4	3014	51 3/4	3513	57 3/4	4002
33 7/8	2036	39 7/8	2526	45 7/8	3025	51 7/8	3523	57 7/8	4012
34	2046	40	2537	46	3035	52	3533	58	4022
34 1/8	2056	40 1/8	2547	46 1/8	3046	52 1/8	3544	58 1/8	4032
34 1/4	2066	40 1/4	2557	46 1/4	3056	52 1/4	3554	58 1/4	4042
34 3/8	2076	40 3/8	2568	46 3/8	3066	52 3/8	3564	58 3/8	4052
34 1/2	2087	40 1/2	2578	46 1/2	3077	52 1/2	3574	58 1/2	4062
34 5/8	2097	40 5/8	2588	46 5/8	3087	52 5/8	3585	58 5/8	4072
34 3/4	2107	40 3/4	2599	46 3/4	3098	52 3/4	3595	58 3/4	4082
34 7/8	2117	40 7/8	2609	46 7/8	3108	52 7/8	3605	58 7/8	4092
35	2127	41	2619	47	3118	53	3616	59	4102
35 1/8	2137	41 1/8	2630	47 1/8	3129	53 1/8	3626	59 1/8	4112
35 1/4	2147	41 1/4	2640	47 1/4	3139	53 1/4	3636	59 1/4	4122
35 3/8	2157	41 3/8	2650	47 3/8	3150	53 3/8	3646	59 3/8	4132
35 1/2	2168	41 1/2	2661	47 1/2	3160	53 1/2	3657	59 1/2	4142
35 5/8	2178	41 5/8	2671	47 5/8	3170	53 5/8	3667	59 5/8	4152
35 3/4	2188	41 3/4	2682	47 3/4	3181	53 3/4	3677	59 3/4	4162
35 7/8	2198	41 7/8	2692	47 7/8	3191	53 7/8	3687	59 7/8	4172
36	2208	42	2702	48	3202	54	3698	60	4182

8'-6000 Double-Wall Compartment Tank Extension - Previous to 3/1/2015 6018 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
60 1/8	4192	66 1/8	4654	72 1/8	5083	78 1/8	5466	84 1/8	5,783
60 1/4	4201	66 1/4	4663	72 1/4	5092	78 1/4	5474	84 1/4	5,789
60 3/8	4211	66 3/8	4672	72 3/8	5100	78 3/8	5481	84 3/8	5,795
60 1/2	4221	66 1/2	4681	72 1/2	5108	78 1/2	5488	84 1/2	5,800
60 5/8	4231	66 5/8	4691	72 5/8	5117	78 5/8	5496	84 5/8	5,806
60 3/4	4241	66 3/4	4700	72 3/4	5125	78 3/4	5503	84 3/4	5,812
60 7/8	4251	66 7/8	4709	72 7/8	5134	78 7/8	5510	84 7/8	5,817
61	4261	67	4719	73	5142	79	5517	85	5,822
61 1/8	4270	67 1/8	4728	73 1/8	5151	79 1/8	5524	85 1/8	5,828
61 1/4	4280	67 1/4	4737	73 1/4	5159	79 1/4	5532	85 1/4	5,833
61 3/8	4290	67 3/8	4746	73 3/8	5167	79 3/8	5539	85 3/8	5,838
61 1/2	4300	67 1/2	4755	73 1/2	5176	79 1/2	5546	85 1/2	5,844
61 5/8	4310	67 5/8	4764	73 5/8	5184	79 5/8	5553	85 5/8	5,849
61 3/4	4319	67 3/4	4774	73 3/4	5192	79 3/4	5560	85 3/4	5,854
61 7/8	4329	67 7/8	4783	73 7/8	5200	79 7/8	5567	85 7/8	5,859
62	4339	68	4792	74	5209	80	5574	86	5,864
62 1/8	4348	68 1/8	4801	74 1/8	5217	80 1/8	5581	86 1/8	5,869
62 1/4	4358	68 1/4	4810	74 1/4	5225	80 1/4	5587	86 1/4	5,874
62 3/8	4368	68 3/8	4819	74 3/8	5233	80 3/8	5594	86 3/8	5,879
62 1/2	4378	68 1/2	4828	74 1/2	5241	80 1/2	5601	86 1/2	5,884
62 5/8	4387	68 5/8	4837	74 5/8	5249	80 5/8	5608	86 5/8	5,889
62 3/4	4397	68 3/4	4846	74 3/4	5257	80 3/4	5615	86 3/4	5,893
62 7/8	4407	68 7/8	4855	74 7/8	5265	80 7/8	5621	86 7/8	5,898
63	4416	69	4864	75	5273	81	5628	87	5,903
63 1/8	4426	69 1/8	4873	75 1/8	5281	81 1/8	5635	87 1/8	5,907
63 1/4	4436	69 1/4	4882	75 1/4	5289	81 1/4	5641	87 1/4	5,912
63 3/8	4445	69 3/8	4891	75 3/8	5297	81 3/8	5648	87 3/8	5,916
63 1/2	4455	69 1/2	4900	75 1/2	5305	81 1/2	5655	87 1/2	5,920
63 5/8	4464	69 5/8	4909	75 5/8	5313	81 5/8	5661	87 5/8	5,925
63 3/4	4474	69 3/4	4918	75 3/4	5321	81 3/4	5668	87 3/4	5,929
63 7/8	4484	69 7/8	4927	75 7/8	5329	81 7/8	5674	87 7/8	5,933
64	4493	70	4935	76	5337	82	5680	88	5,937
64 1/8	4503	70 1/8	4944	76 1/8	5345	82 1/8	5687	88 1/8	5,941
64 1/4	4512	70 1/4	4953	76 1/4	5352	82 1/4	5693	88 1/4	5,945
64 3/8	4522	70 3/8	4962	76 3/8	5360	82 3/8	5699	88 3/8	5,949
64 1/2	4531	70 1/2	4971	76 1/2	5368	82 1/2	5706	88 1/2	5,953
64 5/8	4541	70 5/8	4979	76 5/8	5376	82 5/8	5712	88 5/8	5,957
64 3/4	4550	70 3/4	4988	76 3/4	5383	82 3/4	5718	88 3/4	5,961
64 7/8	4560	70 7/8	4997	76 7/8	5391	82 7/8	5724	88 7/8	5,964
65	4569	71	5006	77	5399	83	5730	89	5,968
65 1/8	4579	71 1/8	5014	77 1/8	5406	83 1/8	5736	89 1/8	5,971
65 1/4	4588	71 1/4	5023	77 1/4	5414	83 1/4	5742	89 1/4	5,975
65 3/8	4597	71 3/8	5032	77 3/8	5421	83 3/8	5748	89 3/8	5,978
65 1/2	4607	71 1/2	5040	77 1/2	5429	83 1/2	5754	89 1/2	5,981
65 5/8	4616	71 5/8	5049	77 5/8	5436	83 5/8	5760	89 5/8	5,984
65 3/4	4626	71 3/4	5057	77 3/4	5444	83 3/4	5766	89 3/4	5,987
65 7/8	4635	71 7/8	5066	77 7/8	5451	83 7/8	5772	89 7/8	5,990
66	4644	72	5074	78	5459	84	5778	90	5,993

8'-6000 Double-Wall Compartment Tank Extension - Previous to 3/1/2015 6018 Gals

DIPSTICK	GALLONS
90 1/8	5,996
90 1/4	5,998
90 3/8	6,001
90 1/2	6,003
90 5/8	6,006
90 3/4	6,008
90 7/8	6,010
91	6,012
91 1/8	6,013
91 1/4	6,015
91 3/8	6,016
91 1/2	6,017
91 5/8	6,018



CONTAINMENT
SOLUTIONS®

HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection:

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. See vendor below or suitable equal.

Gasoila Water Finding Paste
Federal Process Corp.
800-846-7325
www.gasoila.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

Fluid Containment, Inc.
5150 Jefferson Chemical Road
Conroe, TX 77301
Tel: 409-756-7731
Fax: 409-756-7766