

DWT6 10'-2000 COMPARTMENT
19,951 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	6	6 1/8	365	12 1/8	997	18 1/8	1,811	24 1/8	2,764
1/4	9	6 1/4	376	12 1/4	1,012	18 1/4	1,829	24 1/4	2,785
3/8	12	6 3/8	387	12 3/8	1,028	18 3/8	1,848	24 3/8	2,806
1/2	16	6 1/2	398	12 1/2	1,043	18 1/2	1,866	24 1/2	2,827
5/8	20	6 5/8	410	12 5/8	1,059	18 5/8	1,885	24 5/8	2,849
3/4	24	6 3/4	421	12 3/4	1,074	18 3/4	1,904	24 3/4	2,870
7/8	28	6 7/8	432	12 7/8	1,090	18 7/8	1,923	24 7/8	2,891
1	32	7	444	13	1,106	19	1,942	25	2,913
1 1/8	37	7 1/8	455	13 1/8	1,121	19 1/8	1,961	25 1/8	2,934
1 1/4	42	7 1/4	467	13 1/4	1,137	19 1/4	1,980	25 1/4	2,956
1 3/8	48	7 3/8	479	13 3/8	1,153	19 3/8	1,999	25 3/8	2,977
1 1/2	53	7 1/2	491	13 1/2	1,169	19 1/2	2,018	25 1/2	2,999
1 5/8	59	7 5/8	503	13 5/8	1,185	19 5/8	2,037	25 5/8	3,020
1 3/4	64	7 3/4	515	13 3/4	1,202	19 3/4	2,056	25 3/4	3,042
1 7/8	71	7 7/8	527	13 7/8	1,218	19 7/8	2,076	25 7/8	3,064
2	77	8	540	14	1,234	20	2,095	26	3,086
2 1/8	83	8 1/8	552	14 1/8	1,251	20 1/8	2,114	26 1/8	3,107
2 1/4	90	8 1/4	565	14 1/4	1,267	20 1/4	2,134	26 1/4	3,129
2 3/8	96	8 3/8	577	14 3/8	1,284	20 3/8	2,153	26 3/8	3,151
2 1/2	103	8 1/2	590	14 1/2	1,300	20 1/2	2,173	26 1/2	3,173
2 5/8	110	8 5/8	603	14 5/8	1,317	20 5/8	2,193	26 5/8	3,195
2 3/4	118	8 3/4	616	14 3/4	1,334	20 3/4	2,212	26 3/4	3,217
2 7/8	125	8 7/8	629	14 7/8	1,350	20 7/8	2,232	26 7/8	3,239
3	133	9	642	15	1,367	21	2,252	27	3,261
3 1/8	140	9 1/8	655	15 1/8	1,384	21 1/8	2,272	27 1/8	3,283
3 1/4	148	9 1/4	668	15 1/4	1,401	21 1/4	2,292	27 1/4	3,306
3 3/8	156	9 3/8	682	15 3/8	1,418	21 3/8	2,312	27 3/8	3,328
3 1/2	164	9 1/2	695	15 1/2	1,435	21 1/2	2,332	27 1/2	3,350
3 5/8	173	9 5/8	709	15 5/8	1,453	21 5/8	2,352	27 5/8	3,373
3 3/4	181	9 3/4	722	15 3/4	1,470	21 3/4	2,372	27 3/4	3,395
3 7/8	190	9 7/8	736	15 7/8	1,487	21 7/8	2,392	27 7/8	3,417
4	198	10	750	16	1,505	22	2,412	28	3,440
4 1/8	207	10 1/8	764	16 1/8	1,522	22 1/8	2,433	28 1/8	3,462
4 1/4	216	10 1/4	778	16 1/4	1,540	22 1/4	2,453	28 1/4	3,485
4 3/8	225	10 3/8	792	16 3/8	1,557	22 3/8	2,473	28 3/8	3,507
4 1/2	234	10 1/2	806	16 1/2	1,575	22 1/2	2,494	28 1/2	3,530
4 5/8	244	10 5/8	820	16 5/8	1,593	22 5/8	2,514	28 5/8	3,553
4 3/4	253	10 3/4	834	16 3/4	1,611	22 3/4	2,535	28 3/4	3,575
4 7/8	263	10 7/8	849	16 7/8	1,628	22 7/8	2,555	28 7/8	3,598
5	273	11	863	17	1,646	23	2,576	29	3,621
5 1/8	282	11 1/8	878	17 1/8	1,664	23 1/8	2,597	29 1/8	3,644
5 1/4	292	11 1/4	892	17 1/4	1,682	23 1/4	2,617	29 1/4	3,666
5 3/8	302	11 3/8	907	17 3/8	1,701	23 3/8	2,638	29 3/8	3,689
5 1/2	313	11 1/2	922	17 1/2	1,719	23 1/2	2,659	29 1/2	3,712
5 5/8	323	11 5/8	937	17 5/8	1,737	23 5/8	2,680	29 5/8	3,735
5 3/4	333	11 3/4	952	17 3/4	1,755	23 3/4	2,701	29 3/4	3,758
5 7/8	344	11 7/8	967	17 7/8	1,774	23 7/8	2,722	29 7/8	3,781
6	355	12	982	18	1,792	24	2,743	30	3,804

DWT6 10'-2000 COMPARTMENT
19,951 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
30 1/8	3,828	36 1/8	4,978	42 1/8	6,196	48 1/8	7,462	54 1/8	8,759
30 1/4	3,851	36 1/4	5,003	42 1/4	6,222	48 1/4	7,488	54 1/4	8,786
30 3/8	3,874	36 3/8	5,028	42 3/8	6,248	48 3/8	7,515	54 3/8	8,814
30 1/2	3,897	36 1/2	5,053	42 1/2	6,274	48 1/2	7,542	54 1/2	8,841
30 5/8	3,920	36 5/8	5,077	42 5/8	6,300	48 5/8	7,569	54 5/8	8,868
30 3/4	3,944	36 3/4	5,102	42 3/4	6,326	48 3/4	7,596	54 3/4	8,895
30 7/8	3,967	36 7/8	5,127	42 7/8	6,352	48 7/8	7,622	54 7/8	8,923
31	3,990	37	5,152	43	6,378	49	7,649	55	8,950
31 1/8	4,014	37 1/8	5,177	43 1/8	6,404	49 1/8	7,676	55 1/8	8,977
31 1/4	4,037	37 1/4	5,202	43 1/4	6,430	49 1/4	7,703	55 1/4	9,005
31 3/8	4,061	37 3/8	5,227	43 3/8	6,456	49 3/8	7,730	55 3/8	9,032
31 1/2	4,084	37 1/2	5,252	43 1/2	6,482	49 1/2	7,757	55 1/2	9,059
31 5/8	4,108	37 5/8	5,277	43 5/8	6,508	49 5/8	7,784	55 5/8	9,086
31 3/4	4,131	37 3/4	5,302	43 3/4	6,534	49 3/4	7,811	55 3/4	9,114
31 7/8	4,155	37 7/8	5,327	43 7/8	6,561	49 7/8	7,838	55 7/8	9,141
32	4,179	38	5,352	44	6,587	50	7,865	56	9,168
32 1/8	4,202	38 1/8	5,378	44 1/8	6,613	50 1/8	7,891	56 1/8	9,196
32 1/4	4,226	38 1/4	5,403	44 1/4	6,639	50 1/4	7,918	56 1/4	9,223
32 3/8	4,250	38 3/8	5,428	44 3/8	6,666	50 3/8	7,945	56 3/8	9,250
32 1/2	4,274	38 1/2	5,453	44 1/2	6,692	50 1/2	7,972	56 1/2	9,278
32 5/8	4,298	38 5/8	5,478	44 5/8	6,718	50 5/8	7,999	56 5/8	9,305
32 3/4	4,321	38 3/4	5,504	44 3/4	6,745	50 3/4	8,026	56 3/4	9,332
32 7/8	4,345	38 7/8	5,529	44 7/8	6,771	50 7/8	8,053	56 7/8	9,360
33	4,369	39	5,554	45	6,797	51	8,080	57	9,387
33 1/8	4,393	39 1/8	5,580	45 1/8	6,824	51 1/8	8,107	57 1/8	9,414
33 1/4	4,417	39 1/4	5,605	45 1/4	6,850	51 1/4	8,135	57 1/4	9,442
33 3/8	4,441	39 3/8	5,631	45 3/8	6,876	51 3/8	8,162	57 3/8	9,469
33 1/2	4,465	39 1/2	5,656	45 1/2	6,903	51 1/2	8,189	57 1/2	9,497
33 5/8	4,490	39 5/8	5,681	45 5/8	6,929	51 5/8	8,216	57 5/8	9,524
33 3/4	4,514	39 3/4	5,707	45 3/4	6,956	51 3/4	8,243	57 3/4	9,551
33 7/8	4,538	39 7/8	5,732	45 7/8	6,982	51 7/8	8,270	57 7/8	9,579
34	4,562	40	5,758	46	7,009	52	8,297	58	9,606
34 1/8	4,586	40 1/8	5,784	46 1/8	7,035	52 1/8	8,324	58 1/8	9,633
34 1/4	4,611	40 1/4	5,809	46 1/4	7,062	52 1/4	8,351	58 1/4	9,661
34 3/8	4,635	40 3/8	5,835	46 3/8	7,088	52 3/8	8,378	58 3/8	9,688
34 1/2	4,659	40 1/2	5,860	46 1/2	7,115	52 1/2	8,406	58 1/2	9,716
34 5/8	4,684	40 5/8	5,886	46 5/8	7,142	52 5/8	8,433	58 5/8	9,743
34 3/4	4,708	40 3/4	5,912	46 3/4	7,168	52 3/4	8,460	58 3/4	9,770
34 7/8	4,732	40 7/8	5,937	46 7/8	7,195	52 7/8	8,487	58 7/8	9,798
35	4,757	41	5,963	47	7,221	53	8,514	59	9,825
35 1/8	4,781	41 1/8	5,989	47 1/8	7,248	53 1/8	8,541	59 1/8	9,852
35 1/4	4,806	41 1/4	6,015	47 1/4	7,275	53 1/4	8,569	59 1/4	9,880
35 3/8	4,830	41 3/8	6,040	47 3/8	7,301	53 3/8	8,596	59 3/8	9,907
35 1/2	4,855	41 1/2	6,066	47 1/2	7,328	53 1/2	8,623	59 1/2	9,935
35 5/8	4,879	41 5/8	6,092	47 5/8	7,355	53 5/8	8,650	59 5/8	9,962
35 3/4	4,904	41 3/4	6,118	47 3/4	7,381	53 3/4	8,677	59 3/4	9,989
35 7/8	4,929	41 7/8	6,144	47 7/8	7,408	53 7/8	8,705	59 7/8	10,017
36	4,953	42	6,170	48	7,435	54	8,732	60	10,044

DWT6 10'-20000 COMPARTMENT
19,951 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
60 1/8	10,072	66 1/8	11,383	72 1/8	12,677	78 1/8	13,937	84 1/8	15,146
60 1/4	10,099	66 1/4	11,410	72 1/4	12,703	78 1/4	13,962	84 1/4	15,170
60 3/8	10,126	66 3/8	11,437	72 3/8	12,730	78 3/8	13,988	84 3/8	15,195
60 1/2	10,154	66 1/2	11,464	72 1/2	12,757	78 1/2	14,014	84 1/2	15,219
60 5/8	10,181	66 5/8	11,491	72 5/8	12,783	78 5/8	14,040	84 5/8	15,243
60 3/4	10,208	66 3/4	11,519	72 3/4	12,810	78 3/4	14,065	84 3/4	15,268
60 7/8	10,236	66 7/8	11,546	72 7/8	12,836	78 7/8	14,091	84 7/8	15,292
61	10,263	67	11,573	73	12,863	79	14,117	85	15,317
61 1/8	10,291	67 1/8	11,600	73 1/8	12,889	79 1/8	14,142	85 1/8	15,341
61 1/4	10,318	67 1/4	11,627	73 1/4	12,916	79 1/4	14,168	85 1/4	15,365
61 3/8	10,345	67 3/8	11,654	73 3/8	12,943	79 3/8	14,193	85 3/8	15,389
61 1/2	10,373	67 1/2	11,681	73 1/2	12,969	79 1/2	14,219	85 1/2	15,414
61 5/8	10,400	67 5/8	11,708	73 5/8	12,995	79 5/8	14,244	85 5/8	15,438
61 3/4	10,427	67 3/4	11,736	73 3/4	13,022	79 3/4	14,270	85 3/4	15,462
61 7/8	10,455	67 7/8	11,763	73 7/8	13,048	79 7/8	14,295	85 7/8	15,486
62	10,482	68	11,790	74	13,075	80	14,321	86	15,510
62 1/8	10,510	68 1/8	11,817	74 1/8	13,101	80 1/8	14,346	86 1/8	15,534
62 1/4	10,537	68 1/4	11,844	74 1/4	13,128	80 1/4	14,372	86 1/4	15,558
62 3/8	10,564	68 3/8	11,871	74 3/8	13,154	80 3/8	14,397	86 3/8	15,582
62 1/2	10,592	68 1/2	11,898	74 1/2	13,180	80 1/2	14,422	86 1/2	15,606
62 5/8	10,619	68 5/8	11,925	74 5/8	13,207	80 5/8	14,448	86 5/8	15,630
62 3/4	10,646	68 3/4	11,952	74 3/4	13,233	80 3/4	14,473	86 3/4	15,654
62 7/8	10,674	68 7/8	11,979	74 7/8	13,259	80 7/8	14,498	86 7/8	15,678
63	10,701	69	12,006	75	13,286	81	14,523	87	15,701
63 1/8	10,728	69 1/8	12,033	75 1/8	13,312	81 1/8	14,549	87 1/8	15,725
63 1/4	10,756	69 1/4	12,060	75 1/4	13,338	81 1/4	14,574	87 1/4	15,749
63 3/8	10,783	69 3/8	12,087	75 3/8	13,364	81 3/8	14,599	87 3/8	15,773
63 1/2	10,810	69 1/2	12,114	75 1/2	13,391	81 1/2	14,624	87 1/2	15,796
63 5/8	10,838	69 5/8	12,141	75 5/8	13,417	81 5/8	14,649	87 5/8	15,820
63 3/4	10,865	69 3/4	12,168	75 3/4	13,443	81 3/4	14,674	87 3/4	15,843
63 7/8	10,892	69 7/8	12,195	75 7/8	13,469	81 7/8	14,699	87 7/8	15,867
64	10,920	70	12,221	76	13,495	82	14,724	88	15,891
64 1/8	10,947	70 1/8	12,248	76 1/8	13,521	82 1/8	14,749	88 1/8	15,914
64 1/4	10,974	70 1/4	12,275	76 1/4	13,548	82 1/4	14,774	88 1/4	15,937
64 3/8	11,001	70 3/8	12,302	76 3/8	13,574	82 3/8	14,799	88 3/8	15,961
64 1/2	11,029	70 1/2	12,329	76 1/2	13,600	82 1/2	14,824	88 1/2	15,984
64 5/8	11,056	70 5/8	12,356	76 5/8	13,626	82 5/8	14,849	88 5/8	16,008
64 3/4	11,083	70 3/4	12,383	76 3/4	13,652	82 3/4	14,874	88 3/4	16,031
64 7/8	11,110	70 7/8	12,409	76 7/8	13,678	82 7/8	14,899	88 7/8	16,054
65	11,138	71	12,436	77	13,704	83	14,924	89	16,077
65 1/8	11,165	71 1/8	12,463	77 1/8	13,730	83 1/8	14,948	89 1/8	16,101
65 1/4	11,192	71 1/4	12,490	77 1/4	13,756	83 1/4	14,973	89 1/4	16,124
65 3/8	11,219	71 3/8	12,516	77 3/8	13,782	83 3/8	14,998	89 3/8	16,147
65 1/2	11,247	71 1/2	12,543	77 1/2	13,808	83 1/2	15,023	89 1/2	16,170
65 5/8	11,274	71 5/8	12,570	77 5/8	13,833	83 5/8	15,047	89 5/8	16,193
65 3/4	11,301	71 3/4	12,597	77 3/4	13,859	83 3/4	15,072	89 3/4	16,216
65 7/8	11,328	71 7/8	12,623	77 7/8	13,885	83 7/8	15,096	89 7/8	16,239
66	11,356	72	12,650	78	13,911	84	15,121	90	16,262

DWT6 10'-2000 COMPARTMENT
19,951 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
90 1/8	16,285	96 1/8	17,334	102 1/8	18,269	108 1/8	19,059	114 1/8	19,659
90 1/4	16,308	96 1/4	17,355	102 1/4	18,287	108 1/4	19,074	114 1/4	19,669
90 3/8	16,331	96 3/8	17,375	102 3/8	18,305	108 3/8	19,088	114 3/8	19,679
90 1/2	16,353	96 1/2	17,396	102 1/2	18,323	108 1/2	19,103	114 1/2	19,689
90 5/8	16,376	96 5/8	17,417	102 5/8	18,341	108 5/8	19,117	114 5/8	19,698
90 3/4	16,399	96 3/4	17,437	102 3/4	18,359	108 3/4	19,131	114 3/4	19,708
90 7/8	16,421	96 7/8	17,458	102 7/8	18,376	108 7/8	19,146	114 7/8	19,717
91	16,444	97	17,478	103	18,394	109	19,160	115	19,726
91 1/8	16,467	97 1/8	17,498	103 1/8	18,412	109 1/8	19,174	115 1/8	19,735
91 1/4	16,489	97 1/4	17,519	103 1/4	18,429	109 1/4	19,188	115 1/4	19,744
91 3/8	16,512	97 3/8	17,539	103 3/8	18,447	109 3/8	19,202	115 3/8	19,753
91 1/2	16,534	97 1/2	17,559	103 1/2	18,464	109 1/2	19,215	115 1/2	19,762
91 5/8	16,556	97 5/8	17,579	103 5/8	18,481	109 5/8	19,229	115 5/8	19,770
91 3/4	16,579	97 3/4	17,600	103 3/4	18,499	109 3/4	19,243	115 3/4	19,779
91 7/8	16,601	97 7/8	17,620	103 7/8	18,516	109 7/8	19,256	115 7/8	19,787
92	16,623	98	17,640	104	18,533	110	19,270	116	19,795
92 1/8	16,646	98 1/8	17,660	104 1/8	18,550	110 1/8	19,283	116 1/8	19,803
92 1/4	16,668	98 1/4	17,680	104 1/4	18,567	110 1/4	19,296	116 1/4	19,811
92 3/8	16,690	98 3/8	17,699	104 3/8	18,584	110 3/8	19,310	116 3/8	19,819
92 1/2	16,712	98 1/2	17,719	104 1/2	18,601	110 1/2	19,323	116 1/2	19,826
92 5/8	16,734	98 5/8	17,739	104 5/8	18,618	110 5/8	19,336	116 5/8	19,834
92 3/4	16,756	98 3/4	17,759	104 3/4	18,635	110 3/4	19,349	116 3/4	19,841
92 7/8	16,778	98 7/8	17,778	104 7/8	18,651	110 7/8	19,361	116 7/8	19,848
93	16,800	99	17,798	105	18,668	111	19,374	117	19,855
93 1/8	16,822	99 1/8	17,817	105 1/8	18,684	111 1/8	19,387	117 1/8	19,862
93 1/4	16,844	99 1/4	17,837	105 1/4	18,701	111 1/4	19,399	117 1/4	19,868
93 3/8	16,866	99 3/8	17,856	105 3/8	18,717	111 3/8	19,412	117 3/8	19,875
93 1/2	16,888	99 1/2	17,876	105 1/2	18,734	111 1/2	19,424	117 1/2	19,881
93 5/8	16,909	99 5/8	17,895	105 5/8	18,750	111 5/8	19,436	117 5/8	19,887
93 3/4	16,931	99 3/4	17,914	105 3/4	18,766	111 3/4	19,448	117 3/4	19,893
93 7/8	16,953	99 7/8	17,933	105 7/8	18,782	111 7/8	19,460	117 7/8	19,898
94	16,974	100	17,953	106	18,798	112	19,472	118	19,904
94 1/8	16,996	100 1/8	17,972	106 1/8	18,814	112 1/8	19,484	118 1/8	19,909
94 1/4	17,017	100 1/4	17,991	106 1/4	18,830	112 1/4	19,496	118 1/4	19,914
94 3/8	17,039	100 3/8	18,010	106 3/8	18,846	112 3/8	19,508	118 3/8	19,919
94 1/2	17,060	100 1/2	18,029	106 1/2	18,861	112 1/2	19,519	118 1/2	19,923
94 5/8	17,081	100 5/8	18,047	106 5/8	18,877	112 5/8	19,530	118 5/8	19,928
94 3/4	17,103	100 3/4	18,066	106 3/4	18,893	112 3/4	19,542	118 3/4	19,932
94 7/8	17,124	100 7/8	18,085	106 7/8	18,908	112 7/8	19,553	118 7/8	19,936
95	17,145	101	18,104	107	18,924	113	19,564	119	19,939
95 1/8	17,166	101 1/8	18,122	107 1/8	18,939	113 1/8	19,575	119 1/8	19,942
95 1/4	17,187	101 1/4	18,141	107 1/4	18,954	113 1/4	19,586	119 1/4	19,945
95 3/8	17,209	101 3/8	18,159	107 3/8	18,969	113 3/8	19,597	119 3/8	19,948
95 1/2	17,230	101 1/2	18,178	107 1/2	18,985	113 1/2	19,607	119 1/2	19,950
95 5/8	17,251	101 5/8	18,196	107 5/8	19,000	113 5/8	19,618	119 5/8	19,951
95 3/4	17,271	101 3/4	18,214	107 3/4	19,015	113 3/4	19,628		
95 7/8	17,292	101 7/8	18,233	107 7/8	19,029	113 7/8	19,639		
96	17,313	102	18,251	108	19,044	114	19,649		

Fiber Glass Systems



HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste Description - PASTE02 - for Salt and Chloride Solutions
7915 East Elm Street
Houston, TX 77012
Phone (713) 926-4780
E-Mail Sales@KolorKut.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West
Conroe, TX 77303
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.