

DWT6 12'-4500 COMPARTMENT
45,557 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	13	6 1/8	749	12 1/8	1,993	18 1/8	3,560
1/4	20	6 1/4	770	12 1/4	2,023	18 1/4	3,596
3/8	26	6 3/8	792	12 3/8	2,053	18 3/8	3,631
1/2	34	6 1/2	815	12 1/2	2,083	18 1/2	3,667
5/8	42	6 5/8	837	12 5/8	2,113	18 5/8	3,703
3/4	50	6 3/4	860	12 3/4	2,143	18 3/4	3,738
7/8	60	6 7/8	882	12 7/8	2,173	18 7/8	3,774
1	69	7	905	13	2,204	19	3,810
1 1/8	79	7 1/8	929	13 1/8	2,234	19 1/8	3,847
1 1/4	90	7 1/4	952	13 1/4	2,265	19 1/4	3,883
1 3/8	101	7 3/8	975	13 3/8	2,296	19 3/8	3,919
1 1/2	112	7 1/2	999	13 1/2	2,327	19 1/2	3,956
1 5/8	124	7 5/8	1,023	13 5/8	2,358	19 5/8	3,992
1 3/4	136	7 3/4	1,047	13 3/4	2,390	19 3/4	4,029
1 7/8	149	7 7/8	1,071	13 7/8	2,421	19 7/8	4,066
2	162	8	1,096	14	2,453	20	4,103
2 1/8	175	8 1/8	1,120	14 1/8	2,484	20 1/8	4,140
2 1/4	189	8 1/4	1,145	14 1/4	2,516	20 1/4	4,177
2 3/8	203	8 3/8	1,170	14 3/8	2,548	20 3/8	4,214
2 1/2	217	8 1/2	1,195	14 1/2	2,580	20 1/2	4,251
2 5/8	232	8 5/8	1,221	14 5/8	2,612	20 5/8	4,288
2 3/4	246	8 3/4	1,246	14 3/4	2,645	20 3/4	4,326
2 7/8	262	8 7/8	1,272	14 7/8	2,677	20 7/8	4,363
3	277	9	1,298	15	2,709	21	4,401
3 1/8	293	9 1/8	1,323	15 1/8	2,742	21 1/8	4,439
3 1/4	309	9 1/4	1,350	15 1/4	2,775	21 1/4	4,476
3 3/8	326	9 3/8	1,376	15 3/8	2,808	21 3/8	4,514
3 1/2	342	9 1/2	1,402	15 1/2	2,841	21 1/2	4,552
3 5/8	359	9 5/8	1,429	15 5/8	2,874	21 5/8	4,590
3 3/4	376	9 3/4	1,456	15 3/4	2,907	21 3/4	4,629
3 7/8	394	9 7/8	1,483	15 7/8	2,941	21 7/8	4,667
4	411	10	1,510	16	2,974	22	4,705
4 1/8	429	10 1/8	1,537	16 1/8	3,008	22 1/8	4,744
4 1/4	448	10 1/4	1,564	16 1/4	3,041	22 1/4	4,782
4 3/8	466	10 3/8	1,592	16 3/8	3,075	22 3/8	4,821
4 1/2	485	10 1/2	1,620	16 1/2	3,109	22 1/2	4,860
4 5/8	504	10 5/8	1,647	16 5/8	3,143	22 5/8	4,899
4 3/4	523	10 3/4	1,675	16 3/4	3,177	22 3/4	4,937
4 7/8	542	10 7/8	1,704	16 7/8	3,211	22 7/8	4,976
5	562	11	1,732	17	3,246	23	5,015
5 1/8	582	11 1/8	1,760	17 1/8	3,280	23 1/8	5,055
5 1/4	602	11 1/4	1,789	17 1/4	3,315	23 1/4	5,094
5 3/8	622	11 3/8	1,818	17 3/8	3,350	23 3/8	5,133
5 1/2	643	11 1/2	1,847	17 1/2	3,384	23 1/2	5,173
5 5/8	664	11 5/8	1,876	17 5/8	3,419	23 5/8	5,212
5 3/4	685	11 3/4	1,905	17 3/4	3,454	23 3/4	5,252
5 7/8	706	11 7/8	1,934	17 7/8	3,490	23 7/8	5,291
6	727	12	1,963	18	3,525	24	5,331

DWT6 12'-4500 COMPARTMENT
45,557 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
24 1/8	5,371	30 1/8	7,375	36 1/8	9,535	42 1/8	11,818
24 1/4	5,411	30 1/4	7,419	36 1/4	9,581	42 1/4	11,867
24 3/8	5,451	30 3/8	7,462	36 3/8	9,627	42 3/8	11,915
24 1/2	5,491	30 1/2	7,506	36 1/2	9,674	42 1/2	11,964
24 5/8	5,531	30 5/8	7,550	36 5/8	9,720	42 5/8	12,013
24 3/4	5,572	30 3/4	7,593	36 3/4	9,767	42 3/4	12,062
24 7/8	5,612	30 7/8	7,637	36 7/8	9,814	42 7/8	12,111
25	5,652	31	7,681	37	9,860	43	12,160
25 1/8	5,693	31 1/8	7,725	37 1/8	9,907	43 1/8	12,209
25 1/4	5,733	31 1/4	7,769	37 1/4	9,954	43 1/4	12,258
25 3/8	5,774	31 3/8	7,813	37 3/8	10,001	43 3/8	12,307
25 1/2	5,815	31 1/2	7,858	37 1/2	10,048	43 1/2	12,356
25 5/8	5,856	31 5/8	7,902	37 5/8	10,095	43 5/8	12,405
25 3/4	5,897	31 3/4	7,946	37 3/4	10,142	43 3/4	12,454
25 7/8	5,938	31 7/8	7,990	37 7/8	10,189	43 7/8	12,504
26	5,979	32	8,035	38	10,236	44	12,553
26 1/8	6,020	32 1/8	8,079	38 1/8	10,283	44 1/8	12,602
26 1/4	6,061	32 1/4	8,124	38 1/4	10,331	44 1/4	12,651
26 3/8	6,102	32 3/8	8,169	38 3/8	10,378	44 3/8	12,701
26 1/2	6,144	32 1/2	8,213	38 1/2	10,425	44 1/2	12,750
26 5/8	6,185	32 5/8	8,258	38 5/8	10,473	44 5/8	12,800
26 3/4	6,227	32 3/4	8,303	38 3/4	10,520	44 3/4	12,849
26 7/8	6,268	32 7/8	8,348	38 7/8	10,567	44 7/8	12,899
27	6,310	33	8,393	39	10,615	45	12,948
27 1/8	6,352	33 1/8	8,438	39 1/8	10,663	45 1/8	12,998
27 1/4	6,393	33 1/4	8,483	39 1/4	10,710	45 1/4	13,048
27 3/8	6,435	33 3/8	8,528	39 3/8	10,758	45 3/8	13,097
27 1/2	6,477	33 1/2	8,573	39 1/2	10,806	45 1/2	13,147
27 5/8	6,519	33 5/8	8,618	39 5/8	10,853	45 5/8	13,197
27 3/4	6,561	33 3/4	8,663	39 3/4	10,901	45 3/4	13,246
27 7/8	6,604	33 7/8	8,709	39 7/8	10,949	45 7/8	13,296
28	6,646	34	8,754	40	10,997	46	13,346
28 1/8	6,688	34 1/8	8,800	40 1/8	11,045	46 1/8	13,396
28 1/4	6,731	34 1/4	8,845	40 1/4	11,093	46 1/4	13,446
28 3/8	6,773	34 3/8	8,891	40 3/8	11,141	46 3/8	13,496
28 1/2	6,816	34 1/2	8,936	40 1/2	11,189	46 1/2	13,546
28 5/8	6,858	34 5/8	8,982	40 5/8	11,237	46 5/8	13,596
28 3/4	6,901	34 3/4	9,028	40 3/4	11,285	46 3/4	13,646
28 7/8	6,944	34 7/8	9,073	40 7/8	11,333	46 7/8	13,696
29	6,987	35	9,119	41	11,382	47	13,746
29 1/8	7,029	35 1/8	9,165	41 1/8	11,430	47 1/8	13,796
29 1/4	7,072	35 1/4	9,211	41 1/4	11,478	47 1/4	13,847
29 3/8	7,115	35 3/8	9,257	41 3/8	11,527	47 3/8	13,897
29 1/2	7,159	35 1/2	9,303	41 1/2	11,575	47 1/2	13,947
29 5/8	7,202	35 5/8	9,349	41 5/8	11,624	47 5/8	13,997
29 3/4	7,245	35 3/4	9,396	41 3/4	11,672	47 3/4	14,048
29 7/8	7,288	35 7/8	9,442	41 7/8	11,721	47 7/8	14,098
30	7,332	36	9,488	42	11,769	48	14,149

DWT6 12'-4500 COMPARTMENT
45,557 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
48 1/8	14,199	54 1/8	16,653	60 1/8	19,158	66 1/8	21,693
48 1/4	14,249	54 1/4	16,705	60 1/4	19,211	66 1/4	21,746
48 3/8	14,300	54 3/8	16,757	60 3/8	19,263	66 3/8	21,799
48 1/2	14,350	54 1/2	16,808	60 1/2	19,316	66 1/2	21,852
48 5/8	14,401	54 5/8	16,860	60 5/8	19,369	66 5/8	21,905
48 3/4	14,452	54 3/4	16,912	60 3/4	19,421	66 3/4	21,958
48 7/8	14,502	54 7/8	16,964	60 7/8	19,474	66 7/8	22,011
49	14,553	55	17,016	61	19,526	67	22,064
49 1/8	14,604	55 1/8	17,068	61 1/8	19,579	67 1/8	22,117
49 1/4	14,654	55 1/4	17,120	61 1/4	19,632	67 1/4	22,170
49 3/8	14,705	55 3/8	17,172	61 3/8	19,684	67 3/8	22,222
49 1/2	14,756	55 1/2	17,223	61 1/2	19,737	67 1/2	22,275
49 5/8	14,807	55 5/8	17,275	61 5/8	19,790	67 5/8	22,328
49 3/4	14,857	55 3/4	17,327	61 3/4	19,843	67 3/4	22,381
49 7/8	14,908	55 7/8	17,379	61 7/8	19,895	67 7/8	22,434
50	14,959	56	17,431	62	19,948	68	22,487
50 1/8	15,010	56 1/8	17,484	62 1/8	20,001	68 1/8	22,540
50 1/4	15,061	56 1/4	17,536	62 1/4	20,053	68 1/4	22,593
50 3/8	15,112	56 3/8	17,588	62 3/8	20,106	68 3/8	22,647
50 1/2	15,163	56 1/2	17,640	62 1/2	20,159	68 1/2	22,700
50 5/8	15,214	56 5/8	17,692	62 5/8	20,212	68 5/8	22,753
50 3/4	15,265	56 3/4	17,744	62 3/4	20,265	68 3/4	22,806
50 7/8	15,316	56 7/8	17,796	62 7/8	20,317	68 7/8	22,859
51	15,367	57	17,848	63	20,370	69	22,912
51 1/8	15,418	57 1/8	17,901	63 1/8	20,423	69 1/8	22,965
51 1/4	15,469	57 1/4	17,953	63 1/4	20,476	69 1/4	23,018
51 3/8	15,521	57 3/8	18,005	63 3/8	20,529	69 3/8	23,071
51 1/2	15,572	57 1/2	18,057	63 1/2	20,582	69 1/2	23,124
51 5/8	15,623	57 5/8	18,110	63 5/8	20,634	69 5/8	23,177
51 3/4	15,674	57 3/4	18,162	63 3/4	20,687	69 3/4	23,230
51 7/8	15,726	57 7/8	18,214	63 7/8	20,740	69 7/8	23,283
52	15,777	58	18,266	64	20,793	70	23,336
52 1/8	15,828	58 1/8	18,319	64 1/8	20,846	70 1/8	23,389
52 1/4	15,880	58 1/4	18,371	64 1/4	20,899	70 1/4	23,442
52 3/8	15,931	58 3/8	18,424	64 3/8	20,952	70 3/8	23,495
52 1/2	15,983	58 1/2	18,476	64 1/2	21,005	70 1/2	23,547
52 5/8	16,034	58 5/8	18,528	64 5/8	21,057	70 5/8	23,600
52 3/4	16,085	58 3/4	18,581	64 3/4	21,110	70 3/4	23,653
52 7/8	16,137	58 7/8	18,633	64 7/8	21,163	70 7/8	23,706
53	16,188	59	18,686	65	21,216	71	23,759
53 1/8	16,240	59 1/8	18,738	65 1/8	21,269	71 1/8	23,812
53 1/4	16,292	59 1/4	18,790	65 1/4	21,322	71 1/4	23,865
53 3/8	16,343	59 3/8	18,843	65 3/8	21,375	71 3/8	23,918
53 1/2	16,395	59 1/2	18,895	65 1/2	21,428	71 1/2	23,971
53 5/8	16,446	59 5/8	18,948	65 5/8	21,481	71 5/8	24,024
53 3/4	16,498	59 3/4	19,000	65 3/4	21,534	71 3/4	24,077
53 7/8	16,550	59 7/8	19,053	65 7/8	21,587	71 7/8	24,130
54	16,601	60	19,106	66	21,640	72	24,183

DWT6 12'-4500 COMPARTMENT
45,557 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
72 1/8	24,236	78 1/8	26,768	84 1/8	29,266	90 1/8	31,711
72 1/4	24,289	78 1/4	26,820	84 1/4	29,318	90 1/4	31,762
72 3/8	24,342	78 3/8	26,872	84 3/8	29,370	90 3/8	31,812
72 1/2	24,395	78 1/2	26,925	84 1/2	29,421	90 1/2	31,862
72 5/8	24,448	78 5/8	26,977	84 5/8	29,473	90 5/8	31,912
72 3/4	24,501	78 3/4	27,030	84 3/4	29,524	90 3/4	31,962
72 7/8	24,554	78 7/8	27,082	84 7/8	29,576	90 7/8	32,012
73	24,606	79	27,135	85	29,627	91	32,062
73 1/8	24,659	79 1/8	27,187	85 1/8	29,678	91 1/8	32,112
73 1/4	24,712	79 1/4	27,239	85 1/4	29,730	91 1/4	32,162
73 3/8	24,765	79 3/8	27,292	85 3/8	29,781	91 3/8	32,212
73 1/2	24,818	79 1/2	27,344	85 1/2	29,832	91 1/2	32,262
73 5/8	24,871	79 5/8	27,396	85 5/8	29,884	91 5/8	32,312
73 3/4	24,924	79 3/4	27,448	85 3/4	29,935	91 3/4	32,361
73 7/8	24,977	79 7/8	27,501	85 7/8	29,986	91 7/8	32,411
74	25,029	80	27,553	86	30,037	92	32,461
74 1/8	25,082	80 1/8	27,605	86 1/8	30,089	92 1/8	32,510
74 1/4	25,135	80 1/4	27,657	86 1/4	30,140	92 1/4	32,560
74 3/8	25,188	80 3/8	27,710	86 3/8	30,191	92 3/8	32,610
74 1/2	25,241	80 1/2	27,762	86 1/2	30,242	92 1/2	32,659
74 5/8	25,293	80 5/8	27,814	86 5/8	30,293	92 5/8	32,709
74 3/4	25,346	80 3/4	27,866	86 3/4	30,344	92 3/4	32,758
74 7/8	25,399	80 7/8	27,918	86 7/8	30,395	92 7/8	32,808
75	25,452	81	27,970	87	30,446	93	32,857
75 1/8	25,505	81 1/8	28,022	87 1/8	30,497	93 1/8	32,907
75 1/4	25,557	81 1/4	28,074	87 1/4	30,548	93 1/4	32,956
75 3/8	25,610	81 3/8	28,127	87 3/8	30,599	93 3/8	33,005
75 1/2	25,663	81 1/2	28,179	87 1/2	30,650	93 1/2	33,054
75 5/8	25,715	81 5/8	28,231	87 5/8	30,701	93 5/8	33,104
75 3/4	25,768	81 3/4	28,283	87 3/4	30,751	93 3/4	33,153
75 7/8	25,821	81 7/8	28,335	87 7/8	30,802	93 7/8	33,202
76	25,874	82	28,386	88	30,853	94	33,251
76 1/8	25,926	82 1/8	28,438	88 1/8	30,904	94 1/8	33,300
76 1/4	25,979	82 1/4	28,490	88 1/4	30,955	94 1/4	33,349
76 3/8	26,032	82 3/8	28,542	88 3/8	31,005	94 3/8	33,398
76 1/2	26,084	82 1/2	28,594	88 1/2	31,056	94 1/2	33,447
76 5/8	26,137	82 5/8	28,646	88 5/8	31,106	94 5/8	33,496
76 3/4	26,190	82 3/4	28,698	88 3/4	31,157	94 3/4	33,545
76 7/8	26,242	82 7/8	28,750	88 7/8	31,208	94 7/8	33,594
77	26,295	83	28,801	89	31,258	95	33,643
77 1/8	26,347	83 1/8	28,853	89 1/8	31,309	95 1/8	33,691
77 1/4	26,400	83 1/4	28,905	89 1/4	31,359	95 1/4	33,740
77 3/8	26,452	83 3/8	28,957	89 3/8	31,409	95 3/8	33,789
77 1/2	26,505	83 1/2	29,008	89 1/2	31,460	95 1/2	33,837
77 5/8	26,558	83 5/8	29,060	89 5/8	31,510	95 5/8	33,886
77 3/4	26,610	83 3/4	29,112	89 3/4	31,561	95 3/4	33,934
77 7/8	26,663	83 7/8	29,163	89 7/8	31,611	95 7/8	33,983
78	26,715	84	29,215	90	31,661	96	34,031

DWT6 12'-45000 COMPARTMENT
45,557 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
96 1/8	34,080	102 1/8	36,347	108 1/8	38,486	114 1/8	40,464
96 1/4	34,128	102 1/4	36,393	108 1/4	38,529	114 1/4	40,503
96 3/8	34,176	102 3/8	36,439	108 3/8	38,571	114 3/8	40,543
96 1/2	34,225	102 1/2	36,485	108 1/2	38,614	114 1/2	40,582
96 5/8	34,273	102 5/8	36,530	108 5/8	38,657	114 5/8	40,621
96 3/4	34,321	102 3/4	36,576	108 3/4	38,700	114 3/4	40,660
96 7/8	34,369	102 7/8	36,622	108 7/8	38,742	114 7/8	40,698
97	34,417	103	36,667	109	38,785	115	40,737
97 1/8	34,465	103 1/8	36,713	109 1/8	38,827	115 1/8	40,776
97 1/4	34,513	103 1/4	36,759	109 1/4	38,870	115 1/4	40,814
97 3/8	34,561	103 3/8	36,804	109 3/8	38,912	115 3/8	40,853
97 1/2	34,609	103 1/2	36,849	109 1/2	38,954	115 1/2	40,891
97 5/8	34,657	103 5/8	36,895	109 5/8	38,997	115 5/8	40,929
97 3/4	34,705	103 3/4	36,940	109 3/4	39,039	115 3/4	40,968
97 7/8	34,753	103 7/8	36,985	109 7/8	39,081	115 7/8	41,006
98	34,800	104	37,030	110	39,123	116	41,044
98 1/8	34,848	104 1/8	37,075	110 1/8	39,165	116 1/8	41,082
98 1/4	34,896	104 1/4	37,121	110 1/4	39,206	116 1/4	41,119
98 3/8	34,943	104 3/8	37,165	110 3/8	39,248	116 3/8	41,157
98 1/2	34,991	104 1/2	37,210	110 1/2	39,290	116 1/2	41,195
98 5/8	35,038	104 5/8	37,255	110 5/8	39,331	116 5/8	41,232
98 3/4	35,086	104 3/4	37,300	110 3/4	39,373	116 3/4	41,270
98 7/8	35,133	104 7/8	37,345	110 7/8	39,414	116 7/8	41,307
99	35,180	105	37,389	111	39,456	117	41,344
99 1/8	35,228	105 1/8	37,434	111 1/8	39,497	117 1/8	41,381
99 1/4	35,275	105 1/4	37,479	111 1/4	39,538	117 1/4	41,418
99 3/8	35,322	105 3/8	37,523	111 3/8	39,579	117 3/8	41,455
99 1/2	35,369	105 1/2	37,568	111 1/2	39,621	117 1/2	41,492
99 5/8	35,416	105 5/8	37,612	111 5/8	39,662	117 5/8	41,529
99 3/4	35,463	105 3/4	37,656	111 3/4	39,702	117 3/4	41,566
99 7/8	35,510	105 7/8	37,700	111 7/8	39,743	117 7/8	41,602
100	35,557	106	37,745	112	39,784	118	41,639
100 1/8	35,604	106 1/8	37,789	112 1/8	39,825	118 1/8	41,675
100 1/4	35,651	106 1/4	37,833	112 1/4	39,865	118 1/4	41,711
100 3/8	35,698	106 3/8	37,877	112 3/8	39,906	118 3/8	41,748
100 1/2	35,744	106 1/2	37,921	112 1/2	39,946	118 1/2	41,784
100 5/8	35,791	106 5/8	37,965	112 5/8	39,986	118 5/8	41,820
100 3/4	35,838	106 3/4	38,008	112 3/4	40,027	118 3/4	41,856
100 7/8	35,884	106 7/8	38,052	112 7/8	40,067	118 7/8	41,891
101	35,931	107	38,096	113	40,107	119	41,927
101 1/8	35,977	107 1/8	38,139	113 1/8	40,147	119 1/8	41,962
101 1/4	36,024	107 1/4	38,183	113 1/4	40,187	119 1/4	41,998
101 3/8	36,070	107 3/8	38,226	113 3/8	40,227	119 3/8	42,033
101 1/2	36,116	107 1/2	38,270	113 1/2	40,267	119 1/2	42,069
101 5/8	36,162	107 5/8	38,313	113 5/8	40,306	119 5/8	42,104
101 3/4	36,209	107 3/4	38,356	113 3/4	40,346	119 3/4	42,139
101 7/8	36,255	107 7/8	38,399	113 7/8	40,385	119 7/8	42,174
102	36,301	108	38,443	114	40,425	120	42,208

DWT6 12'-45000 COMPARTMENT
45,557 Gallons

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
120 1/8	42,243	126 1/8	43,769	132 1/8	44,956
120 1/4	42,278	126 1/4	43,798	132 1/4	44,976
120 3/8	42,312	126 3/8	43,826	132 3/8	44,996
120 1/2	42,347	126 1/2	43,854	132 1/2	45,016
120 5/8	42,381	126 5/8	43,883	132 5/8	45,035
120 3/4	42,415	126 3/4	43,911	132 3/4	45,054
120 7/8	42,449	126 7/8	43,938	132 7/8	45,073
121	42,483	127	43,966	133	45,092
121 1/8	42,517	127 1/8	43,994	133 1/8	45,110
121 1/4	42,550	127 1/4	44,021	133 1/4	45,129
121 3/8	42,584	127 3/8	44,048	133 3/8	45,147
121 1/2	42,618	127 1/2	44,075	133 1/2	45,164
121 5/8	42,651	127 5/8	44,102	133 5/8	45,182
121 3/4	42,684	127 3/4	44,129	133 3/4	45,199
121 7/8	42,717	127 7/8	44,156	133 7/8	45,216
122	42,750	128	44,182	134	45,233
122 1/8	42,783	128 1/8	44,208	134 1/8	45,249
122 1/4	42,816	128 1/4	44,235	134 1/4	45,265
122 3/8	42,849	128 3/8	44,260	134 3/8	45,281
122 1/2	42,881	128 1/2	44,286	134 1/2	45,296
122 5/8	42,914	128 5/8	44,312	134 5/8	45,312
122 3/4	42,946	128 3/4	44,337	134 3/4	45,326
122 7/8	42,978	128 7/8	44,363	134 7/8	45,341
123	43,010	129	44,388	135	45,355
123 1/8	43,042	129 1/8	44,413	135 1/8	45,369
123 1/4	43,074	129 1/4	44,438	135 1/4	45,383
123 3/8	43,105	129 3/8	44,462	135 3/8	45,396
123 1/2	43,137	129 1/2	44,487	135 1/2	45,409
123 5/8	43,168	129 5/8	44,511	135 5/8	45,422
123 3/4	43,200	129 3/4	44,535	135 3/4	45,434
123 7/8	43,231	129 7/8	44,559	135 7/8	45,446
124	43,262	130	44,583	136	45,457
124 1/8	43,293	130 1/8	44,606	136 1/8	45,468
124 1/4	43,324	130 1/4	44,629	136 1/4	45,479
124 3/8	43,354	130 3/8	44,653	136 3/8	45,489
124 1/2	43,385	130 1/2	44,676	136 1/2	45,498
124 5/8	43,415	130 5/8	44,698	136 5/8	45,508
124 3/4	43,445	130 3/4	44,721	136 3/4	45,516
124 7/8	43,475	130 7/8	44,743	136 7/8	45,524
125	43,505	131	44,766	137	45,532
125 1/8	43,535	131 1/8	44,788	137 1/8	45,539
125 1/4	43,565	131 1/4	44,809	137 1/4	45,545
125 3/8	43,595	131 3/8	44,831	137 3/8	45,550
125 1/2	43,624	131 1/2	44,852	137 1/2	45,554
125 5/8	43,653	131 5/8	44,873	137 5/8	45,557
125 3/4	43,682	131 3/4	44,894		
125 7/8	43,711	131 7/8	44,915		
126	43,740	132	44,936		

Fiber Glass Systems



HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste Description - PASTE02 - for Salt and Chloride Solutions
7915 East Elm Street
Houston, TX 77012
Phone (713) 926-4780
E-Mail Sales@KolorKut.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West
Conroe, TX 77303
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.