

**DWT6 12'-48000 COMPARTMENT**  
**48,536 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
1/8	14	6 1/8	799	12 1/8	2,126	18 1/8	3,797
1/4	21	6 1/4	822	12 1/4	2,158	18 1/4	3,835
3/8	28	6 3/8	846	12 3/8	2,190	18 3/8	3,873
1/2	36	6 1/2	869	12 1/2	2,222	18 1/2	3,911
5/8	45	6 5/8	893	12 5/8	2,254	18 5/8	3,949
3/4	54	6 3/4	917	12 3/4	2,286	18 3/4	3,987
7/8	64	6 7/8	942	12 7/8	2,318	18 7/8	4,025
1	74	7	966	13	2,351	19	4,064
1 1/8	85	7 1/8	991	13 1/8	2,384	19 1/8	4,102
1 1/4	96	7 1/4	1,016	13 1/4	2,416	19 1/4	4,141
1 3/8	108	7 3/8	1,041	13 3/8	2,449	19 3/8	4,180
1 1/2	120	7 1/2	1,066	13 1/2	2,482	19 1/2	4,219
1 5/8	132	7 5/8	1,092	13 5/8	2,516	19 5/8	4,258
1 3/4	146	7 3/4	1,117	13 3/4	2,549	19 3/4	4,297
1 7/8	159	7 7/8	1,143	13 7/8	2,583	19 7/8	4,336
2	173	8	1,169	14	2,616	20	4,375
2 1/8	187	8 1/8	1,195	14 1/8	2,650	20 1/8	4,415
2 1/4	201	8 1/4	1,222	14 1/4	2,684	20 1/4	4,454
2 3/8	216	8 3/8	1,249	14 3/8	2,718	20 3/8	4,494
2 1/2	232	8 1/2	1,275	14 1/2	2,752	20 1/2	4,533
2 5/8	247	8 5/8	1,302	14 5/8	2,786	20 5/8	4,573
2 3/4	263	8 3/4	1,330	14 3/4	2,821	20 3/4	4,613
2 7/8	279	8 7/8	1,357	14 7/8	2,855	20 7/8	4,653
3	296	9	1,384	15	2,890	21	4,693
3 1/8	313	9 1/8	1,412	15 1/8	2,925	21 1/8	4,734
3 1/4	330	9 1/4	1,440	15 1/4	2,960	21 1/4	4,774
3 3/8	347	9 3/8	1,468	15 3/8	2,995	21 3/8	4,814
3 1/2	365	9 1/2	1,496	15 1/2	3,030	21 1/2	4,855
3 5/8	383	9 5/8	1,525	15 5/8	3,065	21 5/8	4,895
3 3/4	402	9 3/4	1,553	15 3/4	3,101	21 3/4	4,936
3 7/8	420	9 7/8	1,582	15 7/8	3,136	21 7/8	4,977
4	439	10	1,611	16	3,172	22	5,018
4 1/8	458	10 1/8	1,640	16 1/8	3,208	22 1/8	5,059
4 1/4	478	10 1/4	1,669	16 1/4	3,244	22 1/4	5,100
4 3/8	497	10 3/8	1,698	16 3/8	3,280	22 3/8	5,141
4 1/2	517	10 1/2	1,728	16 1/2	3,316	22 1/2	5,182
4 5/8	538	10 5/8	1,758	16 5/8	3,352	22 5/8	5,224
4 3/4	558	10 3/4	1,787	16 3/4	3,389	22 3/4	5,265
4 7/8	579	10 7/8	1,818	16 7/8	3,425	22 7/8	5,307
5	600	11	1,848	17	3,462	23	5,348
5 1/8	621	11 1/8	1,878	17 1/8	3,499	23 1/8	5,390
5 1/4	642	11 1/4	1,908	17 1/4	3,536	23 1/4	5,432
5 3/8	664	11 3/8	1,939	17 3/8	3,573	23 3/8	5,474
5 1/2	686	11 1/2	1,970	17 1/2	3,610	23 1/2	5,516
5 5/8	708	11 5/8	2,001	17 5/8	3,647	23 5/8	5,558
5 3/4	730	11 3/4	2,032	17 3/4	3,684	23 3/4	5,600
5 7/8	753	11 7/8	2,063	17 7/8	3,722	23 7/8	5,642
6	776	12	2,095	18	3,759	24	5,685

**DWT6 12'-48000 COMPARTMENT**  
**48,536 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
24 1/8	5,727	30 1/8	7,863	36 1/8	10,164	42 1/8	12,596
24 1/4	5,770	30 1/4	7,909	36 1/4	10,213	42 1/4	12,648
24 3/8	5,812	30 3/8	7,956	36 3/8	10,263	42 3/8	12,700
24 1/2	5,855	30 1/2	8,002	36 1/2	10,312	42 1/2	12,752
24 5/8	5,898	30 5/8	8,049	36 5/8	10,362	42 5/8	12,804
24 3/4	5,941	30 3/4	8,096	36 3/4	10,411	42 3/4	12,856
24 7/8	5,984	30 7/8	8,142	36 7/8	10,461	42 7/8	12,908
25	6,027	31	8,189	37	10,511	43	12,960
25 1/8	6,070	31 1/8	8,236	37 1/8	10,561	43 1/8	13,012
25 1/4	6,113	31 1/4	8,283	37 1/4	10,611	43 1/4	13,064
25 3/8	6,157	31 3/8	8,330	37 3/8	10,660	43 3/8	13,117
25 1/2	6,200	31 1/2	8,377	37 1/2	10,710	43 1/2	13,169
25 5/8	6,244	31 5/8	8,424	37 5/8	10,761	43 5/8	13,221
25 3/4	6,287	31 3/4	8,471	37 3/4	10,811	43 3/4	13,274
25 7/8	6,331	31 7/8	8,519	37 7/8	10,861	43 7/8	13,326
26	6,375	32	8,566	38	10,911	44	13,379
26 1/8	6,419	32 1/8	8,613	38 1/8	10,961	44 1/8	13,431
26 1/4	6,462	32 1/4	8,661	38 1/4	11,012	44 1/4	13,484
26 3/8	6,506	32 3/8	8,708	38 3/8	11,062	44 3/8	13,536
26 1/2	6,551	32 1/2	8,756	38 1/2	11,112	44 1/2	13,589
26 5/8	6,595	32 5/8	8,804	38 5/8	11,163	44 5/8	13,642
26 3/4	6,639	32 3/4	8,851	38 3/4	11,213	44 3/4	13,694
26 7/8	6,683	32 7/8	8,899	38 7/8	11,264	44 7/8	13,747
27	6,728	33	8,947	39	11,315	45	13,800
27 1/8	6,772	33 1/8	8,995	39 1/8	11,365	45 1/8	13,853
27 1/4	6,817	33 1/4	9,043	39 1/4	11,416	45 1/4	13,906
27 3/8	6,861	33 3/8	9,091	39 3/8	11,467	45 3/8	13,959
27 1/2	6,906	33 1/2	9,139	39 1/2	11,518	45 1/2	14,011
27 5/8	6,951	33 5/8	9,187	39 5/8	11,568	45 5/8	14,064
27 3/4	6,996	33 3/4	9,235	39 3/4	11,619	45 3/4	14,117
27 7/8	7,041	33 7/8	9,284	39 7/8	11,670	45 7/8	14,171
28	7,086	34	9,332	40	11,721	46	14,224
28 1/8	7,131	34 1/8	9,381	40 1/8	11,772	46 1/8	14,277
28 1/4	7,176	34 1/4	9,429	40 1/4	11,824	46 1/4	14,330
28 3/8	7,221	34 3/8	9,478	40 3/8	11,875	46 3/8	14,383
28 1/2	7,267	34 1/2	9,526	40 1/2	11,926	46 1/2	14,436
28 5/8	7,312	34 5/8	9,575	40 5/8	11,977	46 5/8	14,490
28 3/4	7,358	34 3/4	9,624	40 3/4	12,029	46 3/4	14,543
28 7/8	7,403	34 7/8	9,672	40 7/8	12,080	46 7/8	14,596
29	7,449	35	9,721	41	12,131	47	14,650
29 1/8	7,495	35 1/8	9,770	41 1/8	12,183	47 1/8	14,703
29 1/4	7,540	35 1/4	9,819	41 1/4	12,234	47 1/4	14,757
29 3/8	7,586	35 3/8	9,868	41 3/8	12,286	47 3/8	14,810
29 1/2	7,632	35 1/2	9,917	41 1/2	12,337	47 1/2	14,864
29 5/8	7,678	35 5/8	9,966	41 5/8	12,389	47 5/8	14,917
29 3/4	7,724	35 3/4	10,016	41 3/4	12,441	47 3/4	14,971
29 7/8	7,770	35 7/8	10,065	41 7/8	12,492	47 7/8	15,025
30	7,817	36	10,114	42	12,544	48	15,078

**DWT6 12'-48000 COMPARTMENT**  
**48,536 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
48 1/8	15,132	54 1/8	17,746	60 1/8	20,413	66 1/8	23,112
48 1/4	15,186	54 1/4	17,801	60 1/4	20,469	66 1/4	23,168
48 3/8	15,239	54 3/8	17,856	60 3/8	20,525	66 3/8	23,225
48 1/2	15,293	54 1/2	17,911	60 1/2	20,581	66 1/2	23,281
48 5/8	15,347	54 5/8	17,966	60 5/8	20,637	66 5/8	23,338
48 3/4	15,401	54 3/4	18,021	60 3/4	20,693	66 3/4	23,394
48 7/8	15,455	54 7/8	18,077	60 7/8	20,749	66 7/8	23,450
49	15,509	55	18,132	61	20,805	67	23,507
49 1/8	15,563	55 1/8	18,187	61 1/8	20,861	67 1/8	23,563
49 1/4	15,617	55 1/4	18,242	61 1/4	20,917	67 1/4	23,620
49 3/8	15,671	55 3/8	18,298	61 3/8	20,974	67 3/8	23,676
49 1/2	15,725	55 1/2	18,353	61 1/2	21,030	67 1/2	23,733
49 5/8	15,779	55 5/8	18,408	61 5/8	21,086	67 5/8	23,789
49 3/4	15,833	55 3/4	18,464	61 3/4	21,142	67 3/4	23,845
49 7/8	15,887	55 7/8	18,519	61 7/8	21,198	67 7/8	23,902
50	15,941	56	18,574	62	21,254	68	23,958
50 1/8	15,996	56 1/8	18,630	62 1/8	21,310	68 1/8	24,015
50 1/4	16,050	56 1/4	18,685	62 1/4	21,367	68 1/4	24,071
50 3/8	16,104	56 3/8	18,741	62 3/8	21,423	68 3/8	24,128
50 1/2	16,159	56 1/2	18,796	62 1/2	21,479	68 1/2	24,184
50 5/8	16,213	56 5/8	18,852	62 5/8	21,535	68 5/8	24,241
50 3/4	16,267	56 3/4	18,907	62 3/4	21,591	68 3/4	24,297
50 7/8	16,322	56 7/8	18,963	62 7/8	21,648	68 7/8	24,353
51	16,376	57	19,018	63	21,704	69	24,410
51 1/8	16,431	57 1/8	19,074	63 1/8	21,760	69 1/8	24,466
51 1/4	16,485	57 1/4	19,130	63 1/4	21,816	69 1/4	24,523
51 3/8	16,540	57 3/8	19,185	63 3/8	21,873	69 3/8	24,579
51 1/2	16,594	57 1/2	19,241	63 1/2	21,929	69 1/2	24,636
51 5/8	16,649	57 5/8	19,297	63 5/8	21,985	69 5/8	24,692
51 3/4	16,703	57 3/4	19,352	63 3/4	22,041	69 3/4	24,749
51 7/8	16,758	57 7/8	19,408	63 7/8	22,098	69 7/8	24,805
52	16,813	58	19,464	64	22,154	70	24,861
52 1/8	16,867	58 1/8	19,519	64 1/8	22,210	70 1/8	24,918
52 1/4	16,922	58 1/4	19,575	64 1/4	22,267	70 1/4	24,974
52 3/8	16,977	58 3/8	19,631	64 3/8	22,323	70 3/8	25,031
52 1/2	17,031	58 1/2	19,687	64 1/2	22,379	70 1/2	25,087
52 5/8	17,086	58 5/8	19,742	64 5/8	22,436	70 5/8	25,143
52 3/4	17,141	58 3/4	19,798	64 3/4	22,492	70 3/4	25,200
52 7/8	17,196	58 7/8	19,854	64 7/8	22,548	70 7/8	25,256
53	17,251	59	19,910	65	22,605	71	25,313
53 1/8	17,306	59 1/8	19,966	65 1/8	22,661	71 1/8	25,369
53 1/4	17,360	59 1/4	20,022	65 1/4	22,717	71 1/4	25,426
53 3/8	17,415	59 3/8	20,078	65 3/8	22,774	71 3/8	25,482
53 1/2	17,470	59 1/2	20,133	65 1/2	22,830	71 1/2	25,538
53 5/8	17,525	59 5/8	20,189	65 5/8	22,886	71 5/8	25,595
53 3/4	17,580	59 3/4	20,245	65 3/4	22,943	71 3/4	25,651
53 7/8	17,635	59 7/8	20,301	65 7/8	22,999	71 7/8	25,707
54	17,690	60	20,357	66	23,056	72	25,764

**DWT6 12'-48000 COMPARTMENT**  
**48,536 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
72 1/8	25,820	78 1/8	28,516	84 1/8	31,177	90 1/8	33,781
72 1/4	25,877	78 1/4	28,572	84 1/4	31,232	90 1/4	33,834
72 3/8	25,933	78 3/8	28,628	84 3/8	31,287	90 3/8	33,888
72 1/2	25,989	78 1/2	28,683	84 1/2	31,342	90 1/2	33,941
72 5/8	26,046	78 5/8	28,739	84 5/8	31,397	90 5/8	33,995
72 3/4	26,102	78 3/4	28,795	84 3/4	31,451	90 3/4	34,048
72 7/8	26,158	78 7/8	28,851	84 7/8	31,506	90 7/8	34,101
73	26,215	79	28,907	85	31,561	91	34,154
73 1/8	26,271	79 1/8	28,962	85 1/8	31,616	91 1/8	34,208
73 1/4	26,327	79 1/4	29,018	85 1/4	31,670	91 1/4	34,261
73 3/8	26,384	79 3/8	29,074	85 3/8	31,725	91 3/8	34,314
73 1/2	26,440	79 1/2	29,130	85 1/2	31,780	91 1/2	34,367
73 5/8	26,496	79 5/8	29,185	85 5/8	31,834	91 5/8	34,420
73 3/4	26,552	79 3/4	29,241	85 3/4	31,889	91 3/4	34,473
73 7/8	26,609	79 7/8	29,297	85 7/8	31,943	91 7/8	34,526
74	26,665	80	29,352	86	31,998	92	34,579
74 1/8	26,721	80 1/8	29,408	86 1/8	32,053	92 1/8	34,632
74 1/4	26,778	80 1/4	29,464	86 1/4	32,107	92 1/4	34,685
74 3/8	26,834	80 3/8	29,519	86 3/8	32,161	92 3/8	34,738
74 1/2	26,890	80 1/2	29,575	86 1/2	32,216	92 1/2	34,790
74 5/8	26,946	80 5/8	29,630	86 5/8	32,270	92 5/8	34,843
74 3/4	27,002	80 3/4	29,686	86 3/4	32,325	92 3/4	34,896
74 7/8	27,059	80 7/8	29,741	86 7/8	32,379	92 7/8	34,949
75	27,115	81	29,797	87	32,433	93	35,001
75 1/8	27,171	81 1/8	29,852	87 1/8	32,488	93 1/8	35,054
75 1/4	27,227	81 1/4	29,908	87 1/4	32,542	93 1/4	35,106
75 3/8	27,283	81 3/8	29,963	87 3/8	32,596	93 3/8	35,159
75 1/2	27,339	81 1/2	30,019	87 1/2	32,650	93 1/2	35,211
75 5/8	27,396	81 5/8	30,074	87 5/8	32,704	93 5/8	35,264
75 3/4	27,452	81 3/4	30,129	87 3/4	32,759	93 3/4	35,316
75 7/8	27,508	81 7/8	30,185	87 7/8	32,813	93 7/8	35,369
76	27,564	82	30,240	88	32,867	94	35,421
76 1/8	27,620	82 1/8	30,295	88 1/8	32,921	94 1/8	35,473
76 1/4	27,676	82 1/4	30,351	88 1/4	32,975	94 1/4	35,525
76 3/8	27,732	82 3/8	30,406	88 3/8	33,029	94 3/8	35,577
76 1/2	27,788	82 1/2	30,461	88 1/2	33,083	94 1/2	35,630
76 5/8	27,844	82 5/8	30,516	88 5/8	33,137	94 5/8	35,682
76 3/4	27,900	82 3/4	30,571	88 3/4	33,190	94 3/4	35,734
76 7/8	27,956	82 7/8	30,627	88 7/8	33,244	94 7/8	35,786
77	28,012	83	30,682	89	33,298	95	35,838
77 1/8	28,068	83 1/8	30,737	89 1/8	33,352	95 1/8	35,890
77 1/4	28,124	83 1/4	30,792	89 1/4	33,406	95 1/4	35,941
77 3/8	28,180	83 3/8	30,847	89 3/8	33,459	95 3/8	35,993
77 1/2	28,236	83 1/2	30,902	89 1/2	33,513	95 1/2	36,045
77 5/8	28,292	83 5/8	30,957	89 5/8	33,567	95 5/8	36,097
77 3/4	28,348	83 3/4	31,012	89 3/4	33,620	95 3/4	36,149
77 7/8	28,404	83 7/8	31,067	89 7/8	33,674	95 7/8	36,200
78	28,460	84	31,122	90	33,727	96	36,252

**DWT6 12'-48000 COMPARTMENT**  
**48,536 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
96 1/8	36,303	102 1/8	38,718	108 1/8	40,997	114 1/8	43,106
96 1/4	36,355	102 1/4	38,767	108 1/4	41,043	114 1/4	43,147
96 3/8	36,406	102 3/8	38,816	108 3/8	41,089	114 3/8	43,189
96 1/2	36,458	102 1/2	38,865	108 1/2	41,134	114 1/2	43,231
96 5/8	36,509	102 5/8	38,914	108 5/8	41,180	114 5/8	43,272
96 3/4	36,560	102 3/4	38,963	108 3/4	41,225	114 3/4	43,314
96 7/8	36,612	102 7/8	39,011	108 7/8	41,271	114 7/8	43,355
97	36,663	103	39,060	109	41,316	115	43,397
97 1/8	36,714	103 1/8	39,109	109 1/8	41,361	115 1/8	43,438
97 1/4	36,765	103 1/4	39,157	109 1/4	41,407	115 1/4	43,479
97 3/8	36,816	103 3/8	39,205	109 3/8	41,452	115 3/8	43,520
97 1/2	36,867	103 1/2	39,254	109 1/2	41,497	115 1/2	43,561
97 5/8	36,918	103 5/8	39,302	109 5/8	41,542	115 5/8	43,601
97 3/4	36,969	103 3/4	39,350	109 3/4	41,587	115 3/4	43,642
97 7/8	37,020	103 7/8	39,399	109 7/8	41,631	115 7/8	43,683
98	37,071	104	39,447	110	41,676	116	43,723
98 1/8	37,122	104 1/8	39,495	110 1/8	41,721	116 1/8	43,764
98 1/4	37,172	104 1/4	39,543	110 1/4	41,765	116 1/4	43,804
98 3/8	37,223	104 3/8	39,591	110 3/8	41,810	116 3/8	43,844
98 1/2	37,274	104 1/2	39,638	110 1/2	41,854	116 1/2	43,884
98 5/8	37,324	104 5/8	39,686	110 5/8	41,899	116 5/8	43,924
98 3/4	37,375	104 3/4	39,734	110 3/4	41,943	116 3/4	43,964
98 7/8	37,425	104 7/8	39,782	110 7/8	41,987	116 7/8	44,004
99	37,476	105	39,829	111	42,031	117	44,044
99 1/8	37,526	105 1/8	39,877	111 1/8	42,075	117 1/8	44,083
99 1/4	37,576	105 1/4	39,924	111 1/4	42,119	117 1/4	44,123
99 3/8	37,627	105 3/8	39,972	111 3/8	42,163	117 3/8	44,162
99 1/2	37,677	105 1/2	40,019	111 1/2	42,207	117 1/2	44,202
99 5/8	37,727	105 5/8	40,066	111 5/8	42,250	117 5/8	44,241
99 3/4	37,777	105 3/4	40,113	111 3/4	42,294	117 3/4	44,280
99 7/8	37,827	105 7/8	40,161	111 7/8	42,337	117 7/8	44,319
100	37,877	106	40,208	112	42,381	118	44,358
100 1/8	37,927	106 1/8	40,255	112 1/8	42,424	118 1/8	44,396
100 1/4	37,977	106 1/4	40,302	112 1/4	42,467	118 1/4	44,435
100 3/8	38,027	106 3/8	40,348	112 3/8	42,511	118 3/8	44,474
100 1/2	38,077	106 1/2	40,395	112 1/2	42,554	118 1/2	44,512
100 5/8	38,126	106 5/8	40,442	112 5/8	42,597	118 5/8	44,551
100 3/4	38,176	106 3/4	40,489	112 3/4	42,639	118 3/4	44,589
100 7/8	38,225	106 7/8	40,535	112 7/8	42,682	118 7/8	44,627
101	38,275	107	40,582	113	42,725	119	44,665
101 1/8	38,325	107 1/8	40,628	113 1/8	42,768	119 1/8	44,703
101 1/4	38,374	107 1/4	40,675	113 1/4	42,810	119 1/4	44,741
101 3/8	38,423	107 3/8	40,721	113 3/8	42,853	119 3/8	44,778
101 1/2	38,473	107 1/2	40,767	113 1/2	42,895	119 1/2	44,816
101 5/8	38,522	107 5/8	40,813	113 5/8	42,937	119 5/8	44,853
101 3/4	38,571	107 3/4	40,859	113 3/4	42,980	119 3/4	44,891
101 7/8	38,620	107 7/8	40,905	113 7/8	43,022	119 7/8	44,928
102	38,669	108	40,951	114	43,064	120	44,965

**DWT6 12'-48000 COMPARTMENT**  
**48,536 Gallons**

06/22/2023

DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)	DIPSTICK (in)	VOLUME (gal)
120 1/8	45,002	126 1/8	46,629	132 1/8	47,895
120 1/4	45,039	126 1/4	46,660	132 1/4	47,917
120 3/8	45,076	126 3/8	46,690	132 3/8	47,938
120 1/2	45,112	126 1/2	46,720	132 1/2	47,959
120 5/8	45,149	126 5/8	46,750	132 5/8	47,979
120 3/4	45,185	126 3/4	46,780	132 3/4	48,000
120 7/8	45,221	126 7/8	46,810	132 7/8	48,020
121	45,258	127	46,839	133	48,040
121 1/8	45,294	127 1/8	46,869	133 1/8	48,060
121 1/4	45,330	127 1/4	46,898	133 1/4	48,079
121 3/8	45,365	127 3/8	46,927	133 3/8	48,098
121 1/2	45,401	127 1/2	46,956	133 1/2	48,117
121 5/8	45,437	127 5/8	46,984	133 5/8	48,136
121 3/4	45,472	127 3/4	47,013	133 3/4	48,154
121 7/8	45,507	127 7/8	47,041	133 7/8	48,172
122	45,543	128	47,070	134	48,190
122 1/8	45,578	128 1/8	47,098	134 1/8	48,208
122 1/4	45,613	128 1/4	47,125	134 1/4	48,225
122 3/8	45,647	128 3/8	47,153	134 3/8	48,242
122 1/2	45,682	128 1/2	47,181	134 1/2	48,258
122 5/8	45,717	128 5/8	47,208	134 5/8	48,274
122 3/4	45,751	128 3/4	47,235	134 3/4	48,290
122 7/8	45,785	128 7/8	47,262	134 7/8	48,306
123	45,820	129	47,289	135	48,321
123 1/8	45,854	129 1/8	47,316	135 1/8	48,336
123 1/4	45,888	129 1/4	47,342	135 1/4	48,351
123 3/8	45,921	129 3/8	47,368	135 3/8	48,365
123 1/2	45,955	129 1/2	47,394	135 1/2	48,379
123 5/8	45,988	129 5/8	47,420	135 5/8	48,392
123 3/4	46,022	129 3/4	47,446	135 3/4	48,405
123 7/8	46,055	129 7/8	47,471	135 7/8	48,418
124	46,088	130	47,497	136	48,430
124 1/8	46,121	130 1/8	47,522	136 1/8	48,442
124 1/4	46,154	130 1/4	47,547	136 1/4	48,453
124 3/8	46,187	130 3/8	47,571	136 3/8	48,464
124 1/2	46,219	130 1/2	47,596	136 1/2	48,474
124 5/8	46,252	130 5/8	47,620	136 5/8	48,484
124 3/4	46,284	130 3/4	47,644	136 3/4	48,493
124 7/8	46,316	130 7/8	47,668	136 7/8	48,501
125	46,348	131	47,692	137	48,509
125 1/8	46,380	131 1/8	47,715	137 1/8	48,517
125 1/4	46,411	131 1/4	47,739	137 1/4	48,523
125 3/8	46,443	131 3/8	47,762	137 3/8	48,529
125 1/2	46,474	131 1/2	47,784	137 1/2	48,533
125 5/8	46,506	131 5/8	47,807	137 5/8	48,536
125 3/4	46,537	131 3/4	47,829		
125 7/8	46,568	131 7/8	47,852		
126	46,598	132	47,873		

# Fiber Glass Systems



## HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

## Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste      Description - PASTE02 - for Salt and Chloride Solutions  
7915 East Elm Street  
Houston, TX 77012  
Phone (713) 926-4780  
E-Mail Sales@KolorKut.com

## Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

## NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West  
Conroe, TX 77303  
Tel: 936-756-7731  
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.