

## 6'-2000 SWT D6 Single-Wall Tank 2147 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	1	6 1/8	82	12 1/8	227	18 1/8	410	24 1/8	619
1/4	1	6 1/4	84	12 1/4	230	18 1/4	414	24 1/4	624
3/8	2	6 3/8	87	12 3/8	234	18 3/8	418	24 3/8	628
1/2	2	6 1/2	89	12 1/2	237	18 1/2	423	24 1/2	633
5/8	3	6 5/8	92	12 5/8	241	18 5/8	427	24 5/8	638
3/4	3	6 3/4	95	12 3/4	244	18 3/4	431	24 3/4	642
7/8	4	6 7/8	97	12 7/8	248	18 7/8	435	24 7/8	647
1	5	7	100	13	251	19	439	25	651
1 1/8	6	7 1/8	103	13 1/8	255	19 1/8	443	25 1/8	656
1 1/4	7	7 1/4	105	13 1/4	259	19 1/4	448	25 1/4	661
1 3/8	9	7 3/8	108	13 3/8	262	19 3/8	452	25 3/8	665
1 1/2	10	7 1/2	111	13 1/2	266	19 1/2	456	25 1/2	670
1 5/8	11	7 5/8	113	13 5/8	270	19 5/8	460	25 5/8	674
1 3/4	12	7 3/4	116	13 3/4	273	19 3/4	465	25 3/4	679
1 7/8	14	7 7/8	119	13 7/8	277	19 7/8	469	25 7/8	684
2	15	8	122	14	281	20	473	26	688
2 1/8	17	8 1/8	125	14 1/8	284	20 1/8	477	26 1/8	693
2 1/4	18	8 1/4	128	14 1/4	288	20 1/4	482	26 1/4	698
2 3/8	20	8 3/8	131	14 3/8	292	20 3/8	486	26 3/8	702
2 1/2	21	8 1/2	134	14 1/2	296	20 1/2	490	26 1/2	707
2 5/8	23	8 5/8	136	14 5/8	299	20 5/8	495	26 5/8	712
2 3/4	24	8 3/4	139	14 3/4	303	20 3/4	499	26 3/4	716
2 7/8	26	8 7/8	142	14 7/8	307	20 7/8	503	26 7/8	721
3	28	9	145	15	311	21	508	27	726
3 1/8	30	9 1/8	148	15 1/8	315	21 1/8	512	27 1/8	731
3 1/4	31	9 1/4	152	15 1/4	318	21 1/4	516	27 1/4	735
3 3/8	33	9 3/8	155	15 3/8	322	21 3/8	521	27 3/8	740
3 1/2	35	9 1/2	158	15 1/2	326	21 1/2	525	27 1/2	745
3 5/8	37	9 5/8	161	15 5/8	330	21 5/8	530	27 5/8	749
3 3/4	39	9 3/4	164	15 3/4	334	21 3/4	534	27 3/4	754
3 7/8	41	9 7/8	167	15 7/8	338	21 7/8	538	27 7/8	759
4	43	10	170	16	342	22	543	28	764
4 1/8	45	10 1/8	173	16 1/8	346	22 1/8	547	28 1/8	768
4 1/4	47	10 1/4	177	16 1/4	350	22 1/4	552	28 1/4	773
4 3/8	49	10 3/8	180	16 3/8	353	22 3/8	556	28 3/8	778
4 1/2	51	10 1/2	183	16 1/2	357	22 1/2	561	28 1/2	783
4 5/8	54	10 5/8	186	16 5/8	361	22 5/8	565	28 5/8	787
4 3/4	56	10 3/4	190	16 3/4	365	22 3/4	570	28 3/4	792
4 7/8	58	10 7/8	193	16 7/8	369	22 7/8	574	28 7/8	797
5	60	11	196	17	373	23	579	29	802
5 1/8	62	11 1/8	200	17 1/8	377	23 1/8	583	29 1/8	806
5 1/4	65	11 1/4	203	17 1/4	381	23 1/4	588	29 1/4	811
5 3/8	67	11 3/8	206	17 3/8	386	23 3/8	592	29 3/8	816
5 1/2	69	11 1/2	210	17 1/2	390	23 1/2	597	29 1/2	821
5 5/8	72	11 5/8	213	17 5/8	394	23 5/8	601	29 5/8	826
5 3/4	74	11 3/4	216	17 3/4	398	23 3/4	606	29 3/4	830
5 7/8	77	11 7/8	220	17 7/8	402	23 7/8	610	29 7/8	835
6	79	12	223	18	406	24	615	30	840

**6'-2000 SWT D6 Single-Wall Tank  
2147 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
30 1/8	845	36 1/8	1078	42 1/8	1312	48 1/8	1537	54 1/8	1745
30 1/4	850	36 1/4	1083	42 1/4	1316	48 1/4	1541	54 1/4	1749
30 3/8	854	36 3/8	1088	42 3/8	1321	48 3/8	1546	54 3/8	1753
30 1/2	859	36 1/2	1093	42 1/2	1326	48 1/2	1550	54 1/2	1757
30 5/8	864	36 5/8	1098	42 5/8	1331	48 5/8	1555	54 5/8	1761
30 3/4	869	36 3/4	1103	42 3/4	1336	48 3/4	1559	54 3/4	1765
30 7/8	874	36 7/8	1108	42 7/8	1340	48 7/8	1564	54 7/8	1769
31	879	37	1113	43	1345	49	1568	55	1773
31 1/8	883	37 1/8	1117	43 1/8	1350	49 1/8	1573	55 1/8	1777
31 1/4	888	37 1/4	1122	43 1/4	1355	49 1/4	1577	55 1/4	1781
31 3/8	893	37 3/8	1127	43 3/8	1359	49 3/8	1582	55 3/8	1785
31 1/2	898	37 1/2	1132	43 1/2	1364	49 1/2	1586	55 1/2	1789
31 5/8	903	37 5/8	1137	43 5/8	1369	49 5/8	1591	55 5/8	1793
31 3/4	908	37 3/4	1142	43 3/4	1374	49 3/4	1595	55 3/4	1797
31 7/8	913	37 7/8	1147	43 7/8	1379	49 7/8	1600	55 7/8	1801
32	917	38	1152	44	1383	50	1604	56	1805
32 1/8	922	38 1/8	1157	44 1/8	1388	50 1/8	1608	56 1/8	1809
32 1/4	927	38 1/4	1161	44 1/4	1393	50 1/4	1613	56 1/4	1813
32 3/8	932	38 3/8	1166	44 3/8	1397	50 3/8	1617	56 3/8	1817
32 1/2	937	38 1/2	1171	44 1/2	1402	50 1/2	1622	56 1/2	1821
32 5/8	942	38 5/8	1176	44 5/8	1407	50 5/8	1626	56 5/8	1825
32 3/4	947	38 3/4	1181	44 3/4	1412	50 3/4	1630	56 3/4	1829
32 7/8	951	38 7/8	1186	44 7/8	1416	50 7/8	1635	56 7/8	1832
33	956	39	1191	45	1421	51	1639	57	1836
33 1/8	961	39 1/8	1196	45 1/8	1426	51 1/8	1644	57 1/8	1840
33 1/4	966	39 1/4	1200	45 1/4	1430	51 1/4	1648	57 1/4	1844
33 3/8	971	39 3/8	1205	45 3/8	1435	51 3/8	1652	57 3/8	1848
33 1/2	976	39 1/2	1210	45 1/2	1440	51 1/2	1657	57 1/2	1851
33 5/8	981	39 5/8	1215	45 5/8	1444	51 5/8	1661	57 5/8	1855
33 3/4	985	39 3/4	1220	45 3/4	1449	51 3/4	1665	57 3/4	1859
33 7/8	990	39 7/8	1225	45 7/8	1454	51 7/8	1669	57 7/8	1863
34	995	40	1230	46	1458	52	1674	58	1866
34 1/8	1000	40 1/8	1234	46 1/8	1463	52 1/8	1678	58 1/8	1870
34 1/4	1005	40 1/4	1239	46 1/4	1468	52 1/4	1682	58 1/4	1874
34 3/8	1010	40 3/8	1244	46 3/8	1472	52 3/8	1687	58 3/8	1877
34 1/2	1015	40 1/2	1249	46 1/2	1477	52 1/2	1691	58 1/2	1881
34 5/8	1020	40 5/8	1254	46 5/8	1482	52 5/8	1695	58 5/8	1885
34 3/4	1025	40 3/4	1259	46 3/4	1486	52 3/4	1699	58 3/4	1888
34 7/8	1029	40 7/8	1263	46 7/8	1491	52 7/8	1703	58 7/8	1892
35	1034	41	1268	47	1496	53	1708	59	1895
35 1/8	1039	41 1/8	1273	47 1/8	1500	53 1/8	1712	59 1/8	1899
35 1/4	1044	41 1/4	1278	47 1/4	1505	53 1/4	1716	59 1/4	1903
35 3/8	1049	41 3/8	1283	47 3/8	1509	53 3/8	1720	59 3/8	1906
35 1/2	1054	41 1/2	1288	47 1/2	1514	53 1/2	1724	59 1/2	1910
35 5/8	1059	41 5/8	1292	47 5/8	1518	53 5/8	1729	59 5/8	1913
35 3/4	1064	41 3/4	1297	47 3/4	1523	53 3/4	1733	59 3/4	1917
35 7/8	1069	41 7/8	1302	47 7/8	1528	53 7/8	1737	59 7/8	1920
36	1073	42	1307	48	1532	54	1741	60	1924

## 6'-2000 SWT D6 Single-Wall Tank 2147 Gals



**CONTAINMENT  
SOLUTIONS®**

DIPSTICK	GALLONS	DIPSTICK	GALLONS
60 1/8	1927	66 1/8	2070
60 1/4	1930	66 1/4	2073
60 3/8	1934	66 3/8	2075
60 1/2	1937	66 1/2	2077
60 5/8	1941	66 5/8	2080
60 3/4	1944	66 3/4	2082
60 7/8	1947	66 7/8	2084
61	1951	67	2087
61 1/8	1954	67 1/8	2089
61 1/4	1957	67 1/4	2091
61 3/8	1961	67 3/8	2093
61 1/2	1964	67 1/2	2096
61 5/8	1967	67 5/8	2098
61 3/4	1970	67 3/4	2100
61 7/8	1973	67 7/8	2102
62	1977	68	2104
62 1/8	1980	68 1/8	2106
62 1/4	1983	68 1/4	2108
62 3/8	1986	68 3/8	2110
62 1/2	1989	68 1/2	2112
62 5/8	1992	68 5/8	2114
62 3/4	1995	68 3/4	2115
62 7/8	1998	68 7/8	2117
63	2001	69	2119
63 1/8	2004	69 1/8	2121
63 1/4	2007	69 1/4	2122
63 3/8	2010	69 3/8	2124
63 1/2	2013	69 1/2	2126
63 5/8	2016	69 5/8	2127
63 3/4	2019	69 3/4	2129
63 7/8	2022	69 7/8	2130
64	2025	70	2132
64 1/8	2028	70 1/8	2133
64 1/4	2031	70 1/4	2135
64 3/8	2033	70 3/8	2136
64 1/2	2036	70 1/2	2137
64 5/8	2039	70 5/8	2138
64 3/4	2042	70 3/4	2139
64 7/8	2044	70 7/8	2141
65	2047	71	2142
65 1/8	2050	71 1/8	2143
65 1/4	2052	71 1/4	2143
65 3/8	2055	71 3/8	2144
65 1/2	2058	71 1/2	2145
65 5/8	2060	71 5/8	2147
65 3/4	2063		
65 7/8	2065		
66	2068		

### HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

### Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870  
 DAYCO/NATIONAL  
 DAYTON, OH  
 TEL: 1-800-283-2926  
 FAX: 1-800-688-4854

### Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

**Containment Solutions, Inc.**  
 333 North Rivershire Dr., Suite 190  
 Conroe, TX 77304  
 Tel: 936-756-7731  
 Fax: 936-756-7766

**Note:** Calibration chart is based on the fluid level above a 5/16" deflector plate.