

DWT6 8'-1500 COMPARTMENT
47,867 Liters

06/22/2023

DIPSTICK (cm)	VOLUME (L)	DIPSTICK (cm)	VOLUME (L)	DIPSTICK (cm)	VOLUME (L)	DIPSTICK (cm)	VOLUME (L)	DIPSTICK (cm)	VOLUME (L)
0.5	31	24.5	2,648	48.5	7,084	72.5	12,547	96.5	18,612
1.0	51	25.0	2,727	49.0	7,189	73.0	12,668	97.0	18,742
1.5	73	25.5	2,805	49.5	7,295	73.5	12,790	97.5	18,873
2.0	98	26.0	2,885	50.0	7,400	74.0	12,912	98.0	19,003
2.5	126	26.5	2,965	50.5	7,507	74.5	13,034	98.5	19,134
3.0	156	27.0	3,046	51.0	7,614	75.0	13,157	99.0	19,264
3.5	187	27.5	3,128	51.5	7,721	75.5	13,280	99.5	19,395
4.0	221	28.0	3,210	52.0	7,828	76.0	13,402	100.0	19,526
4.5	256	28.5	3,293	52.5	7,936	76.5	13,526	100.5	19,657
5.0	293	29.0	3,376	53.0	8,045	77.0	13,649	101.0	19,788
5.5	332	29.5	3,461	53.5	8,154	77.5	13,773	101.5	19,919
6.0	372	30.0	3,546	54.0	8,263	78.0	13,897	102.0	20,050
6.5	414	30.5	3,631	54.5	8,372	78.5	14,021	102.5	20,182
7.0	457	31.0	3,717	55.0	8,482	79.0	14,145	103.0	20,313
7.5	502	31.5	3,804	55.5	8,593	79.5	14,270	103.5	20,444
8.0	548	32.0	3,891	56.0	8,703	80.0	14,394	104.0	20,576
8.5	595	32.5	3,979	56.5	8,815	80.5	14,519	104.5	20,708
9.0	643	33.0	4,068	57.0	8,926	81.0	14,645	105.0	20,839
9.5	693	33.5	4,157	57.5	9,038	81.5	14,770	105.5	20,971
10.0	744	34.0	4,247	58.0	9,150	82.0	14,896	106.0	21,103
10.5	796	34.5	4,337	58.5	9,263	82.5	15,021	106.5	21,235
11.0	849	35.0	4,428	59.0	9,376	83.0	15,147	107.0	21,367
11.5	904	35.5	4,520	59.5	9,489	83.5	15,274	107.5	21,499
12.0	959	36.0	4,612	60.0	9,603	84.0	15,400	108.0	21,631
12.5	1,016	36.5	4,705	60.5	9,717	84.5	15,526	108.5	21,763
13.0	1,073	37.0	4,798	61.0	9,831	85.0	15,653	109.0	21,895
13.5	1,132	37.5	4,892	61.5	9,946	85.5	15,780	109.5	22,027
14.0	1,192	38.0	4,986	62.0	10,061	86.0	15,907	110.0	22,159
14.5	1,252	38.5	5,081	62.5	10,176	86.5	16,034	110.5	22,291
15.0	1,314	39.0	5,176	63.0	10,292	87.0	16,162	111.0	22,424
15.5	1,376	39.5	5,272	63.5	10,408	87.5	16,289	111.5	22,556
16.0	1,440	40.0	5,369	64.0	10,524	88.0	16,417	112.0	22,688
16.5	1,504	40.5	5,466	64.5	10,641	88.5	16,545	112.5	22,821
17.0	1,569	41.0	5,563	65.0	10,758	89.0	16,673	113.0	22,953
17.5	1,636	41.5	5,661	65.5	10,875	89.5	16,802	113.5	23,086
18.0	1,703	42.0	5,760	66.0	10,992	90.0	16,930	114.0	23,218
18.5	1,771	42.5	5,859	66.5	11,110	90.5	17,059	114.5	23,350
19.0	1,839	43.0	5,958	67.0	11,228	91.0	17,187	115.0	23,483
19.5	1,909	43.5	6,058	67.5	11,347	91.5	17,316	115.5	23,615
20.0	1,979	44.0	6,159	68.0	11,466	92.0	17,445	116.0	23,748
20.5	2,051	44.5	6,260	68.5	11,585	92.5	17,574	116.5	23,880
21.0	2,123	45.0	6,361	69.0	11,704	93.0	17,703	117.0	24,013
21.5	2,195	45.5	6,463	69.5	11,824	93.5	17,833	117.5	24,145
22.0	2,269	46.0	6,565	70.0	11,943	94.0	17,962	118.0	24,278
22.5	2,343	46.5	6,668	70.5	12,064	94.5	18,092	118.5	24,410
23.0	2,419	47.0	6,771	71.0	12,184	95.0	18,222	119.0	24,543
23.5	2,494	47.5	6,875	71.5	12,305	95.5	18,352	119.5	24,675
24.0	2,571	48.0	6,979	72.0	12,426	96.0	18,482	120.0	24,807

DWT6 8'-1500 COMPARTMENT
47,867 Liters

06/22/2023

DIPSTICK (cm)	VOLUME (L)	DIPSTICK (cm)	VOLUME (L)	DIPSTICK (cm)	VOLUME (L)	DIPSTICK (cm)	VOLUME (L)	DIPSTICK (cm)	VOLUME (L)
121.0	24,940	145.0	31,219	169.0	37,133	193.0	42,324	217.0	46,312
121.0	25,072	145.0	31,347	169.0	37,250	193.0	42,421	217.0	46,377
122.0	25,205	146.0	31,475	170.0	37,366	194.0	42,518	218.0	46,441
122.0	25,337	146.0	31,603	170.0	37,482	194.0	42,614	218.0	46,505
123.0	25,469	147.0	31,730	171.0	37,598	195.0	42,710	219.0	46,567
123.0	25,602	147.0	31,858	171.0	37,714	195.0	42,805	219.0	46,628
124.0	25,734	148.0	31,985	172.0	37,829	196.0	42,900	220.0	46,689
124.0	25,866	148.0	32,112	172.0	37,944	196.0	42,994	220.0	46,748
125.0	25,998	149.0	32,239	173.0	38,059	197.0	43,088	221.0	46,807
125.0	26,130	149.0	32,366	173.0	38,173	197.0	43,181	221.0	46,864
126.0	26,262	150.0	32,492	174.0	38,287	198.0	43,274	222.0	46,920
126.0	26,394	150.0	32,618	174.0	38,401	198.0	43,366	222.0	46,976
127.0	26,526	151.0	32,745	175.0	38,514	199.0	43,457	223.0	47,030
127.0	26,658	151.0	32,871	175.0	38,627	199.0	43,548	223.0	47,083
128.0	26,790	152.0	32,996	176.0	38,739	200.0	43,638	224.0	47,135
128.0	26,922	152.0	33,122	176.0	38,851	200.0	43,728	224.0	47,185
129.0	27,054	153.0	33,247	177.0	38,963	201.0	43,817	225.0	47,235
129.0	27,185	153.0	33,372	177.0	39,075	201.0	43,906	225.0	47,283
130.0	27,317	154.0	33,497	178.0	39,186	202.0	43,994	226.0	47,330
130.0	27,448	154.0	33,622	178.0	39,296	202.0	44,081	226.0	47,376
131.0	27,580	155.0	33,747	179.0	39,407	203.0	44,168	227.0	47,420
131.0	27,711	155.0	33,871	179.0	39,517	203.0	44,254	227.0	47,463
132.0	27,842	156.0	33,995	180.0	39,626	204.0	44,339	228.0	47,505
132.0	27,974	156.0	34,119	180.0	39,735	204.0	44,424	228.0	47,545
133.0	28,105	157.0	34,242	181.0	39,844	205.0	44,508	229.0	47,583
133.0	28,236	157.0	34,366	181.0	39,952	205.0	44,592	229.0	47,620
134.0	28,367	158.0	34,489	182.0	40,060	206.0	44,674	230.0	47,655
134.0	28,498	158.0	34,612	182.0	40,168	206.0	44,757	230.0	47,688
135.0	28,628	159.0	34,734	183.0	40,275	207.0	44,838	231.0	47,720
135.0	28,759	159.0	34,857	183.0	40,382	207.0	44,919	231.0	47,749
136.0	28,890	160.0	34,979	184.0	40,488	208.0	44,999	232.0	47,776
136.0	29,020	160.0	35,101	184.0	40,594	208.0	45,078	232.0	47,801
137.0	29,150	161.0	35,223	185.0	40,699	209.0	45,157	233.0	47,823
137.0	29,281	161.0	35,344	185.0	40,804	209.0	45,235	233.0	47,842
138.0	29,411	162.0	35,465	186.0	40,909	210.0	45,312	234.0	47,857
138.0	29,541	162.0	35,586	186.0	41,013	210.0	45,389	234.0	47,867
139.0	29,671	163.0	35,707	187.0	41,116	211.0	45,465		
139.0	29,800	163.0	35,827	187.0	41,220	211.0	45,540		
140.0	29,930	164.0	35,947	188.0	41,322	212.0	45,614		
140.0	30,060	164.0	36,067	188.0	41,425	212.0	45,687		
141.0	30,189	165.0	36,187	189.0	41,526	213.0	45,760		
141.0	30,318	165.0	36,306	189.0	41,628	213.0	45,832		
142.0	30,447	166.0	36,425	190.0	41,729	214.0	45,903		
142.0	30,576	166.0	36,544	190.0	41,829	214.0	45,973		
143.0	30,705	167.0	36,662	191.0	41,929	215.0	46,043		
143.0	30,834	167.0	36,780	191.0	42,028	215.0	46,111		
144.0	30,962	168.0	36,898	192.0	42,127	216.0	46,179		
144.0	31,091	168.0	37,016	192.0	42,226	216.0	46,246		

Fiber Glass Systems



HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

Kolor Kut Water Finding Paste Description - PASTE02 - for Salt and Chloride Solutions
7915 East Elm Street
Houston, TX 77012
Phone (713) 926-4780
E-Mail Sales@KolorKut.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

NOV - Fiber Glass Systems - Containment Solutions™ Tanks

500 Conroe Park Drive West
Conroe, TX 77303
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.