

8'-3000 SWT G6 Single-Wall Tank 3041 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	1	6 1/8	73	12 1/8	204	18 1/8	380	24 1/8	591
1/4	2	6 1/4	76	12 1/4	208	18 1/4	384	24 1/4	595
3/8	2	6 3/8	78	12 3/8	211	18 3/8	388	24 3/8	600
1/2	3	6 1/2	80	12 1/2	214	18 1/2	392	24 1/2	605
5/8	4	6 5/8	82	12 5/8	217	18 5/8	396	24 5/8	610
3/4	5	6 3/4	85	12 3/4	221	18 3/4	400	24 3/4	614
7/8	6	6 7/8	87	12 7/8	224	18 7/8	404	24 7/8	619
1	6	7	89	13	227	19	408	25	624
1 1/8	7	7 1/8	92	13 1/8	231	19 1/8	413	25 1/8	629
1 1/4	8	7 1/4	94	13 1/4	234	19 1/4	417	25 1/4	634
1 3/8	9	7 3/8	96	13 3/8	237	19 3/8	421	25 3/8	638
1 1/2	11	7 1/2	99	13 1/2	241	19 1/2	425	25 1/2	643
1 5/8	12	7 5/8	101	13 5/8	244	19 5/8	429	25 5/8	648
1 3/4	13	7 3/4	104	13 3/4	248	19 3/4	434	25 3/4	653
1 7/8	14	7 7/8	106	13 7/8	251	19 7/8	438	25 7/8	658
2	15	8	109	14	255	20	442	26	663
2 1/8	17	8 1/8	111	14 1/8	258	20 1/8	446	26 1/8	668
2 1/4	18	8 1/4	114	14 1/4	262	20 1/4	451	26 1/4	672
2 3/8	19	8 3/8	117	14 3/8	265	20 3/8	455	26 3/8	677
2 1/2	21	8 1/2	119	14 1/2	269	20 1/2	459	26 1/2	682
2 5/8	22	8 5/8	122	14 5/8	272	20 5/8	464	26 5/8	687
2 3/4	23	8 3/4	125	14 3/4	276	20 3/4	468	26 3/4	692
2 7/8	25	8 7/8	127	14 7/8	280	20 7/8	472	26 7/8	697
3	26	9	130	15	283	21	477	27	702
3 1/8	28	9 1/8	133	15 1/8	287	21 1/8	481	27 1/8	707
3 1/4	30	9 1/4	135	15 1/4	291	21 1/4	486	27 1/4	712
3 3/8	31	9 3/8	138	15 3/8	294	21 3/8	490	27 3/8	717
3 1/2	33	9 1/2	141	15 1/2	298	21 1/2	494	27 1/2	722
3 5/8	34	9 5/8	144	15 5/8	302	21 5/8	499	27 5/8	727
3 3/4	36	9 3/4	147	15 3/4	305	21 3/4	503	27 3/4	732
3 7/8	38	9 7/8	149	15 7/8	309	21 7/8	508	27 7/8	737
4	40	10	152	16	313	22	512	28	742
4 1/8	41	10 1/8	155	16 1/8	317	22 1/8	517	28 1/8	747
4 1/4	43	10 1/4	158	16 1/4	321	22 1/4	521	28 1/4	752
4 3/8	45	10 3/8	161	16 3/8	324	22 3/8	526	28 3/8	757
4 1/2	47	10 1/2	164	16 1/2	328	22 1/2	530	28 1/2	762
4 5/8	49	10 5/8	167	16 5/8	332	22 5/8	535	28 5/8	768
4 3/4	51	10 3/4	170	16 3/4	336	22 3/4	540	28 3/4	773
4 7/8	53	10 7/8	173	16 7/8	340	22 7/8	544	28 7/8	778
5	55	11	176	17	344	23	549	29	783
5 1/8	56	11 1/8	179	17 1/8	348	23 1/8	553	29 1/8	788
5 1/4	59	11 1/4	182	17 1/4	352	23 1/4	558	29 1/4	793
5 3/8	61	11 3/8	185	17 3/8	356	23 3/8	563	29 3/8	798
5 1/2	63	11 1/2	188	17 1/2	360	23 1/2	567	29 1/2	803
5 5/8	65	11 5/8	192	17 5/8	364	23 5/8	572	29 5/8	809
5 3/4	67	11 3/4	195	17 3/4	368	23 3/4	577	29 3/4	814
5 7/8	69	11 7/8	198	17 7/8	372	23 7/8	581	29 7/8	819
6	71	12	201	18	376	24	586	30	824

8'-3000 SWT G6 Single-Wall Tank 3041 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
30 1/8	829	36 1/8	1087	42 1/8	1358	48 1/8	1632	54 1/8	1904
30 1/4	834	36 1/4	1093	42 1/4	1363	48 1/4	1638	54 1/4	1909
30 3/8	840	36 3/8	1099	42 3/8	1369	48 3/8	1644	54 3/8	1915
30 1/2	845	36 1/2	1104	42 1/2	1375	48 1/2	1649	54 1/2	1920
30 5/8	850	36 5/8	1110	42 5/8	1380	48 5/8	1655	54 5/8	1926
30 3/4	855	36 3/4	1115	42 3/4	1386	48 3/4	1661	54 3/4	1931
30 7/8	861	36 7/8	1121	42 7/8	1392	48 7/8	1666	54 7/8	1937
31	866	37	1126	43	1398	49	1672	55	1943
31 1/8	871	37 1/8	1132	43 1/8	1403	49 1/8	1678	55 1/8	1948
31 1/4	876	37 1/4	1137	43 1/4	1409	49 1/4	1683	55 1/4	1954
31 3/8	882	37 3/8	1143	43 3/8	1415	49 3/8	1689	55 3/8	1959
31 1/2	887	37 1/2	1149	43 1/2	1420	49 1/2	1695	55 1/2	1965
31 5/8	892	37 5/8	1154	43 5/8	1426	49 5/8	1701	55 5/8	1970
31 3/4	898	37 3/4	1160	43 3/4	1432	49 3/4	1706	55 3/4	1976
31 7/8	903	37 7/8	1165	43 7/8	1438	49 7/8	1712	55 7/8	1981
32	908	38	1171	44	1443	50	1718	56	1987
32 1/8	914	38 1/8	1177	44 1/8	1449	50 1/8	1723	56 1/8	1992
32 1/4	919	38 1/4	1182	44 1/4	1455	50 1/4	1729	56 1/4	1998
32 3/8	924	38 3/8	1188	44 3/8	1460	50 3/8	1735	56 3/8	2003
32 1/2	930	38 1/2	1193	44 1/2	1466	50 1/2	1740	56 1/2	2009
32 5/8	935	38 5/8	1199	44 5/8	1472	50 5/8	1746	56 5/8	2014
32 3/4	940	38 3/4	1205	44 3/4	1478	50 3/4	1752	56 3/4	2020
32 7/8	946	38 7/8	1210	44 7/8	1483	50 7/8	1757	56 7/8	2025
33	951	39	1216	45	1489	51	1763	57	2030
33 1/8	956	39 1/8	1221	45 1/8	1495	51 1/8	1769	57 1/8	2036
33 1/4	962	39 1/4	1227	45 1/4	1500	51 1/4	1774	57 1/4	2041
33 3/8	967	39 3/8	1233	45 3/8	1506	51 3/8	1780	57 3/8	2047
33 1/2	973	39 1/2	1238	45 1/2	1512	51 1/2	1786	57 1/2	2052
33 5/8	978	39 5/8	1244	45 5/8	1518	51 5/8	1791	57 5/8	2058
33 3/4	983	39 3/4	1250	45 3/4	1523	51 3/4	1797	57 3/4	2063
33 7/8	989	39 7/8	1255	45 7/8	1529	51 7/8	1803	57 7/8	2068
34	994	40	1261	46	1535	52	1808	58	2074
34 1/8	1000	40 1/8	1267	46 1/8	1541	52 1/8	1814	58 1/8	2079
34 1/4	1005	40 1/4	1272	46 1/4	1546	52 1/4	1820	58 1/4	2085
34 3/8	1011	40 3/8	1278	46 3/8	1552	52 3/8	1825	58 3/8	2090
34 1/2	1016	40 1/2	1284	46 1/2	1558	52 1/2	1831	58 1/2	2095
34 5/8	1021	40 5/8	1289	46 5/8	1563	52 5/8	1836	58 5/8	2101
34 3/4	1027	40 3/4	1295	46 3/4	1569	52 3/4	1842	58 3/4	2106
34 7/8	1032	40 7/8	1301	46 7/8	1575	52 7/8	1848	58 7/8	2111
35	1038	41	1306	47	1581	53	1853	59	2117
35 1/8	1043	41 1/8	1312	47 1/8	1586	53 1/8	1859	59 1/8	2122
35 1/4	1049	41 1/4	1318	47 1/4	1592	53 1/4	1865	59 1/4	2128
35 3/8	1054	41 3/8	1323	47 3/8	1598	53 3/8	1870	59 3/8	2133
35 1/2	1060	41 1/2	1329	47 1/2	1604	53 1/2	1876	59 1/2	2138
35 5/8	1065	41 5/8	1335	47 5/8	1609	53 5/8	1881	59 5/8	2143
35 3/4	1071	41 3/4	1340	47 3/4	1615	53 3/4	1887	59 3/4	2149
35 7/8	1076	41 7/8	1346	47 7/8	1621	53 7/8	1892	59 7/8	2154
36	1082	42	1352	48	1626	54	1898	60	2159

8'-3000 SWT G6 Single-Wall Tank 3041 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
60 1/8	2165	66 1/8	2407	72 1/8	2624	78 1/8	2807	84 1/8	2947
60 1/4	2170	66 1/4	2412	72 1/4	2629	78 1/4	2810	84 1/4	2949
60 3/8	2175	66 3/8	2417	72 3/8	2633	78 3/8	2814	84 3/8	2952
60 1/2	2180	66 1/2	2422	72 1/2	2637	78 1/2	2817	84 1/2	2954
60 5/8	2186	66 5/8	2427	72 5/8	2641	78 5/8	2820	84 5/8	2956
60 3/4	2191	66 3/4	2431	72 3/4	2645	78 3/4	2824	84 3/4	2959
60 7/8	2196	66 7/8	2436	72 7/8	2649	78 7/8	2827	84 7/8	2961
61	2201	67	2441	73	2653	79	2830	85	2963
61 1/8	2207	67 1/8	2446	73 1/8	2657	79 1/8	2834	85 1/8	2966
61 1/4	2212	67 1/4	2450	73 1/4	2661	79 1/4	2837	85 1/4	2968
61 3/8	2217	67 3/8	2455	73 3/8	2665	79 3/8	2840	85 3/8	2970
61 1/2	2222	67 1/2	2460	73 1/2	2670	79 1/2	2843	85 1/2	2972
61 5/8	2227	67 5/8	2464	73 5/8	2674	79 5/8	2846	85 5/8	2974
61 3/4	2233	67 3/4	2469	73 3/4	2678	79 3/4	2850	85 3/4	2976
61 7/8	2238	67 7/8	2474	73 7/8	2682	79 7/8	2853	85 7/8	2978
62	2243	68	2478	74	2685	80	2856	86	2981
62 1/8	2248	68 1/8	2483	74 1/8	2689	80 1/8	2859	86 1/8	2983
62 1/4	2253	68 1/4	2488	74 1/4	2693	80 1/4	2862	86 1/4	2985
62 3/8	2258	68 3/8	2492	74 3/8	2697	80 3/8	2865	86 3/8	2987
62 1/2	2263	68 1/2	2497	74 1/2	2701	80 1/2	2868	86 1/2	2989
62 5/8	2268	68 5/8	2501	74 5/8	2705	80 5/8	2871	86 5/8	2990
62 3/4	2274	68 3/4	2506	74 3/4	2709	80 3/4	2874	86 3/4	2992
62 7/8	2279	68 7/8	2511	74 7/8	2713	80 7/8	2877	86 7/8	2994
63	2284	69	2515	75	2717	81	2880	87	2996
63 1/8	2289	69 1/8	2520	75 1/8	2720	81 1/8	2883	87 1/8	2998
63 1/4	2294	69 1/4	2524	75 1/4	2724	81 1/4	2886	87 1/4	3000
63 3/8	2299	69 3/8	2529	75 3/8	2728	81 3/8	2889	87 3/8	3001
63 1/2	2304	69 1/2	2533	75 1/2	2732	81 1/2	2892	87 1/2	3003
63 5/8	2309	69 5/8	2538	75 5/8	2736	81 5/8	2894	87 5/8	3005
63 3/4	2314	69 3/4	2542	75 3/4	2739	81 3/4	2897	87 3/4	3007
63 7/8	2319	69 7/8	2547	75 7/8	2743	81 7/8	2900	87 7/8	3008
64	2324	70	2551	76	2747	82	2903	88	3010
64 1/8	2329	70 1/8	2555	76 1/8	2750	82 1/8	2906	88 1/8	3012
64 1/4	2334	70 1/4	2560	76 1/4	2754	82 1/4	2908	88 1/4	3013
64 3/8	2339	70 3/8	2564	76 3/8	2758	82 3/8	2911	88 3/8	3015
64 1/2	2344	70 1/2	2569	76 1/2	2761	82 1/2	2914	88 1/2	3016
64 5/8	2349	70 5/8	2573	76 5/8	2765	82 5/8	2916	88 5/8	3018
64 3/4	2354	70 3/4	2577	76 3/4	2769	82 3/4	2919	88 3/4	3019
64 7/8	2359	70 7/8	2582	76 7/8	2772	82 7/8	2922	88 7/8	3020
65	2364	71	2586	77	2776	83	2924	89	3022
65 1/8	2369	71 1/8	2590	77 1/8	2779	83 1/8	2927	89 1/8	3023
65 1/4	2373	71 1/4	2595	77 1/4	2783	83 1/4	2930	89 1/4	3025
65 3/8	2378	71 3/8	2599	77 3/8	2786	83 3/8	2932	89 3/8	3026
65 1/2	2383	71 1/2	2603	77 1/2	2790	83 1/2	2935	89 1/2	3027
65 5/8	2388	71 5/8	2607	77 5/8	2793	83 5/8	2937	89 5/8	3028
65 3/4	2393	71 3/4	2612	77 3/4	2797	83 3/4	2940	89 3/4	3029
65 7/8	2398	71 7/8	2616	77 7/8	2800	83 7/8	2942	89 7/8	3031
66	2403	72	2620	78	2804	84	2945	90	3032

8'-3000 SWT G6 Single-Wall Tank

3041 Gals

DIPSTICK	GALLONS
90 1/8	3033
90 1/4	3034
90 3/8	3035
90 1/2	3036
90 5/8	3036
90 3/4	3037
90 7/8	3038



CONTAINMENT
SOLUTIONS®

91	3039
91 1/8	3039
91 1/4	3040
91 3/8	3040
91 1/2	3041
91 5/8	3041

HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870
DAYCO/NATIONAL
DAYTON, OH
TEL: 1-800-283-2926
FAX: 1-800-688-4854

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled.

Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

Containment Solutions, Inc.
333 North Rivershire Dr., Suite 190
Conroe, TX 77304
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.
